

**1st QUARTER 2008 STATUS REPORT
for the
FORMER TROOP HOUSING BOILER PLANT
BUILDING 8481
Operable Unit 2, FGGM-05**

**FORT MEADE, MARYLAND
MDE PROJECT #: 92-0026AA
KEMRON PROJECT #: VA0032
April 2008**

Prepared for:



United States Army Environmental Command
4118 Susquehanna Avenue
Aberdeen Proving Ground, MD 21005-3013

Prepared by:
KEMRON
ENVIRONMENTAL SERVICES
8150 Leesburg Pike
Suite 1410
Vienna, VA 22182
703-893-4106 (Phone)
703-893-1741 (Fax)

EXECUTIVE SUMMARY

KEMRON Environmental Services, Inc. (KEMRON) was awarded the Fort Meade Performance Based Contract (PBC) for Environmental Services at 11 Sites Located at Fort Meade, Maryland. The contract was issued by the ACA Aberdeen Proving Ground KO Directorate of Contracting office located at 4118 Susquehanna Avenue in Aberdeen Proving Ground, Maryland. One of the eleven sites is identified as FGGM-05, the former Troop Housing Boiler Plant. KEMRON has renamed this site as Operable Unit 2 (OU-2) of the Fort Meade PBC project.

During its operational phase, OU-2 contained the following site improvements: one building, Building 8481; five aboveground storage tanks (ASTs) ranging in capacity from 275 gallons to 142,000 gallons; and four underground storage tanks (USTs) ranging in capacity from 550 gallons to 20,000 gallons. Both the ASTs and USTs stored petroleum products, mainly No. 2 fuel oil with a couple of the ASTs containing waste oil. Building 8481 has been demolished and the ASTs and USTs have been taken out of service and closed. One of the USTs was closed in place using inert fill and remains in the ground at the OU-2 site.

Historic Liquid Petroleum Hydrocarbon Recovery

There were two releases totaling 2,400 gallons during a delivery in 1981 and two reported UST leaks in 1991. Due to these incidents, OU-2 became an active site, identified as case number 92-0026-AA, within the Maryland Department of the Environment's (MDE) Oil Control Program (OCP). After OU-2 was established as an active MDE-OCP site, Liquid Petroleum Hydrocarbon (LPH) was recovered using a product recovery system which was active from 1993 to 1996, and a solar powered oil skimmer installed in MW-127 which was active from 2000 to 2003. As of 2003, a total of 4,282 gallons of LPH was recovered from OU-2 using these methods.

Groundwater Sample Results

Groundwater samples have been collected from monitoring wells at the OU-2 site. The most recent groundwater sample results for benzene, toluene, ethylbenzene, and xylene (BTEX) and methyl-tert butyl ether (MTBE) are dated November 2001. Refer to Figure 5 of this Data Report for the sample results.

In a letter from the MDE-OCP to the Army dated April 3, 2003, the MDE-OCP waived the requirement to conduct groundwater sample collection and analysis. The MDE-OCP also stated that they may require periodic groundwater sample collection and analysis during post remedial monitoring or if deemed necessary to update the status of the dissolved petroleum concentrations at OU-2.

Current Operations and Maintenance Activities

In January 2006, KEMRON, the MDE-OCP, and the Fort Meade Environmental Division agreed to continue current Operations and Maintenance (O&M) activities. Beginning in March 2006, KEMRON, the MDE-OCP, and the Fort Meade Environmental Division agreed to initiate Liquid Petroleum Hydrocarbon (LPH) recovery using hand bailing methods. During weekly O&M site visits, KEMRON collects gauging data for water levels and LPH levels in monitoring wells. When LPH is present in a monitoring well, KEMRON removes the LPH using a clear bailer. Hand-bailing of the LPH from the monitoring well continues until the LPH thickness can be described as sheen. The MDE guidance document titled *Maryland Environmental Assessment*

Technology for Leaking Underground Storage Tanks states that LPH will be recovered from a well to the maximum extent.

Site Conceptual Model and Assessment Report

The Final Site Conceptual Model and Assessment Report for OU-2 was submitted to the MDE-OCP on February 15, 2008. The purpose of the Site Conceptual Model and Assessment Report is to present comprehensive information of all known data collected at the site. It is comprised of records review, and surface and subsurface investigation handled in a well-documented and scientific manner with the goal of determining the total extent of contamination from a release or suspected release. The MDE-OCP requires the potential risk be measured at every site that has a reported release. The MDE-OCP continues to assess risk by a "Seven Risk Factor" process. This evaluation process is described in detail within the Site Conceptual Model and Assessment Report. The MDE-OCP has chosen this process because of simplicity, ability to comprehend, ease of review, and the level of protection it allows for human health and the environment (MEAT, 2003). Also included in the Site Conceptual Model and Assessment Report, is a work plan to remove the remaining LPH as well as collect a current round of groundwater samples from selected monitoring wells at OU-2. The MDE's comments and conditional approval of the SCM can be found in a letter to the Army dated January 16, 2008. The letter is provided in Appendix C of this report.

KEMRON began the first phase of the work plan on March 20, 2008. The BioSoks® were installed in the wells (MW-15, MW-104, MW-111, MW-124) approved by the MDE according to the work plan. The MDE approved the list of analytes to be sampled, the method detection limits, and the reporting limits on March 25, 2008 via email to the Army. The sampling phase of the work plan will occur during the 2nd Quarter 2008.

First Quarter 2008 Observations/Results

During the 1st Quarter 2008, KEMRON conducted 13 visits to OU-2. There are 41 groundwater monitoring wells on site. Of these 41 monitoring wells, two (2) monitoring wells were identified as containing LPH (MW-104 and MW-124). The LPH thickness for both wells was 0.01 feet. KEMRON recovered 0 gallons of LPH during 1st Quarter 2008 reporting period. A total of 4,325.43 gallons of LPH has been recovered since the case was opened by the MDE-OCP.

TABLE OF CONTENTS

1.0	INTRODUCTION.....	1
2.0	SITE WIDE OCCURRENCE AND RECOVERY OF LPH.....	1
3.0	FUEL OIL RECOVERY RATES FOR MW-127	1
4.0	GROUNDWATER ELEVATION AND FLOW DIRECTION	2
5.0	GROUNDWATER SAMPLES.....	2
6.0	FUTURE WORK	3

LIST OF FIGURES

FIGURE 1 – OU-2 AERIAL MAP

FIGURE 2 – OU-2 SITE PLAN

FIGURE 3 – LPH THICKNESS OBSERVED DURING 1ST QUARTER 2008

FIGURE 4 – OU-2 GROUNDWATER CONTOUR (2/28/2008)

FIGURE 5 – NOVEMBER 2001 GROUNDWATER SAMPLE RESULTS

LIST OF TABLES

TABLE 1 – MONITORING WELLS FUEL RECOVERY DATA (GAL.), BUILDING 8481

**TABLE 2 – MONITORING AND RECOVERY WELL WATER LEVEL AND FUEL OIL
OCCURRENCE DATA, BUILDING 8481**

LIST OF APPENDICES

APPENDIX A - GROUNDWATER ELEVATION GRAPHS

APPENDIX B – MDE REPORT OF OBSERVATIONS (04/03/2003)

APPENDIX C – MDE CONDITIONAL APPROVAL OF THE SCM (01/16/2008)

APPENDIX D – BIOSOK® INSTALLATION PICTURES (03/20/2008)

APPENDIX E – WELL LOGS (03/20/2008)

1.0 INTRODUCTION

On January 1, 2006, under U.S. Army Environmental Command Contract No. W91ZLK-05-R-0004, KEMRON Environmental Services Inc., of Vienna, Virginia assumed control of all remediation activities from URS Corporation (URS) at the Troop Housing Boiler Plant. This contract is known as the Fort Meade Performance Based Contract (PBC) and the Troop Housing Boiler Plant is one of 11 sites under the Fort Meade PBC. The Troop Housing Boiler Plant is known as FGGM-05; however KEMRON will refer to this site as Operational Unit (OU) 2 under the Fort Meade PBC project.

KEMRON, the Maryland Department of the Environment (MDE) Oil Control Program (OCP), and the Fort Meade Environmental Division (ED) held a transition meeting for OU-2 on January 5, 2006. The project goals, current operation and maintenance (O&M) activities, and site history were discussed. All 3 parties agreed to continue current Operation and Maintenance (O&M) activities with Liquid Phase Hydrocarbon (LPH) recovery starting in March 2006.

KEMRON conducts weekly O&M site visits. During the weekly visits, KEMRON collects gauging data for water levels and LPH levels in the OU-2 site monitoring wells. When LPH is present in a monitoring well, KEMRON removes the LPH using a clear bailer. Hand-bailing of the LPH from the monitoring well continues until the LPH thickness can be described as sheen. The MDE guidance document titled *Maryland Environmental Assessment Technology for Leaking Underground Storage Tanks* states that LPH will be recovered from a well to the maximum extent.

Data for the 41 existing monitoring wells at Building 8481 are presented, herein, for the monitoring period January 1, 2008 through March 31, 2008. Figure 1 is an aerial map showing approximate site boundaries and Figure 2 shows the site features such as locations of former ASTs/USTs, monitoring well, and recovery well locations.

2.0 SITE WIDE OCCURRENCE AND RECOVERY OF LPH

Since 1993, several methods have been employed for LPH recovery at this site. These methods were: hand bailing monitoring wells; a pump and treat system; and a solar powered skimmer. There has been 4,325.43 gallons of LPH recovered at this site. No LPH was recovered during the 1st Quarter 2008.

During the reporting period, LPH thickness was measured at 0.01 feet (MW-104 and MW-124). Wells containing LPH this quarter were MW-104 and MW-124. LPH recovery data is found in Table 1 and gauging data is found in Table 2. Refer to Figure 3 for the maximum and average LPH thicknesses during the 1st Quarter 2008.

Beginning in March 2006, wells containing a thickness of more than 0.1 ft of LPH are bailed until all LPH is removed from the respective well. Bailed LPH is stored in a labeled 15 gallon drum that is located on the south side of the remediation shed.

3.0 FUEL OIL RECOVERY RATES FOR MW-127

Since the installation of MW-127, a total of 1,704 gallons of LPH have been recovered from this well. Of this amount, 168 gallons of LPH was manually recovered between March 2000 and

May 2000. From June 2000 to August 2001, a small pump was installed at MW-127 and recovered approximately 418 gallons of LPH. On August 22, 2001, an automatic fuel recovery system was installed and, since its installation, 1,118 gallons of LPH have been recovered. The automatic fuel recovery system has not been in operation since March 2003 due to lack of significant LPH in MW-127. During the 1st Quarter of 2008, no LPH was recovered from MW-127. Decreased LPH recovery in MW-127 began in early October 2002.

4.0 GROUNDWATER ELEVATION AND FLOW DIRECTION

During the 1st Quarter 2008 monitoring period, groundwater elevation varied at OU-2 from a maximum of 134.58 feet mean seal level (msl) in MW-14 on March 27, 2008 to a minimum of 126.41 feet msl at MW-127 on January 25, 2008. Water table elevation data indicates a general southwesterly groundwater flow across the site. Groundwater flow is assumed to follow the site groundwater contours. Refer to Figure 4 for the site groundwater contours constructed from data collected on February 28, 2008. Refer to Table 2 and Figure 4 for site groundwater elevations.

5.0 GROUNDWATER SAMPLES

No groundwater samples were collected during the 1st Quarter 2008. Figure 5 illustrates total BTEX (benzene, toluene, ethylbenzene, xylene) and MTBE concentrations from a November 2001 groundwater sampling event. All values are reported in units of micrograms per liter ($\mu\text{g}/\text{L}$).

The MDE-OCP granted permission to URS in a letter dated April 3, 2003 to waive dissolve phase sampling (see Appendix B for letter). In the letter, the MDE stated they may require periodic sampling during post remedial monitoring or if deemed necessary to update the status of the dissolved petroleum levels at the site.

6.0 IMPLEMENTATION OF 2008 WORK PLAN – PHASE I

The MDE-OCP's comments and conditional approval of the SCM were received by the Army in a letter dated January 16, 2008 (see Appendix C). The Army responded to the MDE-OCP's comments and conditions in a letter dated February 6, 2008. The MDE-OCP was satisfied with the Army's responses; as a result, KEMRON began the first phase of the 2008 Work Plan by providing a schedule for installation of the BioSoks® to Fort Meade personnel on March 04, 2008, and installing the BioSoks® on March 20, 2008.

The BioSoks® are installed in the wells (MW-15, MW-104, MW-111, MW-124) approved by the MDE-OCP according to the 2008 Work Plan. Each BioSok® is attached to a new well cap and lowered to the groundwater depth (refer to Appendix D for photographs of the installation). The rope that is attached to the boom has an extra 5 feet of slack to compensate for groundwater fluctuation (refer to Table 2 for water depth on March 20, 2008). The BioSoks® are buoyant well booms containing filtered yellow beeswax and polypropylene. These ingredients stimulate and enhance the biodegradation of hydrocarbons in the groundwater. Once the LPH is absorbed by the BioSok®, it stays trapped inside. Appendix E contains monitoring well logs for MW-15, MW-104, MW-111, and MW-124. The logs depict the groundwater depths and the depths the BioSoks® were installed on March 20, 2008.



7.0 FUTURE WORK


The conclusion of the Site Conceptual Model and Assessment Report outlines proposed actions to remediate OU-2. The first action of installing the BioSoks® has been accomplished. The second action of collecting groundwater samples for lab analysis will be conducted during the 2nd Quarter 2008. The MDE-OCP approved the list of analytes, method detection limits, and reporting limits via email to the Army on March 25, 2008. The Army will be provided an advance schedule such that advance notice of the sampling event may be provided to MDE-OCP personnel.


The MDE-OCP also approved a change in the monitoring well gauging schedule. Starting February 7, 2008, KEMRON gauges four (4) wells weekly (MW-15, MW-104, MW-111, and MW-124). All forty-one (41) monitoring wells are still gauged monthly.


FIGURES











TABLES

Table 1
Monitoring Wells Fuel Recovery Data (gal).
Building 8481
Fort George G. Meade, Maryland

MDE Project No. 92-0226AA

Fuel Recovered From Monitoring Wells in Gallons											
Date	MW-3	MW-8	MW-12	MW-14	MW-15	MW-102	MW-104	MW-111	MW-124	MW-127	Total (a)
CH2M Hill Recovery System											2549
Mar-98	0.00	0.00	0.04	0.00	0.00						0.11
Apr-98	0.00	0.00	0.14	0.00	0.00						0.24
May-98	0.00	0.00	0.10	0.00	0.00						0.17
Jun-98	0.00	0.00	0.04	0.00	0.00						0.16
Jul-98	0.00	0.00	0.03	0.00	0.00						0.10
Aug-98	0.00	0.00	0.05	0.00	0.00						0.08
Sep-98	0.00	0.00	0.03	0.00	0.00						0.08
Oct-98	0.00	0.00	0.19	0.00	0.00						0.30
Nov-98	0.00	0.00	0.04	0.00	0.00						0.40
Dec-98	0.00	0.00	0.08	0.00	0.00						0.25
Jan-99	0.00	0.00	0.14	0.00	0.00						0.38
Feb-99	0.00	0.00	0.07	0.00	0.00						0.38
Mar-99	0.00	0.00	0.07	0.00	0.00						0.67
Apr-99	0.00	0.00	0.10	0.00	0.00						4.03
May-99	0.00	0.00	0.09	0.00	0.00						1.45
Jun-99	0.00	0.00	0.09	0.00	0.00						0.80
Jul-99	0.00	0.00	0.15	0.00	0.00						4.45
Aug-99	0.00	0.00	0.17	0.00	0.12						5.86
Sep-99	0.00	0.00	0.14	0.00	0.05						3.97
Oct-99	0.02	0.00	0.05	0.00	0.02						2.22
Nov-99	0.00	0.00	0.07	0.00	0.04						4.83
Dec-99	0.00	0.00	0.08	0.00	0.05						2.90
Jan-00	0.00	0.00	0.05	0.00	0.02						0.96
Feb-00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		0.00
Mar-00	0.00	0.00	0.00	0.00	0.00	0.00	2.00	0.20	0.00	56.00	58.30

Table 1
Monitoring Wells Fuel Recovery Data (gal).
Building 8481
Fort George G. Meade, Maryland

MDE Project No. 92-0226AA

Fuel Recovered From Monitoring Wells in Gallons											
Date	MW-3	MW-8	MW-12	MW-14	MW-15	MW-102	MW-104	MW-111	MW-124	MW-127	Total (a)
Apr-00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.20	0.00	58.40	58.81
May-00	0.00	0.00	0.05	0.00	0.00	0.00	0.10	0.60	0.00	54.00	55.06
Jun-00	0.00	0.00	0.00	0.00	0.00	0.00	0.20	0.60	0.05	46.00	47.01
Jul-00	0.00	0.00	0.00	0.00	0.00	0.00	0.30	0.50	0.35	24.68	26.06
Oct-00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.40	0.05	20.00	20.45
Nov-00	0.00	0.00	0.00	0.00	0.00	0.04	0.55	0.10	0.00	34.50	35.19
Dec-00	0.00	0.00	0.00	0.00	0.00	0.05	0.07	0.16	0.15	33.00	33.43
Jan-01	0.00	0.00	0.00	0.00	0.00	0.05	0.08	0.16	0.14	37.50	37.93
Feb-01	0.00	0.00	0.00	0.06	0.00	0.05	0.10	0.13	0.01	54.75	55.10
Mar-01	0.29	0.05	0.00	0.07	0.00	0.07	0.07	0.15	0.01	32.00	32.71
Apr-01	0.01	0.04	0.00	0.01	0.00	0.03	0.05	0.23	0.01	32.00	32.38
May-01	0.00	0.01	0.00	0.00	0.00	0.03	0.05	0.28	0.00	40.00	40.36
Jun-01	0.00	0.01	0.00	0.00	0.00	0.02	0.04	0.04	0.00	32.00	32.11
Jul-01	0.00	0.03	0.00	0.00	0.00	0.02	0.04	0.20	0.00	32.00	32.29
Aug-01	0.00	0.00	0.00	0.00	0.00	0.05	0.06	0.40	0.00	75.40	75.91
Sep-01	0.00	0.00	0.00	0.00	0.00	0.05	0.05	0.18	0.05	76.56	76.88
Oct-01	0.00	0.00	0.00	0.00	0.00	0.09	0.14	0.25	0.14	95.27	95.89
Nov-01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	97.14	97.14
Dec-01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	73.70	73.70
Jan-02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	48.96	48.96
Feb-02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	69.76	69.76
Mar-02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	113.38	113.38
Apr-02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	70.00	70.00
May-02	0.00	0.00	0.00	0.00	0.00	0.00	6.50	0.00	0.00	46.60	53.10
Jun-02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	62.20	62.20
Jul-02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	73.90	73.90

Table 1
Monitoring Wells Fuel Recovery Data (gal).
Building 8481
Fort George G. Meade, Maryland

MDE Project No. 92-0226AA

Fuel Recovered From Monitoring Wells in Gallons											
Date	MW-3	MW-8	MW-12	MW-14	MW-15	MW-102	MW-104	MW-111	MW-124	MW-127	Total (a)
Aug-02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	94.48	94.48
Sep-02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	73.20	73.20
Oct-02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	27.24	27.24
Nov-02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.44	1.44
Dec-02	0.00	0.00	0.10	0.00	0.00	0.00	2.70	0.10	0.00	2.56	5.46
Jan-03	0.00	0.00	0.18	0.12	0.00	0.15	0.90	0.30	0.00	2.40	4.05
Feb-03	0.00	0.00	0.00	0.00	0.00	0.10	0.00	0.00	0.00	13.20	13.30
Mar-03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Apr-03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
May-03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Jun-03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Jul-03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Aug-03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Sep-03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Oct-03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Nov-03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Dec-03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Jan-04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Feb-04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Mar-04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Apr-04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
May-04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Jun-04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Jul-04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Aug-04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Sep-04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Table 1
Monitoring Wells Fuel Recovery Data (gal).
Building 8481
Fort George G. Meade, Maryland

MDE Project No. 92-0226AA

Fuel Recovered From Monitoring Wells in Gallons											
Date	MW-3	MW-8	MW-12	MW-14	MW-15	MW-102	MW-104	MW-111	MW-124	MW-127	Total (a)
Oct-04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Nov-04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Dec-04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Jan-05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Feb-05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Mar-05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Apr-05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
May-05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Jun-05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Jul-05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Aug-05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Sep-05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Oct-05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Nov-05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Dec-05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Jan-06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Feb-06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Mar-06	0.00	0.00	0.24	0.00	0.25	0.00	0.00	0.70	0.71	0.00	1.90
Apr-06	0.00	0.00	0.14	0.00	0.10	0.00	0.01	0.55	0.65	0.14	1.59
May-06	0.00	0.00	0.08	0.00	0.03	0.00	0.04	0.73	0.49	0.04	1.41
Jun-06	0.00	0.00	0.07	0.00	0.03	0.00	0.08	0.86	0.80	0.12	1.96
Jul-06	0.00	0.00	0.00	0.00	0.12	0.00	0.06	0.66	0.58	0.00	1.42
Aug-06	0.00	0.00	0.00	0.00	0.14	0.00	0.00	1.04	1.06	0.00	2.24
Sep-06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.55	0.39	0.00	0.94
Oct-06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.22	0.19	0.00	0.41
Nov-06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.14	0.06	0.00	0.20

Table 1
Monitoring Wells Fuel Recovery Data (gal).
Building 8481
Fort George G. Meade, Maryland

MDE Project No. 92-0226AA

Fuel Recovered From Monitoring Wells in Gallons											
Date	MW-3	MW-8	MW-12	MW-14	MW-15	MW-102	MW-104	MW-111	MW-124	MW-127	Total (a)
Dec-06	0.00	0.00	0.00	0.00	0.10	0.00	0.00	0.15	0.15	0.00	0.40
Jan-07	0.00	0.00	0.00	0.00	0.07	0.00	0.00	0.00	0.00	0.00	0.07
Feb-07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.08	0.09	0.00	0.17
Mar-07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Apr-07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
May-07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Jun-07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Jul-07	0.00	0.00	0.00	0.00	0.07	0.00	0.00	0.09	0.00	0.00	0.16
Aug-07	0.00	0.00	0.00	0.00	0.17	0.00	0.00	0.19	0.24	0.00	0.60
Sep-07	0.00	0.00	0.00	0.00	0.14	0.00	0.00	0.37	0.49	0.00	1.00
Oct-07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Nov-07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Dec-07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Jan-08	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Feb-08	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Mar-08	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Totals:	0.32	0.13	2.87	0.27	1.52	0.79	14.19	11.50	6.85	1704.52	4325.43

: Wells with this shading did not exist at this time.

(a) These totals include historic recovery of small amounts of fuel from wells that have been abandoned.

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-1	6/21/2000	NA	25.50	157.63	NA	132.13	NA	132.13	Well previously thought to have been abandoned.
MW-1	1/30/2002	30.65	30.65	157.63	126.98	126.98	0.00	126.98	
MW-1	2/12/2002	NA	30.99	157.63	NA	126.64	NA	126.64	
MW-1	2/26/2002	NA	30.50	157.63	NA	127.13	NA	127.13	
MW-1	3/27/2002	NA	30.73	157.63	NA	126.90	NA	126.90	
MW-1	4/26/2002	NA	30.47	157.63	NA	127.16	NA	127.16	
MW-1	5/31/2002	NA	29.49	157.63	NA	128.14	NA	128.14	
MW-1	6/28/2002	NA	30.26	157.63	NA	127.37	NA	127.37	Sheen
MW-1	7/29/2002	NA	30.65	157.63	NA	126.98	NA	126.98	
MW-1	8/30/2002	NA	26.16	157.63	NA	131.47	NA	131.47	
MW-1	9/30/2002	NA	31.57	157.63	NA	126.06	NA	126.06	
MW-1	10/25/2002	NA	29.68	157.63	NA	127.95	NA	127.95	
MW-1	11/27/2002	NA	26.86	157.63	NA	130.77	NA	130.77	
MW-1	12/30/2002	NA	25.42	157.63	NA	132.21	NA	132.21	
MW-1	1/31/2003	NA	24.93	157.63	NA	132.70	NA	132.70	
MW-1	2/25/2003	NA	NA	157.63	NA	NA	NA	NA	covered with snow
MW-1	3/17/2003	NA	23.98	157.63	NA	133.65	NA	133.65	
MW-1	4/30/2003	NA	24.24	157.63	NA	133.39	NA	133.39	
MW-1	5/29/2003	NA	24.25	157.63	NA	133.38	NA	133.38	
MW-1	6/27/2003	NA	23.51	157.63	NA	134.12	NA	134.12	
MW-1	7/25/2003	NA	24.24	157.63	NA	133.39	NA	133.39	
MW-1	8/26/2003	NA	24.18	157.63	NA	133.45	NA	133.45	
MW-1	9/29/2003	NA	23.91	157.63	NA	133.72	NA	133.72	
MW-1	10/31/2003	NA	24.00	157.63	NA	133.63	NA	133.63	
MW-1	11/25/2003	NA	23.65	157.63	NA	133.98	NA	133.98	
MW-1	12/30/2003	NA	24.36	157.63	NA	133.27	NA	133.27	
MW-1	2/4/2004	NA	NA	157.63	NA	NA	NA	NA	covered with snow
MW-1	2/26/2004	NA	23.99	157.63	NA	133.64	NA	133.64	
MW-1	3/31/2004	NA	24.36	157.63	NA	133.27	NA	133.27	
MW-1	4/27/2004	NA	23.98	157.63	NA	133.65	NA	133.65	
MW-1	5/27/2004	NA	24.13	157.63	NA	133.50	NA	133.50	
MW-1	6/28/2004	NA	NA	157.63	NA	NA	NA	NA	No access due to building demolition
MW-1	7/27/2004	NA	24.40	157.63	NA	133.23	NA	133.23	PVC collar applied to well, new TD is 33.0
MW-1	10/25/2004	NA	25.47	157.63	NA	132.16	NA	132.16	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-1	12/1/2004	NA	25.89	157.63	NA	131.74	NA	131.74	
MW-1	12/31/2004	NA	25.57	157.63	NA	132.06	NA	132.06	
MW-1	1/28/2005	NA	NA	157.63	NA	NA	NA	NA	Under ice
MW-1	2/24/2005	NA	25.86	157.63	NA	131.77	NA	131.77	
MW-1	3/27/2005	NA	25.84	157.63	NA	131.79	NA	131.79	
MW-1	4/26/2005	NA	24.36	157.63	NA	133.27	NA	133.27	
MW-1	5/27/2005	NA	24.81	157.63	NA	132.82	NA	132.82	
MW-1	6/30/2005	NA	24.95	157.63	NA	132.68	NA	132.68	
MW-1	7/29/2005	NA	25.22	157.63	NA	132.41	NA	132.41	
MW-1	8/31/2005	NA	25.07	157.63	NA	132.56	NA	132.56	
MW-1	9/30/2005	NA	25.27	157.63	NA	132.36	NA	132.36	
MW-1	10/31/2005	NA	25.59	157.63	NA	132.04	NA	132.04	
MW-1	11/30/2005	NA	26.07	157.63	NA	131.56	NA	131.56	
MW-1	12/28/2005	NA	26.00	157.63	NA	131.63	NA	131.63	
KEMRON Assumes Control of Site 1st Quarter 2006									
MW-1	1/26/2006	NA	25.89	157.63	NA	131.74	NA	131.74	
MW-1	2/23/2006	NA	25.92	157.63	NA	131.71	NA	131.71	
MW-1	3/31/2006	NA	25.95	157.63	NA	131.68	NA	131.68	
MW-1	4/28/2006	NA	26.03	157.63	NA	131.60	NA	131.60	
MW-1	5/25/2006	NA	23.59	157.63	NA	134.04	NA	134.04	
MW-1	6/30/2006	NA	25.17	157.63	NA	132.46	NA	132.46	
MW-1	7/26/2006	NA	25.33	157.63	NA	132.30	NA	132.30	
MW-1	8/31/2006	NA	29.36	157.63	NA	128.27	NA	128.27	
MW-1	9/29/2006	NA	26.28	157.63	NA	131.35	NA	131.35	
MW-1	10/31/2006	NA	26.34	157.63	NA	131.29	NA	131.29	
MW-1	11/30/2006	NA	24.53	157.63	NA	133.10	NA	133.10	
MW-1	12/28/2006	NA	25.46	157.63	NA	132.17	NA	132.17	
MW-1	1/25/2007	NA	25.29	157.63	NA	132.34	NA	132.34	
MW-1	2/22/2007	NA	25.61	157.63	NA	132.02	NA	132.02	
MW-1	3/30/2007	NA	24.50	157.63	NA	133.13	NA	133.13	
MW-1	4/27/2007	NA	24.52	157.63	NA	133.11	NA	133.11	
MW-1	5/31/2007	NA	25.08	157.63	NA	132.55	NA	132.55	
MW-1	6/28/2007	NA	25.54	157.63	NA	132.09	NA	132.09	
MW-1	7/27/2007	NA	26.60	157.63	NA	131.03	NA	131.03	
MW-1	8/31/2007	NA	27.05	157.63	NA	130.58	NA	130.58	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-1	9/28/2007	NA	27.94	157.63	NA	129.69	NA	129.69	
MW-1	10/31/2007	NA	27.82	157.63	NA	129.81	NA	129.81	
MW-1	11/29/2007	NA	28.33	157.63	NA	129.30	NA	129.30	
MW-1	12/27/2007	NA	27.69	157.63	NA	129.94	NA	129.94	
MW-1	1/31/2008	NA	27.64	157.63	NA	129.99	NA	129.99	
MW-1	2/28/2008	NA	26.48	157.63	NA	131.15	NA	131.15	
MW-1	3/27/2008	NA	25.62	157.63	NA	132.01	NA	132.01	
MW-3	6/8/2000	NA	28.15	157.07	NA	128.92	NA	128.92	Product sheen throughout purge
MW-3	6/13/2000	NA	28.23	157.07	NA	128.84	NA	128.84	
MW-3	6/21/2000	NA	28.13	157.07	NA	128.94	NA	128.94	
MW-3	6/28/2000	NA	28.13	157.07	NA	128.94	NA	128.94	Sheen on purge. Asphalt smell.
MW-3	7/3/2000	NA	28.30	157.07	NA	128.77	NA	128.77	Sheen on purge. Asphalt smell.
MW-3	7/12/2000	NA	28.41	157.07	NA	128.66	NA	128.66	
MW-3	7/20/2000	NA	28.45	157.07	NA	128.62	NA	128.62	Sheen on purge.
MW-3	7/27/2000	NA	27.84	157.07	NA	129.23	NA	129.23	Sheen on purge. Asphalt smell.
MW-3	8/14/2000	NA	28.28	157.07	NA	128.79	NA	128.79	Not Sampled - Free Product in Well
MW-3	9/18/2000	NA	28.74	157.07	NA	128.33	NA	128.33	
MW-3	10/12/2000	NA	NA	157.07	NA	NA	NA	NA	
MW-3	10/19/2000	NA	28.87	157.07	NA	128.20	NA	128.20	
MW-3	10/24/2000	NA	28.90	157.07	NA	128.17	NA	128.17	
MW-3	11/2/2000	NA	29.56	157.07	NA	127.51	NA	127.51	Probe cord too short, alternative equipment arranged
MW-3	11/9/2000	NA	29.15	157.07	NA	127.92	NA	127.92	
MW-3	11/17/2000	NA	29.31	157.07	NA	127.76	NA	127.76	
MW-3	11/22/2000	NA	29.48	157.07	NA	127.59	NA	127.59	
MW-3	11/27/2000	NA	29.55	157.07	NA	127.52	NA	127.52	
MW-3	1/24/2001	NA	30.22	157.07	NA	126.85	NA	126.85	
MW-3	2/27/2001	29.95	29.96	157.07	127.12	127.11	0.01	127.12	
MW-3	3/8/2001	NA	30.00	157.07	NA	127.07	NA	127.07	
MW-3	3/16/2001	29.92	29.93	157.07	127.15	127.14	0.01	127.15	Not Sampled-Free Product in Well
MW-3	3/23/2001	NA	29.79	157.07	NA	127.28	NA	127.28	Not Sampled-Free Product in Well
MW-3	3/29/2001	NA	29.69	157.07	NA	127.38	NA	127.38	
MW-3	4/6/2001	NA	29.27	157.07	NA	127.80	NA	127.80	
MW-3	4/13/2001	NA	29.15	157.07	NA	127.92	NA	127.92	
MW-3	4/20/2001	NA	29.04	157.07	NA	128.03	NA	128.03	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-3	4/26/2001	NA	28.96	157.07	NA	128.11	NA	128.11	
MW-3	5/31/2001	NA	29.20	157.07	NA	127.87	NA	127.87	
MW-3	6/21/2001	NA	26.87	157.07	NA	130.20	NA	130.20	
MW-3	6/28/2001	NA	28.42	157.07	NA	128.65	NA	128.65	
MW-3	7/24/2001	NA	28.71	157.07	NA	128.36	NA	128.36	
MW-3	8/31/2001	NA	29.28	157.07	NA	127.79	NA	127.79	
MW-3	9/28/2001	NA	29.66	157.07	NA	127.41	NA	127.41	
MW-3	10/30/2001	NA	30.30	157.07	NA	126.77	NA	126.77	
MW-3	11/27/2001	NA	31.16	157.07	NA	125.91	NA	125.91	
MW-3	12/28/2001	NA	31.40	157.07	NA	125.67	NA	125.67	
MW-3	1/30/2002	NA	31.91	157.07	NA	125.16	NA	125.16	
MW-3	2/26/2002	32.45	32.46	157.07	124.62	124.61	0.01	124.62	
MW-3	3/7/2002	32.46	32.47	157.07	124.61	124.60	0.01	124.61	
MW-3	3/13/2002	32.33	32.34	157.07	124.74	124.73	0.01	124.74	
MW-3	3/21/2002	32.47	32.48	157.07	124.60	124.59	0.01	124.60	
MW-3	3/27/2002	32.35	32.36	157.07	124.72	124.71	0.01	124.72	
MW-3	4/5/2002	NA	32.29	157.07	NA	124.78	NA	124.78	
MW-3	4/9/2002	NA	32.30	157.07	NA	124.77	NA	124.77	
MW-3	4/16/2002	32.29	32.30	157.07	124.78	124.77	0.01	124.78	
MW-3	4/26/2002	32.17	32.18	157.07	124.90	124.89	0.01	124.90	
MW-3	4/30/2002	NA	32.04	157.07	NA	125.03	NA	125.03	
MW-3	5/6/2002	NA	31.59	157.07	NA	125.48	NA	125.48	
MW-3	5/17/2002	NA	31.76	157.07	NA	125.31	NA	125.31	
MW-3	5/24/2002	NA	31.57	157.07	NA	125.50	NA	125.50	
MW-3	5/31/2002	NA	31.88	157.07	NA	125.19	NA	125.19	
MW-3	6/28/2002	NA	32.11	157.07	NA	124.96	NA	124.96	
MW-3	7/29/2002	NA	32.02	157.07	NA	125.05	NA	125.05	
MW-3	8/30/2002	33.28	33.30	157.07	123.79	123.77	0.02	123.79	
MW-3	9/30/2002	NA	32.70	157.07	NA	124.37	NA	124.37	
MW-3	10/10/2002	32.72	32.72	157.07	124.35	124.35	0.00	124.35	sheen
MW-3	10/15/2002	32.73	32.73	157.07	124.34	124.34	0.00	124.34	sheen
MW-3	10/25/2002	NA	31.51	157.07	NA	125.56	NA	125.56	
MW-3	11/27/2002	NA	29.81	157.07	NA	127.26	NA	127.26	
MW-3	12/30/2002	NA	29.54	157.07	NA	127.53	NA	127.53	
MW-3	1/31/2003	NA	28.65	157.07	NA	128.42	NA	128.42	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-3	2/25/2003	NA	NA	157.07	NA	NA	NA	NA	covered with snow
MW-3	3/17/2003	NA	27.00	157.07	NA	130.07	NA	130.07	
MW-3	4/30/2003	NA	26.65	157.07	NA	130.42	NA	130.42	
MW-3	5/29/2003	NA	26.53	157.07	NA	130.54	NA	130.54	
MW-3	6/27/2003	NA	25.47	157.07	NA	131.60	NA	131.60	
MW-3	7/25/2003	NA	26.65	157.07	NA	130.42	NA	130.42	
MW-3	8/26/2003	NA	25.91	157.07	NA	131.16	NA	131.16	
MW-3	9/29/2003	NA	26.05	157.07	NA	131.02	NA	131.02	
MW-3	10/31/2003	NA	26.02	157.07	NA	131.05	NA	131.05	
MW-3	11/25/2003	NA	25.67	157.07	NA	131.40	NA	131.40	
MW-3	12/30/2003	NA	24.98	157.07	NA	132.09	NA	132.09	
MW-3	2/4/2004	NA	NA	157.07	NA	NA	NA	NA	covered with snow
MW-3	2/26/2004	NA	24.48	157.07	NA	132.59	NA	132.59	
MW-3	3/31/2004	NA	26.10	157.07	NA	130.97	NA	130.97	
MW-3	4/27/2004	NA	25.80	157.07	NA	131.27	NA	131.27	
MW-3	5/27/2004	NA	26.12	157.07	NA	130.95	NA	130.95	
MW-3	6/28/2004	NA	25.95	157.07	NA	131.12	NA	131.12	
MW-3	7/27/2004	NA	26.05	157.07	NA	131.02	NA	131.02	
MW-3	10/25/2004	NA	26.92	157.07	NA	130.15	NA	130.15	
MW-3	12/1/2004	NA	27.55	157.07	NA	129.52	NA	129.52	
MW-3	12/31/2004	NA	27.50	157.07	NA	129.57	NA	129.57	
MW-3	1/28/2005	NA	27.52	157.07	NA	129.55	NA	129.55	
MW-3	2/24/2005	NA	27.76	157.07	NA	129.31	NA	129.31	
MW-3	3/27/2005	NA	27.76	157.07	NA	129.31	NA	129.31	
MW-3	4/26/2005	NA	26.77	157.07	NA	130.30	NA	130.30	
MW-3	5/27/2005	NA	27.00	157.07	NA	130.07	NA	130.07	
MW-3	6/30/2005	NA	27.59	157.07	NA	129.48	NA	129.48	
MW-3	7/29/2005	NA	27.61	157.07	NA	129.46	NA	129.46	
MW-3	8/31/2005	NA	27.86	157.07	NA	129.21	NA	129.21	
MW-3	9/30/2005	NA	27.95	157.07	NA	129.12	NA	129.12	
MW-3	10/31/2005	NA	28.03	157.07	NA	129.04	NA	129.04	
MW-3	11/30/2005	NA	28.32	157.07	NA	128.75	NA	128.75	
MW-3	12/28/2005	NA	28.21	157.07	NA	128.86	NA	128.86	
KEMRON Assumes Control of Site 1st Quarter 2006									
MW-3	1/26/2005	NA	24.68	157.07	NA	132.39	NA	132.39	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-3	2/23/2006	NA	27.65	157.07	NA	129.42	NA	129.42	
MW-3	3/31/2006	NA	24.75	157.07	NA	132.32	NA	132.32	
MW-3	4/28/2006	NA	24.69	157.07	NA	132.38	NA	132.38	
MW-3	5/25/2006	NA	27.30	157.07	NA	129.77	NA	129.77	
MW-3	6/30/2006	NA	29.30	157.07	NA	127.77	NA	127.77	
MW-3	7/26/2006	NA	28.15	157.07	NA	128.92	NA	128.92	
MW-3	8/31/2006	NA	29.30	157.07	NA	127.77	NA	127.77	
MW-3	9/29/2006	NA	28.74	157.07	NA	128.33	NA	128.33	
MW-3	10/31/2006	NA	29.09	157.07	NA	127.98	NA	127.98	
MW-3	11/30/2006	NA	27.51	157.07	NA	129.56	NA	129.56	
MW-3	12/28/2006	NA	27.48	157.07	NA	129.59	NA	129.59	
MW-3	1/25/2007	NA	27.69	157.07	NA	129.38	NA	129.38	
MW-3	2/22/2007	NA	28.08	157.07	NA	128.99	NA	128.99	
MW-3	3/30/2007	NA	26.94	157.07	NA	130.13	NA	130.13	
MW-3	4/27/2007	NA	27.31	157.07	NA	129.76	NA	129.76	
MW-3	5/31/2007	NA	27.58	157.07	NA	129.49	NA	129.49	
MW-3	6/28/2007	NA	28.15	157.07	NA	128.92	NA	128.92	
MW-3	7/27/2007	NA	28.90	158.07	NA	129.17	NA	129.17	
MW-3	8/31/2007	NA	29.43	158.07	NA	128.64	NA	128.64	
MW-3	9/28/2007	NA	30.09	158.07	NA	127.98	NA	127.98	
MW-3	10/31/2007	NA	30.04	158.07	NA	128.03	NA	128.03	
MW-3	11/29/2007	NA	30.61	158.07	NA	127.46	NA	127.46	
MW-3	12/27/2007	NA	30.05	158.07	NA	128.02	NA	128.02	
MW-3	1/31/2008	NA	30.31	158.07	NA	127.76	NA	127.76	
MW-3	2/28/2008	NA	29.05	158.07	NA	129.02	NA	129.02	
MW-3	3/27/2008	NA	28.70	158.07	NA	129.37	NA	129.37	
<hr/>									
MW-8	6/21/2000	NA	26.40	158.34	NA	131.94	NA	131.94	Sock1/4 full, 1 new sock, 0.01 gal
MW-8	7/27/2000	NA	26.60	158.34	NA	131.74	NA	131.74	
MW-8	8/14/2000	NA	26.34	158.34	NA	132.00	NA	132.00	
MW-8	9/18/2000	NA	26.69	158.34	NA	131.65	NA	131.65	
MW-8	10/24/2000	NA	26.90	158.34	NA	131.44	NA	131.44	
MW-8	11/27/2000	NA	27.48	158.34	NA	130.86	NA	130.86	
MW-8	12/28/2000	NA	28.00	158.34	NA	130.34	NA	130.34	
MW-8	1/24/2001	NA	28.20	158.34	NA	130.14	NA	130.14	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-8	2/27/2001	27.86	27.87	158.34	130.48	130.47	0.01	130.48	sock installed
MW-8	3/8/2001	NA	28.78	158.34	NA	129.56	NA	129.56	.033 gallons removed
MW-8	3/16/2001	NA	27.69	158.34	NA	130.65	NA	130.65	
MW-8	3/23/2001	NA	25.79	158.34	NA	132.55	NA	132.55	
MW-8	3/29/2001	27.42	27.43	158.34	130.92	130.91	0.01	130.92	.0125 gallons removed
MW-8	4/6/2001	NA	27.05	158.34	NA	131.29	NA	131.29	.00625 gallons removed
MW-8	4/13/2001	NA	26.78	158.34	NA	131.56	NA	131.56	.00625 gallons removed
MW-8	4/20/2001	NA	26.68	158.34	NA	131.66	NA	131.66	.0125 gallons removed
MW-8	4/26/2001	NA	26.64	158.34	NA	131.70	NA	131.70	.00125 gallons removed
MW-8	5/2/2001	NA	27.61	158.34	NA	130.73	NA	130.73	
MW-8	5/11/2001	NA	26.68	158.34	NA	131.66	NA	131.66	
MW-8	5/18/2001	NA	26.80	158.34	NA	131.54	NA	131.54	
MW-8	5/24/2001	NA	26.86	158.34	NA	131.48	NA	131.48	
MW-8	5/31/2001	NA	26.83	158.34	NA	131.51	NA	131.51	.0125 gallons removed
MW-8	6/6/2001	NA	26.71	158.34	NA	131.63	NA	131.63	
MW-8	6/13/2001	NA	26.47	158.34	NA	131.87	NA	131.87	
MW-8	6/21/2001	NA	28.20	158.34	NA	130.14	NA	130.14	
MW-8	6/28/2001	NA	28.20	158.34	NA	130.14	NA	130.14	.0125 gallons removed
MW-8	7/3/2001	NA	26.31	158.34	NA	132.03	NA	132.03	.00625 gallons removed
MW-8	7/11/2001	NA	26.29	158.34	NA	132.05	NA	132.05	.00625 gallons removed
MW-8	7/19/2001	NA	26.44	158.34	NA	131.90	NA	131.90	.0125 gallons removed
MW-8	7/24/2001	NA	26.52	158.34	NA	131.82	NA	131.82	
MW-8	8/31/2001	NA	27.08	158.34	NA	131.26	NA	131.26	
MW-8	9/28/2001	NA	27.49	158.34	NA	130.85	NA	130.85	
MW-8	10/30/2001	NA	27.98	158.34	NA	130.36	NA	130.36	
MW-8	11/27/2001	NA	28.45	158.34	NA	129.89	NA	129.89	
MW-8	12/28/2001	NA	28.90	158.34	NA	129.44	NA	129.44	
MW-8	1/30/2002	NA	29.30	158.34	NA	129.04	NA	129.04	
MW-8	2/26/2002	NA	29.62	158.34	NA	128.72	NA	128.72	
MW-8	3/27/2002	NA	29.56	158.34	NA	128.78	NA	128.78	
MW-8	4/26/2002	NA	29.32	158.34	NA	129.02	NA	129.02	
MW-8	5/31/2002	NA	28.46	158.34	NA	129.88	NA	129.88	
MW-8	6/28/2002	NA	28.50	158.34	NA	129.84	NA	129.84	
MW-8	7/29/2002	NA	28.67	158.34	NA	129.67	NA	129.67	
MW-8	8/30/2002	NA	29.02	158.34	NA	129.32	NA	129.32	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-8	9/30/2002	NA	29.05	158.34	NA	129.29	NA	129.29	
MW-8	10/25/2002	NA	28.37	158.34	NA	129.97	NA	129.97	
MW-8	11/27/2002	NA	26.57	158.34	NA	131.77	NA	131.77	
MW-8	12/30/2002	NA	26.05	158.34	NA	132.29	NA	132.29	
MW-8	1/31/2003	NA	25.83	158.34	NA	132.51	NA	132.51	
MW-8	2/25/2003	NA	NA	158.34	NA	NA	NA	NA	covered with snow
MW-8	3/17/2003	NA	24.51	158.34	NA	133.83	NA	133.83	
MW-8	4/30/2003	NA	24.83	158.34	NA	133.51	NA	133.51	
MW-8	5/29/2003	NA	25.01	158.34	NA	133.33	NA	133.33	
MW-8	6/27/2003	NA	24.07	158.34	NA	134.27	NA	134.27	
MW-8	7/25/2003	NA	24.83	158.34	NA	133.51	NA	133.51	
MW-8	8/26/2003	NA	24.75	158.34	NA	133.59	NA	133.59	
MW-8	9/29/2003	NA	24.62	158.34	NA	133.72	NA	133.72	
MW-8	10/31/2003	NA	24.71	158.34	NA	133.63	NA	133.63	
MW-8	11/25/2003	NA	24.30	158.34	NA	134.04	NA	134.04	
MW-8	12/30/2003	NA	23.81	158.34	NA	134.53	NA	134.53	
MW-8	2/4/2004	NA	NA	158.34	NA	NA	NA	NA	covered with snow
MW-8	2/26/2004	NA	23.35	158.34	NA	134.99	NA	134.99	
MW-8	3/31/2004	NA	24.84	158.34	NA	133.50	NA	133.50	
MW-8	4/27/2004	NA	24.78	158.34	NA	133.56	NA	133.56	
MW-8	5/27/2004	NA	24.73	158.34	NA	133.61	NA	133.61	
MW-8	6/28/2004	NA	24.80	158.34	NA	133.54	NA	133.54	
MW-8	7/27/2004	NA	25.10	158.34	NA	133.24	NA	133.24	
MW-8	10/25/2004	NA	25.76	158.34	NA	132.58	NA	132.58	
MW-8	12/1/2004	NA	26.07	158.34	NA	132.27	NA	132.27	
MW-8	12/31/2004	NA	25.92	158.34	NA	132.42	NA	132.42	
MW-8	1/28/2005	NA	25.76	158.34	NA	132.58	NA	132.58	
MW-8	2/24/2005	NA	26.03	158.34	NA	132.31	NA	132.31	
MW-8	3/27/2005	NA	26.05	158.34	NA	132.29	NA	132.29	
MW-8	4/26/2005	NA	25.02	158.34	NA	133.32	NA	133.32	
MW-8	5/27/2005	NA	25.52	158.34	NA	132.82	NA	132.82	
MW-8	6/30/2005	NA	25.66	158.34	NA	132.68	NA	132.68	
MW-8	7/29/2005	NA	25.90	158.34	NA	132.44	NA	132.44	
MW-8	8/31/2005	NA	25.87	158.34	NA	132.47	NA	132.47	
MW-8	9/30/2005	NA	25.92	158.34	NA	132.42	NA	132.42	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-8	10/31/2005	NA	25.97	158.34	NA	132.37	NA	132.37	
MW-8	11/30/2005	NA	26.37	158.34	NA	131.97	NA	131.97	
MW-8	12/22/2005	NA	26.41	158.34	NA	131.93	NA	131.93	
KEMRON Assumes Control of Site 1st Quarter 2006									
MW-8	1/26/2006	NA	23.12	158.34	NA	135.22	NA	135.22	
MW-8	2/23/2006	NA	25.49	158.34	NA	132.85	NA	132.85	
MW-8	3/31/2006	NA	23.14	158.34	NA	135.20	NA	135.20	
MW-8	4/28/2006	NA	24.79	158.34	NA	133.55	NA	133.55	
MW-8	6/30/2006	NA	NA	158.34	NA	NA	NA	NA	
MW-8	7/26/2006	NA	27.59	158.34	NA	130.75	NA	130.75	
MW-8	8/31/2006	NA	26.89	158.34	NA	131.45	NA	131.45	
MW-8	9/29/2006	NA	26.34	158.34	NA	132.00	NA	132.00	
MW-8	10/31/2006	NA	26.48	158.34	NA	131.86	NA	131.86	
MW-8	11/30/2006	NA	25.26	158.34	NA	133.08	NA	133.08	
MW-8	12/28/2006	NA	25.35	158.34	NA	132.99	NA	132.99	
MW-8	1/25/2007	NA	28.27	158.34	NA	130.07	NA	130.07	
MW-8	2/22/2007	NA	26.14	158.34	NA	132.20	NA	132.20	
MW-8	3/30/2007	NA	27.78	158.34	NA	130.56	NA	130.56	
MW-8	4/27/2007	NA	25.41	158.34	NA	132.93	NA	132.93	
MW-8	5/31/2007	NA	25.80	158.34	NA	132.54	NA	132.54	
MW-8	6/28/2007	NA	26.19	158.34	NA	132.15	NA	132.15	
MW-8	7/27/2007	NA	26.77	158.34	NA	131.57	NA	131.57	
MW-8	8/31/2007	NA	27.81	158.34	NA	130.53	NA	130.53	
MW-8	9/28/2007	NA	27.81	158.34	NA	130.53	NA	130.53	
MW-8	10/31/2007	NA	27.81	158.34	NA	130.53	NA	130.53	
MW-8	11/29/2007	NA	27.84	158.34	NA	130.50	NA	130.50	
MW-8	12/27/2007	NA	27.56	158.34	NA	130.78	NA	130.78	
MW-8	1/31/2008	NA	27.33	158.34	NA	131.01	NA	131.01	
MW-8	2/28/2008	NA	26.40	158.34	NA	131.94	NA	131.94	
MW-8	3/27/2008	NA	26.21	158.34	NA	132.13	NA	132.13	
 									
MW-9	3/1/2000	NA	39.62	168.73	NA	129.11	NA	129.11	
MW-9	3/9/2000	NA	39.21	168.73	NA	129.52	NA	129.52	
MW-9	8/14/2000	NA	37.71	168.73	NA	131.02	NA	131.02	
MW-9	10/24/2000	NA	38.33	168.73	NA	130.40	NA	130.40	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-9	11/27/2000	NA	38.92	168.73	NA	129.81	NA	129.81	
MW-9	12/28/2000	NA	39.50	168.73	NA	129.23	NA	129.23	
MW-9	1/24/2001	NA	39.95	168.73	NA	128.78	NA	128.78	
MW-9	2/27/2001	NA	39.83	168.73	NA	128.90	NA	128.90	
MW-9	3/29/2001	NA	39.53	168.73	NA	129.20	NA	129.20	
MW-9	4/26/2001	NA	38.16	168.73	NA	130.57	NA	130.57	
MW-9	5/31/2001	NA	37.91	168.73	NA	130.82	NA	130.82	
MW-9	6/28/2001	NA	37.09	168.73	NA	131.64	NA	131.64	
MW-9	7/24/2001	NA	37.58	168.73	NA	131.15	NA	131.15	
MW-9	8/31/2001	NA	38.15	168.73	NA	130.58	NA	130.58	
MW-9	9/28/2001	NA	38.75	168.73	NA	129.98	NA	129.98	
MW-9	10/30/2001	NA	39.28	168.73	NA	129.45	NA	129.45	
MW-9	11/27/2001	NA	39.70	168.73	NA	129.03	NA	129.03	
MW-9	12/28/2001	NA	40.32	168.73	NA	128.41	NA	128.41	
MW-9	1/30/2002	NA	40.81	168.73	NA	127.92	NA	127.92	
MW-9	2/26/2002	NA	41.55	168.73	NA	127.18	NA	127.18	
MW-9	3/27/2002	NA	42.12	168.73	NA	126.61	NA	126.61	
MW-9	4/26/2002	NA	42.31	168.73	NA	126.42	NA	126.42	
MW-9	5/31/2002	NA	41.47	168.73	NA	127.26	NA	127.26	
MW-9	6/28/2002	NA	41.58	168.73	NA	127.15	NA	127.15	
MW-9	7/29/2002	NA	42.41	168.73	NA	126.32	NA	126.32	
MW-9	8/30/2002	NA	42.92	168.73	NA	125.81	NA	125.81	
MW-9	9/30/2002	NA	43.15	168.73	NA	125.58	NA	125.58	
MW-9	10/25/2002	NA	42.58	168.73	NA	126.15	NA	126.15	
MW-9	11/27/2002	NA	40.65	168.73	NA	128.08	NA	128.08	
MW-9	12/30/2002	NA	38.58	168.73	NA	130.15	NA	130.15	
MW-9	1/31/2003	NA	37.55	168.73	NA	131.18	NA	131.18	
MW-9	2/25/2003	NA	NA	168.73	NA	NA	NA	NA	covered with snow
MW-9	3/17/2003	NA	36.10	168.73	NA	132.63	NA	132.63	
MW-9	4/30/2003	NA	35.45	168.73	NA	133.28	NA	133.28	
MW-9	5/29/2003	NA	35.60	168.73	NA	133.13	NA	133.13	
MW-9	6/27/2003	NA	34.60	168.73	NA	134.13	NA	134.13	
MW-9	7/25/2003	NA	35.45	168.73	NA	133.28	NA	133.28	
MW-9	8/26/2003	NA	34.58	168.73	NA	134.15	NA	134.15	
MW-9	9/29/2003	NA	34.63	168.73	NA	134.10	NA	134.10	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-9	10/31/2003	NA	34.91	168.73	NA	133.82	NA	133.82	
MW-9	11/25/2003	NA	34.60	168.73	NA	134.13	NA	134.13	
MW-9	12/30/2003	NA	34.01	168.73	NA	134.72	NA	134.72	
MW-9	2/4/2004	NA	NA	168.73	NA	NA	NA	NA	covered with snow
MW-9	2/26/2004	NA	34.43	168.73	NA	134.30	NA	134.30	
MW-9	3/31/2004	NA	35.03	168.73	NA	133.70	NA	133.70	
MW-9	4/27/2004	NA	34.83	168.73	NA	133.90	NA	133.90	
MW-9	5/27/2004	NA	35.02	168.73	NA	133.71	NA	133.71	
MW-9	6/28/2004	NA	35.05	168.73	NA	133.68	NA	133.68	
MW-9	7/27/2004	NA	35.36	168.73	NA	133.37	NA	133.37	
MW-9	10/25/2004	NA	36.11	168.73	NA	132.62	NA	132.62	
MW-9	12/1/2004	NA	36.47	168.73	NA	132.26	NA	132.26	
MW-9	12/31/2004	NA	36.63	168.73	NA	132.10	NA	132.10	
MW-9	1/28/2005	NA	36.66	168.73	NA	132.07	NA	132.07	
MW-9	2/24/2005	NA	37.65	168.73	NA	131.08	NA	131.08	
MW-9	3/27/2005	NA	36.81	168.73	NA	131.92	NA	131.92	
MW-9	4/26/2005	NA	35.66	168.73	NA	133.07	NA	133.07	
MW-9	5/27/2005	NA	36.01	168.73	NA	132.72	NA	132.72	
MW-9	6/30/2005	NA	36.18	168.73	NA	132.55	NA	132.55	
MW-9	7/29/2005	NA	36.57	168.73	NA	132.16	NA	132.16	
MW-9	8/31/2005	NA	36.54	168.73	NA	132.19	NA	132.19	
MW-9	9/30/2005	NA	36.85	168.73	NA	131.88	NA	131.88	
MW-9	10/31/2005	NA	37.16	168.73	NA	131.57	NA	131.57	
MW-9	11/30/2005	NA	37.42	168.73	NA	131.31	NA	131.31	
MW-9	12/22/2005	NA	37.40	168.73	NA	131.33	NA	131.33	
KEMRON Assumes Control of Site 1st Quarter 2006									
MW-9	1/26/2006	NA	37.15	168.73	NA	131.58	NA	131.58	
MW-9	2/23/2006	NA	36.66	168.73	NA	132.07	NA	132.07	
MW-9	3/31/2006	NA	36.73	168.73	NA	132.00	NA	132.00	
MW-9	4/28/2006	NA	36.23	168.73	NA	132.50	NA	132.50	
MW-9	5/25/2006	NA	36.64	168.73	NA	132.09	NA	132.09	
MW-9	6/30/2006	NA	37.36	168.73	NA	131.37	NA	131.37	
MW-9	7/26/2006	NA	37.62	168.73	NA	131.11	NA	131.11	
MW-9	8/31/2006	NA	37.90	168.73	NA	130.83	NA	130.83	
MW-9	9/29/2006	NA	38.49	168.73	NA	130.24	NA	130.24	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-9	10/31/2006	NA	38.47	168.73	NA	130.26	NA	130.26	
MW-9	11/30/2006	NA	37.24	168.73	NA	131.49	NA	131.49	
MW-9	12/28/2006	NA	37.35	168.73	NA	131.38	NA	131.38	
MW-9	1/25/2007	NA	37.25	168.73	NA	131.48	NA	131.48	
MW-9	2/22/2007	NA	37.59	168.73	NA	131.14	NA	131.14	
MW-9	3/30/2007	NA	37.29	168.73	NA	131.44	NA	131.44	
MW-9	4/27/2007	NA	36.81	168.73	NA	131.92	NA	131.92	
MW-9	5/31/2007	NA	37.09	168.73	NA	131.64	NA	131.64	
MW-9	6/28/2007	NA	37.59	168.73	NA	131.14	NA	131.14	
MW-9	7/27/2007	NA	38.37	168.73	NA	130.36	NA	130.36	
MW-9	8/31/2007	NA	39.24	168.73	NA	129.49	NA	129.49	
MW-9	9/28/2007	NA	39.98	168.73	NA	128.75	NA	128.75	
MW-9	10/31/2007	NA	40.16	168.73	NA	128.57	NA	128.57	
MW-9	11/29/2007	NA	40.67	168.73	NA	128.06	NA	128.06	
MW-9	12/27/2007	NA	40.14	168.73	NA	128.59	NA	128.59	
MW-9	1/31/2008	NA	40.07	168.73	NA	128.66	NA	128.66	
MW-9	2/28/2008	NA	39.03	168.73	NA	129.70	NA	129.70	
MW-9	3/27/2008	NA	39.05	168.73	NA	129.68	NA	129.68	
MW-12	6/8/2000	NA	25.61	157.07	NA	131.46	NA	131.46	
MW-12	6/13/2000	NA	25.55	157.07	NA	131.52	NA	131.52	
MW-12	6/21/2000	NA	25.51	157.07	NA	131.56	NA	131.56	
MW-12	6/28/2000	NA	25.50	157.07	NA	131.57	NA	131.57	
MW-12	7/3/2000	NA	25.67	157.07	NA	131.40	NA	131.40	
MW-12	7/12/2000	NA	25.30	157.07	NA	131.77	NA	131.77	
MW-12	7/20/2000	NA	25.31	157.07	NA	131.76	NA	131.76	
MW-12	7/27/2000	NA	25.20	157.07	NA	131.87	NA	131.87	
MW-12	8/14/2000	NA	25.54	157.07	NA	131.53	NA	131.53	
MW-12	9/18/2000	NA	26.05	157.07	NA	131.02	NA	131.02	
MW-12	11/27/2000	NA	26.74	157.07	NA	130.33	NA	130.33	
MW-12	1/24/2001	NA	27.56	157.07	NA	129.51	NA	129.51	
MW-12	2/27/2001	27.25	27.26	157.07	129.82	129.81	0.01	129.82	sock installed
MW-12	3/8/2001	NA	27.32	157.07	NA	129.75	NA	129.75	
MW-12	3/16/2001	NA	27.06	157.07	NA	130.01	NA	130.01	
MW-12	3/23/2001	NA	26.79	157.07	NA	130.28	NA	130.28	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-12	3/29/2001	NA	26.68	157.07	NA	130.39	NA	130.39	
MW-12	4/26/2001	NA	25.95	157.07	NA	131.12	NA	131.12	
MW-12	5/31/2001	26.11	26.12	157.07	130.96	130.95	0.01	130.96	
MW-12	6/6/2001	NA	25.54	157.07	NA	131.53	NA	131.53	
MW-12	6/13/2001	NA	25.61	157.07	NA	131.46	NA	131.46	
MW-12	6/21/2001	NA	25.61	157.07	NA	131.46	NA	131.46	
MW-12	6/28/2001	NA	25.34	157.07	NA	131.73	NA	131.73	
MW-12	7/24/2001	NA	25.66	157.07	NA	131.41	NA	131.41	
MW-12	8/31/2001	NA	26.05	157.07	NA	131.02	NA	131.02	
MW-12	9/28/2001	26.75	26.76	157.07	130.32	130.31	0.01	130.32	
MW-12	10/2/2001	NA	26.77	157.07	NA	130.30	NA	130.30	
MW-12	10/9/2001	NA	27.25	157.07	NA	129.82	NA	129.82	
MW-12	10/18/2001	NA	27.34	157.07	NA	129.73	NA	129.73	
MW-12	10/26/2001	NA	27.21	157.07	NA	129.86	NA	129.86	
MW-12	10/30/2001	NA	27.50	157.07	NA	129.57	NA	129.57	
MW-12	11/2/2001	NA	26.77	157.07	NA	130.30	NA	130.30	
MW-12	11/27/2001	NA	27.91	157.07	NA	129.16	NA	129.16	
MW-12	12/28/2001	NA	28.31	157.07	NA	128.76	NA	128.76	
MW-12	1/30/2002	NA	28.81	157.07	NA	128.26	NA	128.26	
MW-12	2/26/2002	29.06	29.25	157.07	128.01	127.82	0.19	127.98	
MW-12	3/7/2002	NA	NA	157.07	NA	NA	NA	NA	Blocked by jersey barrier
MW-12	3/13/2002	NA	NA	157.07	NA	NA	NA	NA	Blocked by jersey barrier
MW-12	3/21/2002	29.37	29.76	157.07	127.70	127.31	0.39	127.65	
MW-12	3/27/2002	29.38	29.77	157.07	127.69	127.30	0.39	127.64	
MW-12	4/16/2002	29.01	29.32	157.07	128.06	127.75	0.31	128.02	
MW-12	4/26/2002	29.20	29.52	157.07	127.87	127.55	0.32	127.83	
MW-12	4/30/2002	28.95	29.05	157.07	128.12	128.02	0.10	128.11	
MW-12	5/6/2002	28.90	29.00	157.07	128.17	128.07	0.10	128.16	
MW-12	5/17/2002	28.71	28.80	157.07	128.36	128.27	0.09	128.35	
MW-12	5/24/2002	27.79	27.91	157.07	129.28	129.16	0.12	129.26	
MW-12	5/31/2002	27.74	27.86	157.07	129.33	129.21	0.12	129.31	
MW-12	6/7/2002	27.60	27.75	157.07	129.47	129.32	0.15	129.45	
MW-12	6/11/2002	27.27	27.35	157.07	129.80	129.72	0.08	129.79	
MW-12	6/21/2002	28.17	28.25	157.07	128.90	128.82	0.08	128.89	
MW-12	6/28/2002	27.85	28.04	157.07	129.22	129.03	0.19	129.19	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-12	7/3/2002	27.93	28.11	157.07	129.14	128.96	0.18	129.11	
MW-12	7/9/2002	27.87	28.02	157.07	129.20	129.05	0.15	129.18	
MW-12	7/17/2002	28.18	28.29	157.07	128.89	128.78	0.11	128.87	
MW-12	7/23/2002	28.12	28.21	157.07	128.95	128.86	0.09	128.94	
MW-12	7/29/2002	28.14	28.23	157.07	128.93	128.84	0.09	128.92	
MW-12	8/7/2002	28.37	28.45	157.07	128.70	128.62	0.08	128.69	
MW-12	8/16/2002	28.47	28.62	157.07	128.60	128.45	0.15	128.58	
MW-12	8/23/2002	28.52	28.61	157.07	128.55	128.46	0.09	128.54	
MW-12	8/30/2002	28.75	28.86	157.07	128.32	128.21	0.11	128.30	
MW-12	9/6/2002	28.57	28.66	157.07	128.50	128.41	0.09	128.49	
MW-12	9/11/2002	28.23	28.25	157.07	128.84	128.82	0.02	128.84	
MW-12	9/17/2002	28.51	28.59	157.07	128.56	128.48	0.08	128.55	
MW-12	9/25/2002	28.79	28.92	157.07	128.28	128.15	0.13	128.26	
MW-12	9/30/2002	28.82	28.95	157.07	128.25	128.12	0.13	128.23	
MW-12	10/10/2002	28.84	28.97	157.07	128.23	128.10	0.13	128.21	
MW-12	10/15/2002	28.80	28.93	157.07	128.27	128.14	0.13	128.25	
MW-12	10/25/2002	28.18	28.19	157.07	128.89	128.88	0.01	128.89	
MW-12	10/31/2002	27.57	27.61	157.07	129.50	129.46	0.04	129.49	
MW-12	11/4/2002	27.57	27.61	157.07	129.50	129.46	0.04	129.49	
MW-12	11/12/2002	26.66	26.68	157.07	130.41	130.39	0.02	130.41	
MW-12	11/21/2002	26.35	26.43	157.07	130.72	130.64	0.08	130.71	
MW-12	11/27/2002	28.96	29.15	157.07	128.11	127.92	0.19	128.08	
MW-12	12/2/2002	25.96	26.17	157.07	131.11	130.90	0.21	131.08	
MW-12	12/13/2002	25.97	26.17	157.07	131.10	130.90	0.20	131.07	
MW-12	12/20/2002	25.26	25.30	157.07	131.81	131.77	0.04	131.80	
MW-12	12/27/2002	25.26	25.29	157.07	131.81	131.78	0.03	131.81	
MW-12	12/30/2002	25.35	25.54	157.07	131.72	131.53	0.19	131.69	.1 gallons removed
MW-12	1/10/2003	24.81	24.97	157.07	132.26	132.10	0.16	132.24	
MW-12	1/17/2003	NA	24.69	157.07	NA	132.38	NA	132.38	.1 gallons removed
MW-12	1/22/2003	NA	24.67	157.07	NA	132.40	NA	132.40	.05 gallons removed
MW-12	1/31/2003	NA	25.04	157.07	NA	132.03	NA	132.03	.025 gallons removed
MW-12	2/5/2003	NA	25.26	157.07	NA	131.81	NA	131.81	
MW-12	2/13/2003	NA	25.46	157.07	NA	131.61	NA	131.61	
MW-12	2/25/2003	NA	NA	157.07	NA	NA	NA	NA	covered by snow
MW-12	3/4/2003	NA	NA	157.07	NA	NA	NA	NA	frozen shut

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-12	3/14/2003	NA	24.51	157.07	NA	132.56	NA	132.56	
MW-12	3/17/2003	NA	23.51	157.07	NA	133.56	NA	133.56	
MW-12	4/3/2003	NA	24.07	157.07	NA	133.00	NA	133.00	
MW-12	4/10/2003	24.68	24.69	157.07	132.39	132.38	0.01	132.39	
MW-12	4/18/2003	24.66	24.68	157.07	132.41	132.39	0.02	132.41	
MW-12	4/25/2003	24.66	24.68	157.07	132.41	132.39	0.02	132.41	
MW-12	4/30/2000	24.67	24.68	157.07	132.40	132.39	0.01	132.40	
MW-12	5/9/2003	24.73	24.75	157.07	132.34	132.32	0.02	132.34	
MW-12	5/13/2003	24.72	24.74	157.07	132.35	132.33	0.02	132.35	
MW-12	5/20/2003	24.82	24.86	157.07	132.25	132.21	0.04	132.24	
MW-12	5/30/2003	24.55	24.58	157.07	132.52	132.49	0.03	132.52	
MW-12	6/6/2003	24.51	24.64	157.07	132.56	132.43	0.13	132.54	
MW-12	6/13/2003	24.42	24.53	157.07	132.65	132.54	0.11	132.63	
MW-12	6/18/2003	23.91	24.05	157.07	133.16	133.02	0.14	133.14	
MW-12	6/27/2003	23.70	23.82	157.07	133.37	133.25	0.12	133.35	
MW-12	7/2/2003	23.65	23.76	157.07	133.42	133.31	0.11	133.40	
MW-12	7/7/2003	23.64	23.75	157.07	133.43	133.32	0.11	133.41	
MW-12	7/14/2003	23.58	23.70	157.07	133.49	133.37	0.12	133.47	
MW-12	7/25/2003	24.67	24.68	157.07	132.40	132.39	0.01	132.40	
MW-12	7/29/2003	24.66	24.67	157.07	132.41	132.40	0.01	132.41	
MW-12	8/8/2003	24.65	24.66	157.07	132.42	132.41	0.01	132.42	
MW-12	8/15/2003	23.82	23.95	157.07	133.25	133.12	0.13	133.23	
MW-12	8/19/2003	23.84	23.95	157.07	133.23	133.12	0.11	133.21	
MW-12	8/26/2003	23.95	24.10	157.07	133.12	132.97	0.15	133.10	
MW-12	9/4/2003	23.96	24.11	157.07	133.11	132.96	0.15	133.09	
MW-12	9/9/2003	23.97	24.11	157.07	133.10	132.96	0.14	133.08	
MW-12	9/18/2003	23.98	24.12	157.07	133.09	132.95	0.14	133.07	
MW-12	9/26/2003	24.01	24.11	157.07	133.06	132.96	0.10	133.05	
MW-12	9/29/2003	23.78	23.81	157.07	133.29	133.26	0.03	133.29	
MW-12	10/3/2003	23.70	23.83	157.07	133.37	133.24	0.13	133.35	
MW-12	10/10/2003	23.71	23.85	157.07	133.36	133.22	0.14	133.34	
MW-12	10/15/2003	23.68	23.82	157.07	133.39	133.25	0.14	133.37	
MW-12	10/21/2003	23.70	23.84	157.07	133.37	133.23	0.14	133.35	
MW-12	10/31/2003	24.07	24.20	157.07	133.00	132.87	0.13	132.98	
MW-12	11/4/2003	24.05	24.21	157.07	133.02	132.86	0.16	133.00	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-12	11/10/2003	24.04	24.20	157.07	133.03	132.87	0.16	133.01	
MW-12	11/17/2003	24.04	24.20	157.07	133.03	132.87	0.16	133.01	
MW-12	11/25/2003	23.52	23.70	157.07	133.55	133.37	0.18	133.52	
MW-12	12/4/2003	23.57	23.71	157.07	133.50	133.36	0.14	133.48	
MW-12	12/8/2003	23.54	23.67	157.07	133.53	133.40	0.13	133.51	
MW-12	12/18/2003	23.52	23.64	157.07	133.55	133.43	0.12	133.53	
MW-12	12/23/2003	22.85	22.98	157.07	134.22	134.09	0.13	134.20	
MW-12	12/30/2003	22.84	22.96	157.07	134.23	134.11	0.12	134.21	
MW-12	1/5/2004	22.71	22.85	157.07	134.36	134.22	0.14	134.34	
MW-12	1/16/2004	22.73	22.83	157.07	134.34	134.24	0.10	134.33	
MW-12	1/23/2004	22.74	22.85	157.07	134.33	134.22	0.11	134.31	
MW-12	2/4/2004	NA	NA	157.07	NA	NA	NA	NA	covered with snow
MW-12	2/11/2004	23.50	23.65	157.07	133.57	133.42	0.15	133.55	
MW-12	2/19/2004	23.52	23.66	157.07	133.55	133.41	0.14	133.53	
MW-12	2/26/2004	23.75	23.85	157.07	133.32	133.22	0.10	133.31	
MW-12	3/4/2004	23.64	23.85	157.07	133.43	133.22	0.21	133.40	
MW-12	3/10/2004	23.65	23.87	157.07	133.42	133.20	0.22	133.39	
MW-12	3/18/2004	23.90	24.05	157.07	133.17	133.02	0.15	133.15	
MW-12	3/23/2004	23.85	24.01	157.07	133.22	133.06	0.16	133.20	
MW-12	3/31/2004	23.64	23.78	157.07	133.43	133.29	0.14	133.41	
MW-12	4/7/2004	23.60	23.75	157.07	133.47	133.32	0.15	133.45	
MW-12	4/14/2004	23.63	23.79	157.07	133.44	133.28	0.16	133.42	
MW-12	4/23/2004	23.70	23.82	157.07	133.37	133.25	0.12	133.35	
MW-12	4/27/2004	23.66	23.92	157.07	133.41	133.15	0.26	133.37	
MW-12	5/6/2004	23.62	23.91	157.07	133.45	133.16	0.29	133.41	
MW-12	5/13/2004	23.75	24.03	157.07	133.32	133.04	0.28	133.28	
MW-12	5/18/2004	23.77	24.06	157.07	133.30	133.01	0.29	133.26	
MW-12	5/27/2004	24.13	24.27	157.07	132.94	132.80	0.14	132.92	
MW-12	6/2/2004	24.11	24.26	157.07	132.96	132.81	0.15	132.94	
MW-12	6/17/2004	23.98	24.14	157.07	133.09	132.93	0.16	133.07	
MW-12	6/25/2004	23.95	24.12	157.07	133.12	132.95	0.17	133.10	
MW-12	6/28/2004	23.90	24.03	157.07	133.17	133.04	0.13	133.15	
MW-12	7/8/2004	24.00	24.05	157.07	133.07	133.02	0.05	133.06	
MW-12	7/14/2004	24.05	24.11	157.07	133.02	132.96	0.06	133.01	
MW-12	7/20/2004	24.18	24.31	157.07	132.89	132.76	0.13	132.87	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	Comments
MW-12	7/27/2004	24.21	24.32	157.07	132.86	132.75	0.11	132.84	
MW-12	8/3/2004	24.11	24.19	157.07	132.96	132.88	0.08	132.95	
MW-12	8/19/2004	24.05	24.22	157.07	133.02	132.85	0.17	133.00	
MW-12	9/15/2004	24.45	24.61	157.07	132.62	132.46	0.16	132.60	
MW-12	10/7/2004	24.86	24.97	157.07	132.21	132.10	0.11	132.19	
MW-12	10/14/2004	24.61	24.72	157.07	132.46	132.35	0.11	132.44	
MW-12	10/25/2004	24.85	24.92	157.07	132.22	132.15	0.07	132.21	
MW-12	10/29/2004	24.85	24.96	157.07	132.22	132.11	0.11	132.20	
MW-12	11/3/2004	25.16	25.26	157.07	131.91	131.81	0.10	131.90	
MW-12	11/22/2004	25.13	25.23	157.07	131.94	131.84	0.10	131.93	
MW-12	12/1/2004	25.10	25.20	157.07	131.97	131.87	0.10	131.96	
MW-12	12/6/2004	25.21	25.33	157.07	131.86	131.74	0.12	131.84	
MW-12	12/14/2004	25.51	25.61	157.07	131.56	131.46	0.10	131.55	
MW-12	12/23/2004	25.66	25.76	157.07	131.41	131.31	0.10	131.40	
MW-12	12/31/2004	25.13	25.23	157.07	131.94	131.84	0.10	131.93	
MW-12	1/7/2005	25.35	25.46	157.07	131.72	131.61	0.11	131.70	
MW-12	1/13/2005	25.22	25.33	157.07	131.85	131.74	0.11	131.83	
MW-12	1/20/2005	24.75	24.85	157.07	132.32	132.22	0.10	132.31	
MW-12	1/28/2005	25.35	25.45	157.07	131.72	131.62	0.10	131.71	
MW-12	2/4/2005	24.88	24.99	157.07	132.19	132.08	0.11	132.17	
MW-12	2/12/2005	24.96	25.07	157.07	132.11	132.00	0.11	132.09	
MW-12	2/18/2005	25.33	25.44	157.07	131.74	131.63	0.11	131.72	
MW-12	2/24/2005	25.22	25.32	157.07	131.85	131.75	0.10	131.84	
MW-12	3/3/2005	25.41	25.53	157.07	131.66	131.54	0.12	131.64	
MW-12	3/10/2005	25.40	25.51	157.07	131.67	131.56	0.11	131.65	
MW-12	3/16/2005	25.39	25.50	157.07	131.68	131.57	0.11	131.66	
MW-12	3/22/2005	25.37	25.48	157.07	131.70	131.59	0.11	131.68	
MW-12	3/27/2005	25.36	25.46	157.07	131.71	131.61	0.10	131.70	
MW-12	4/5/2005	24.73	24.83	157.07	132.34	132.24	0.10	132.33	
MW-12	4/13/2005	24.18	24.30	157.07	132.89	132.77	0.12	132.87	
MW-12	4/21/2005	24.08	24.16	157.07	132.99	132.91	0.08	132.98	
MW-12	4/26/2005	24.41	24.51	157.07	132.66	132.56	0.10	132.65	
MW-12	5/5/2005	24.61	24.71	157.07	132.46	132.36	0.10	132.45	
MW-12	5/13/2005	24.63	24.72	157.07	132.44	132.35	0.09	132.43	
MW-12	5/20/2005	24.64	24.73	157.07	132.43	132.34	0.09	132.42	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-12	5/27/2005	24.67	24.75	157.07	132.40	132.32	0.08	132.39	
MW-12	6/3/2005	24.68	24.77	157.07	132.39	132.30	0.09	132.38	
MW-12	6/10/2005	24.66	24.75	157.07	132.41	132.32	0.09	132.40	
MW-12	6/17/2005	24.67	24.77	157.07	132.40	132.30	0.10	132.39	
MW-12	6/23/2005	24.64	24.73	157.07	132.43	132.34	0.09	132.42	
MW-12	6/30/2005	24.66	24.76	157.07	132.41	132.31	0.10	132.40	
MW-12	7/8/2005	24.61	24.71	157.07	132.46	132.36	0.10	132.45	
MW-12	7/15/2005	25.03	25.13	157.07	132.04	131.94	0.10	132.03	
MW-12	7/22/2005	24.97	25.07	157.07	132.10	132.00	0.10	132.09	
MW-12	7/29/2005	24.99	25.08	157.07	132.08	131.99	0.09	132.07	
MW-12	8/8/2005	25.05	25.14	157.07	132.02	131.93	0.09	132.01	
MW-12	8/15/2005	25.06	25.16	157.07	132.01	131.91	0.10	132.00	
MW-12	8/25/2005	25.08	25.18	157.07	131.99	131.89	0.10	131.98	
MW-12	8/31/2005	24.71	24.77	157.07	132.36	132.30	0.06	132.35	
MW-12	9/9/2005	25.05	25.15	157.07	132.02	131.92	0.10	132.01	
MW-12	9/16/2005	24.20	24.30	157.07	132.87	132.77	0.10	132.86	
MW-12	9/23/2005	25.39	25.49	157.07	131.68	131.58	0.10	131.67	
MW-12	9/30/2005	25.78	25.93	157.07	131.29	131.14	0.15	131.27	
MW-12	10/7/2005	25.56	25.72	157.07	131.51	131.35	0.16	131.49	
MW-12	10/14/2005	25.25	25.46	157.07	131.82	131.61	0.21	131.79	
MW-12	10/24/2005	25.31	25.49	157.07	131.76	131.58	0.18	131.73	
MW-12	10/31/2005	25.34	25.55	157.07	131.73	131.52	0.21	131.70	
MW-12	11/8/2005	25.45	25.73	157.07	131.62	131.34	0.28	131.58	
MW-12	11/14/2005	25.42	25.64	157.07	131.65	131.43	0.22	131.62	
MW-12	11/21/2005	25.42	25.63	157.07	131.65	131.44	0.21	131.62	
MW-12	11/30/2005	25.61	25.85	157.07	131.46	131.22	0.24	131.43	
MW-12	12/5/2005	25.72	25.93	157.07	131.35	131.14	0.21	131.32	
MW-12	12/9/2005	25.77	25.97	157.07	131.30	131.10	0.20	131.27	
MW-12	12/16/2005	25.77	25.99	157.07	131.30	131.08	0.22	131.27	
MW-12	12/22/2005	25.65	25.88	157.07	131.42	131.19	0.23	131.39	
MW-12	12/28/2005	25.68	25.91	157.07	131.39	131.16	0.23	131.36	
KEMRON Assumes Control of Site 1st Quarter 2006									
MW-12	1/5/2006	25.31	25.52	157.07	131.76	131.55	0.21	131.73	
MW-12	1/12/2006	25.21	25.43	157.07	131.86	131.64	0.22	131.83	
MW-12	1/19/2006	25.82	26.04	157.07	131.25	131.03	0.22	131.22	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	Comments
MW-12	1/26/2006	25.69	25.91	157.07	131.38	131.16	0.22	131.35	
MW-12	2/2/2006	25.31	25.54	157.07	131.76	131.53	0.23	131.73	
MW-12	2/9/2006	25.29	25.47	157.07	131.78	131.60	0.18	131.75	
MW-12	2/16/2006	25.09	25.30	157.07	131.98	131.77	0.21	131.95	
MW-12	2/23/2006	24.73	24.99	157.07	132.34	132.08	0.26	132.30	
MW-12	3/2/2006	24.44	24.64	157.07	132.63	132.43	0.20	132.60	
MW-12	3/9/2006	24.49	24.72	157.07	132.58	132.35	0.23	132.55	
MW-12	3/16/2006	24.49	24.74	157.07	132.58	132.33	0.25	132.55	
MW-12	3/23/2006	24.27	24.40	157.07	132.80	132.67	0.13	132.78	
MW-12	3/31/2006	23.85	23.89	157.07	133.22	133.18	0.04	133.21	
MW-12	4/6/2006	24.15	24.21	157.07	132.92	132.86	0.06	132.91	
MW-12	4/14/2006	24.67	24.73	157.07	132.40	132.34	0.06	132.39	
MW-12	4/21/2006	24.43	24.49	157.07	132.64	132.58	0.06	132.63	
MW-12	4/28/2006	23.53	23.56	157.07	133.54	133.51	0.03	133.54	
MW-12	5/4/2006	25.32	25.37	157.07	131.75	131.70	0.05	131.74	
MW-12	5/12/2006	23.24	23.25	157.07	133.83	133.82	0.01	133.83	
MW-12	5/18/2006	27.14	27.15	157.07	129.93	129.92	0.01	129.93	
MW-12	5/25/2006	23.30	23.35	157.07	133.77	133.72	0.05	133.76	
MW-12	6/2/2006	23.27	23.28	157.07	133.80	133.79	0.01	133.80	
MW-12	6/9/2006	NA	23.52	157.07	NA	133.55	NA	133.55	
MW-12	6/16/2006	NA	24.10	157.07	NA	132.97	NA	132.97	SHEEN
MW-12	6/23/2006	NA	24.42	157.07	NA	132.65	NA	132.65	
MW-12	6/30/2006	NA	24.54	157.07	NA	132.53	NA	132.53	
MW-12	7/7/2006	NA	24.39	157.07	NA	132.68	NA	132.68	
MW-12	7/13/2006	25.53	25.56	157.07	131.54	131.51	0.03	131.54	
MW-12	7/19/2006	NA	24.91	157.07	NA	132.16	NA	132.16	
MW-12	7/26/2006	NA	25.02	157.07	NA	132.05	NA	132.05	
MW-12	8/4/2006	NA	25.27	157.07	NA	131.80	NA	131.80	
MW-12	8/11/2006	25.45	25.46	157.07	131.62	131.61	0.01	131.62	
MW-12	8/17/2006	NA	25.83	157.07	NA	131.24	NA	131.24	
MW-12	8/23/2006	NA	25.94	157.07	NA	131.13	NA	131.13	
MW-12	8/31/2006	NA	26.40	157.07	NA	130.67	NA	130.67	
MW-12	9/8/2006	NA	25.95	157.07	NA	131.12	NA	131.12	
MW-12	9/15/2006	NA	25.48	157.07	NA	131.59	NA	131.59	
MW-12	9/22/2006	NA	25.64	157.07	NA	131.43	NA	131.43	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-12	9/29/2006	NA	25.42	157.07	NA	131.65	NA	131.65	
MW-12	10/6/2006	NA	25.81	157.07	NA	131.26	NA	131.26	
MW-12	10/12/2006	NA	25.43	157.07	NA	131.64	NA	131.64	
MW-12	10/19/2006	NA	25.68	157.07	NA	131.39	NA	131.39	
MW-12	10/27/2006	NA	25.96	157.07	NA	131.11	NA	131.11	
MW-12	10/31/2006	NA	25.97	157.07	NA	131.10	NA	131.10	
MW-12	11/9/2006	NA	25.13	157.07	NA	131.94	NA	131.94	SHEEN
MW-12	11/17/2006	NA	25.16	157.07	NA	131.91	NA	131.91	
MW-12	11/21/2006	NA	25.11	157.07	NA	131.96	NA	131.96	
MW-12	11/30/2006	NA	24.36	157.07	NA	132.71	NA	132.71	
MW-12	12/20/2006	NA	24.95	157.07	NA	132.12	NA	132.12	
MW-12	12/28/2006	NA	25.23	157.07	NA	131.84	NA	131.84	
MW-12	1/4/2007	NA	24.99	157.07	NA	132.08	NA	132.08	
MW-12	1/12/2007	NA	25.09	157.07	NA	131.98	NA	131.98	
MW-12	1/19/2007	NA	25.57	157.07	NA	131.50	NA	131.50	
MW-12	1/25/2007	NA	24.87	157.07	NA	132.20	NA	132.20	
MW-12	2/1/2007	NA	25.09	157.07	NA	131.98	NA	131.98	
MW-12	2/9/2007	NA	25.23	157.07	NA	131.84	NA	131.84	
MW-12	2/16/2007	NA	NA	157.07	NA	NA	NA	NA	
MW-12	2/22/2007	NA	25.15	157.07	NA	131.92	NA	131.92	
MW-12	3/2/2007	NA	25.02	157.07	NA	132.05	NA	132.05	
MW-12	3/9/2007	NA	24.95	157.07	NA	132.12	NA	132.12	
MW-12	3/16/2007	NA	24.88	157.07	NA	132.19	NA	132.19	
MW-12	3/21/2007	NA	25.49	157.07	NA	131.58	NA	131.58	
MW-12	3/30/2007	NA	24.95	157.07	NA	132.12	NA	132.12	
MW-12	4/6/2007	NA	24.74	157.07	NA	132.33	NA	132.33	
MW-12	4/13/2007	NA	24.88	157.07	NA	132.19	NA	132.19	
MW-12	4/20/2007	NA	24.82	157.07	NA	132.25	NA	132.25	
MW-12	4/27/2007	NA	24.57	157.07	NA	132.50	NA	132.50	
MW-12	5/4/2007	NA	24.63	157.07	NA	132.44	NA	132.44	
MW-12	5/10/2007	NA	24.35	157.07	NA	132.72	NA	132.72	
MW-12	5/17/2007	NA	24.65	157.07	NA	132.42	NA	132.42	
MW-12	5/25/2007	NA	24.70	157.07	NA	132.37	NA	132.37	
MW-12	5/31/2007	NA	24.83	157.07	NA	132.24	NA	132.24	
MW-12	6/8/2007	NA	25.05	157.07	NA	132.02	NA	132.02	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-12	6/13/2007	NA	25.05	157.07	NA	132.02	NA	132.02	
MW-12	6/22/2007	NA	25.46	157.07	NA	131.61	NA	131.61	
MW-12	6/28/2007	NA	25.20	157.07	NA	131.87	NA	131.87	
MW-12	7/6/2007	NA	25.37	157.07	NA	131.70	NA	131.70	
MW-12	7/13/2007	NA	25.72	157.07	NA	131.35	NA	131.35	
MW-12	7/20/2007	NA	25.76	157.07	NA	131.31	NA	131.31	
MW-12	7/27/2007	NA	25.88	157.07	NA	131.19	NA	131.19	
MW-12	8/3/2007	NA	26.28	157.07	NA	130.79	NA	130.79	
MW-12	8/10/2007	NA	26.41	157.07	NA	130.66	NA	130.66	
MW-12	8/17/2007	NA	26.60	157.07	NA	130.47	NA	130.47	
MW-12	8/23/2007	NA	26.72	157.07	NA	130.35	NA	130.35	
MW-12	8/31/2007	NA	26.66	157.07	NA	130.41	NA	130.41	
MW-12	9/7/2007	NA	26.92	157.07	NA	130.15	NA	130.15	
MW-12	9/14/2007	NA	27.04	157.07	NA	130.03	NA	130.03	
MW-12	9/21/2007	NA	27.09	157.07	NA	129.98	NA	129.98	
MW-12	9/28/2007	NA	27.25	157.07	NA	129.82	NA	129.82	
MW-12	10/5/2007	NA	27.47	157.07	NA	129.60	NA	129.60	
MW-12	10/11/2007	NA	27.50	157.07	NA	129.57	NA	129.57	
MW-12	10/19/2007	NA	27.72	157.07	NA	129.35	NA	129.35	
MW-12	10/24/2007	NA	27.84	157.07	NA	129.23	NA	129.23	
MW-12	10/31/2007	NA	27.66	157.07	NA	129.41	NA	129.41	
MW-12	11/7/2007	NA	27.30	157.07	NA	129.77	NA	129.77	
MW-12	11/16/2007	NA	27.03	157.07	NA	130.04	NA	130.04	
MW-12	11/21/2007	NA	27.14	157.07	NA	129.93	NA	129.93	
MW-12	11/29/2007	NA	27.35	157.07	NA	129.72	NA	129.72	
MW-12	12/7/2007	NA	27.63	157.07	NA	129.44	NA	129.44	
MW-12	12/14/2007	NA	27.36	157.07	NA	129.71	NA	129.71	
MW-12	12/21/2007	NA	27.44	157.07	NA	129.63	NA	129.63	
MW-12	12/27/2007	NA	27.01	157.07	NA	130.06	NA	130.06	
MW-12	1/4/2008	NA	27.47	157.07	NA	129.60	NA	129.60	
MW-12	1/11/2008	NA	27.47	157.07	NA	129.60	NA	129.60	
MW-12	1/17/2008	NA	26.94	157.07	NA	130.13	NA	130.13	
MW-12	1/25/2008	NA	28.15	157.07	NA	128.92	NA	128.92	
MW-12	1/31/2008	NA	27.17	157.07	NA	129.90	NA	129.90	
MW-12	2/28/2008	NA	26.25	157.07	NA	130.82	NA	130.82	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-12	3/27/2008	NA	25.65	157.07	NA	131.42	NA	131.42	
MW-13	6/21/2000	NA	29.35	155.91	NA	126.56	NA	126.56	
MW-13	1/25/2001	NA	31.22	155.91	NA	124.69	NA	124.69	
MW-13	2/27/2001	NA	31.16	155.91	NA	124.75	NA	124.75	
MW-13	3/29/2001	NA	30.84	155.91	NA	125.07	NA	125.07	
MW-13	4/26/2001	NA	30.19	155.91	NA	125.72	NA	125.72	
MW-13	5/31/2001	NA	30.22	155.91	NA	125.69	NA	125.69	
MW-13	6/28/2001	NA	NA	155.91	NA	NA	NA	NA	
MW-13	7/24/2001	NA	NA	155.91	NA	NA	NA	NA	No access
MW-13	8/31/2001	NA	NA	155.91	NA	NA	NA	NA	No access
MW-13	9/28/2001	NA	NA	155.91	NA	NA	NA	NA	No access
MW-13	10/30/2001	NA	NA	155.91	NA	NA	NA	NA	No access
MW-13	11/27/2001	NA	NA	155.91	NA	NA	NA	NA	No access
MW-13	12/28/2001	NA	NA	155.91	NA	NA	NA	NA	No access
MW-13	1/30/2002	NA	NA	155.91	NA	NA	NA	NA	No access
MW-13	2/26/2002	NA	NA	155.91	NA	NA	NA	NA	No access
MW-13	3/27/2002	NA	NA	155.91	NA	NA	NA	NA	No access
MW-13	4/26/2002	NA	NA	155.91	NA	NA	NA	NA	No access
MW-13	5/31/2002	NA	NA	155.91	NA	NA	NA	NA	No access
MW-13	6/28/2002	NA	NA	155.91	NA	NA	NA	NA	No access
MW-13	7/29/2002	NA	NA	155.91	NA	NA	NA	NA	No access
MW-13	8/30/2002	NA	NA	155.91	NA	NA	NA	NA	No access
MW-13	9/30/2002	NA	NA	155.91	NA	NA	NA	NA	No access
MW-13	10/25/2002	NA	NA	155.91	NA	NA	NA	NA	No access
MW-13	11/27/2002	NA	NA	155.91	NA	NA	NA	NA	No access
MW-13	12/30/2002	NA	NA	155.91	NA	NA	NA	NA	No access
MW-13	1/31/2003	NA	NA	155.91	NA	NA	NA	NA	No access
MW-13	2/25/2003	NA	NA	155.91	NA	NA	NA	NA	No access
MW-13	3/17/2003	NA	NA	155.91	NA	NA	NA	NA	No access
MW-13	4/30/2003	NA	NA	155.91	NA	NA	NA	NA	No access
MW-13	5/29/2003	NA	NA	155.91	NA	NA	NA	NA	No access
MW-13	6/27/2003	NA	NA	155.91	NA	NA	NA	NA	No access
MW-13	7/25/2003	NA	NA	155.91	NA	NA	NA	NA	No access
MW-13	8/26/2003	NA	NA	155.91	NA	NA	NA	NA	No access

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-13	9/29/2003	NA	NA	155.91	NA	NA	NA	NA	No access
MW-13	10/31/2003	NA	NA	155.91	NA	NA	NA	NA	No access
MW-13	11/25/2003	NA	NA	155.91	NA	NA	NA	NA	No access
MW-13	12/30/2003	NA	NA	155.91	NA	NA	NA	NA	No access
MW-13	2/4/2004	NA	NA	155.91	NA	NA	NA	NA	No access
MW-13	2/26/2004	NA	NA	155.91	NA	NA	NA	NA	No access
MW-13	3/31/2004	NA	NA	155.91	NA	NA	NA	NA	No access
MW-13	4/27/2004	NA	NA	155.91	NA	NA	NA	NA	No access
MW-13	5/27/2004	NA	NA	155.91	NA	NA	NA	NA	No access
MW-13	6/28/2004	NA	NA	155.91	NA	NA	NA	NA	No access
MW-13	7/27/2004	NA	NA	155.91	NA	NA	NA	NA	No access
MW-13	10/25/2004	NA	NA	155.91	NA	NA	NA	NA	No access
MW-13	12/1/2004	NA	NA	155.91	NA	NA	NA	NA	No access
MW-13	12/31/2004	NA	NA	155.91	NA	NA	NA	NA	No access
MW-13	1/28/2005	NA	NA	155.91	NA	NA	NA	NA	No access
MW-13	2/24/2005	NA	NA	155.91	NA	NA	NA	NA	No access
MW-13	3/27/2005	NA	NA	155.91	NA	NA	NA	NA	No access
MW-13	4/26/2005	NA	NA	155.91	NA	NA	NA	NA	No access
MW-13	5/27/2005	NA	NA	155.91	NA	NA	NA	NA	No access
MW-13	6/30/2005	NA	NA	155.91	NA	NA	NA	NA	No access
MW-13	7/29/2005	NA	NA	155.91	NA	NA	NA	NA	No access
MW-13	8/31/2005	NA	NA	155.91	NA	NA	NA	NA	No access
MW-13	9/30/2005	NA	NA	155.91	NA	NA	NA	NA	No access
MW-13	10/31/2005	NA	29.08	155.91	NA	126.83	NA	126.83	
MW-13	12/28/2005	NA	29.32	155.91	NA	126.59	NA	126.59	
KEMRON Assumes Control of Site 1st Quarter 2006									
MW-13	1/26/2006	NA	29.16	155.91	NA	126.75	NA	126.75	
MW-13	2/23/2006	NA	28.82	155.91	NA	127.09	NA	127.09	
MW-13	3/31/2006	NA	30.10	155.91	NA	125.81	NA	125.81	
MW-13	4/28/2006	NA	29.88	155.91	NA	126.03	NA	126.03	
MW-13	5/25/2006	NA	NA	155.91	NA	NA	NA	NA	No access
MW-13	6/30/2006	NA	NA	155.91	NA	NA	NA	NA	No access
MW-13	7/26/2006	NA	NA	155.91	NA	NA	NA	NA	No access
MW-13	8/31/2006	NA	NA	155.91	NA	NA	NA	NA	No access
MW-13	9/29/2006	NA	NA	156.91	NA	NA	NA	NA	No access

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-13	10/31/2006	NA	29.92	157.91	NA	127.99	NA	127.99	
MW-13	11/30/2006	NA	29.04	158.91	NA	129.87	NA	129.87	
MW-13	12/28/2006	NA	29.07	159.91	NA	130.84	NA	130.84	
MW-13	1/25/2007	NA	28.92	159.91	NA	130.99	NA	130.99	
MW-13	2/22/2007	NA	29.34	159.91	NA	130.57	NA	130.57	
MW-13	3/30/2007	NA	28.97	159.91	NA	130.94	NA	130.94	
MW-13	4/27/2007	NA	28.49	159.91	NA	131.42	NA	131.42	
MW-13	5/31/2007	NA	28.41	159.91	NA	131.50	NA	131.50	
MW-13	6/28/2007	NA	29.16	159.91	NA	130.75	NA	130.75	
MW-13	7/27/2007	NA	29.87	159.91	NA	130.04	NA	130.04	
MW-13	8/31/2007	NA	30.55	159.91	NA	129.36	NA	129.36	
MW-13	9/28/2007	NA	31.28	159.91	NA	128.63	NA	128.63	
MW-13	10/31/2007	NA	31.55	159.91	NA	128.36	NA	128.36	
MW-13	11/29/2007	NA	31.82	159.91	NA	128.09	NA	128.09	
MW-13	12/27/2007	NA	31.75	159.91	NA	128.16	NA	128.16	
MW-13	1/31/2008	NA	31.75	159.91	NA	128.16	NA	128.16	
MW-13	2/28/2008	NA	31.91	159.91	NA	128.00	NA	128.00	
MW-13	3/27/2008	NA	30.81	159.91	NA	129.10	NA	129.10	
MW-14	6/21/2000	NA	23.55	158.67	NA	135.12	NA	135.12	
MW-14	7/27/2000	NA	23.50	158.67	NA	135.17	NA	135.17	sheen
MW-14	8/14/2000	NA	23.20	158.67	NA	135.47	NA	135.47	.0125 gallons removed
MW-14	9/18/2000	NA	24.90	158.67	NA	133.77	NA	133.77	.0125 gallons removed
MW-14	10/24/2000	NA	24.09	158.67	NA	134.58	NA	134.58	.0125 gallons removed
MW-14	11/27/2000	NA	24.40	158.67	NA	134.27	NA	134.27	.0125 gallons removed
MW-14	12/28/2000	NA	24.95	158.67	NA	133.72	NA	133.72	.0333 gallons removed
MW-14	1/25/2001	NA	25.16	158.67	NA	133.51	NA	133.51	.0125 gallons removed
MW-14	2/1/2001	NA	25.10	158.67	NA	133.57	NA	133.57	.0125 gallons removed
MW-14	2/9/2001	NA	25.18	158.67	NA	133.49	NA	133.49	.0125 gallons removed
MW-14	2/15/2001	NA	24.88	158.67	NA	133.79	NA	133.79	
MW-14	2/22/2001	24.79	24.80	158.67	133.88	133.87	0.01	133.88	
MW-14	3/8/2001	24.36	24.37	158.67	134.31	134.30	0.01	134.31	.0125 gallons removed
MW-14	3/16/2001	NA	24.25	158.67	NA	134.42	NA	134.42	
MW-14	3/23/2001	NA	23.71	158.67	NA	134.96	NA	134.96	
MW-14	3/29/2001	23.39	23.40	158.67	135.28	135.27	0.01	135.28	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-14	4/6/2001	NA	22.83	158.67	NA	135.84	NA	135.84	
MW-14	4/13/2001	NA	22.90	158.67	NA	135.77	NA	135.77	
MW-14	4/20/2001	NA	23.17	158.67	NA	135.50	NA	135.50	
MW-14	4/26/2001	NA	23.11	158.67	NA	135.56	NA	135.56	
MW-14	5/31/2001	NA	23.57	158.67	NA	135.10	NA	135.10	
MW-14	6/28/2001	NA	22.97	158.67	NA	135.70	NA	135.70	
MW-14	7/24/2001	NA	25.41	158.67	NA	133.26	NA	133.26	
MW-14	8/31/2001	NA	24.14	158.67	NA	134.53	NA	134.53	
MW-14	9/28/2001	NA	24.45	158.67	NA	134.22	NA	134.22	
MW-14	10/30/2001	25.29	25.30	158.67	133.38	133.37	0.01	133.38	
MW-14	11/5/2001	25.29	25.31	158.67	133.38	133.36	0.02	133.38	
MW-14	11/13/2001	25.47	25.48	158.67	133.20	133.19	0.01	133.20	
MW-14	11/20/2001	25.23	25.25	158.67	133.44	133.42	0.02	133.44	
MW-14	11/27/2001	25.41	25.42	158.67	133.26	133.25	0.01	133.26	
MW-14	12/5/2001	25.75	25.78	158.67	132.92	132.89	0.03	132.92	
MW-14	12/14/2001	25.90	25.95	158.67	132.77	132.72	0.05	132.76	
MW-14	12/19/2001	25.90	25.95	158.67	132.77	132.72	0.05	132.76	
MW-14	12/19/2001	25.90	25.95	158.67	132.77	132.72	0.05	132.76	
MW-14	12/28/2001	26.02	26.08	158.67	132.65	132.59	0.06	132.64	
MW-14	1/3/2002	26.35	26.41	158.67	132.32	132.26	0.06	132.31	
MW-14	1/11/2002	26.38	26.72	158.67	132.29	131.95	0.34	132.24	
MW-14	1/17/2002	26.40	26.43	158.67	132.27	132.24	0.03	132.27	
MW-14	1/24/2002	26.69	26.76	158.67	131.98	131.91	0.07	131.97	
MW-14	1/30/2002	26.85	26.90	158.67	131.82	131.77	0.05	131.81	
MW-14	2/7/2002	27.02	27.06	158.67	131.65	131.61	0.04	131.64	
MW-14	2/12/2002	27.25	27.29	158.67	131.42	131.38	0.04	131.41	
MW-14	2/22/2002	27.26	27.30	158.67	131.41	131.37	0.04	131.40	
MW-14	2/26/2002	27.27	27.31	158.67	131.40	131.36	0.04	131.39	
MW-14	3/7/2002	27.57	27.61	158.67	131.10	131.06	0.04	131.09	
MW-14	3/13/2002	27.54	27.58	158.67	131.13	131.09	0.04	131.12	
MW-14	3/21/2002	27.49	27.53	158.67	131.18	131.14	0.04	131.17	
MW-14	3/26/2002	27.69	27.73	158.67	130.98	130.94	0.04	130.97	
MW-14	4/5/2002	27.78	27.82	158.67	130.89	130.85	0.04	130.88	
MW-14	4/9/2002	27.75	27.78	158.67	130.92	130.89	0.03	130.92	
MW-14	4/16/2002	27.70	27.74	158.67	130.97	130.93	0.04	130.96	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-14	4/26/2002	27.56	27.58	158.67	131.11	131.09	0.02	131.11	
MW-14	4/30/2002	NA	27.10	158.67	NA	131.57	NA	131.57	
MW-14	5/6/2002	26.46	26.47	158.67	132.21	132.20	0.01	132.21	
MW-14	5/17/2002	NA	25.32	158.67	NA	133.35	NA	133.35	
MW-14	5/24/2002	NA	25.16	158.67	NA	133.51	NA	133.51	
MW-14	5/31/2002	NA	25.11	158.67	NA	133.56	NA	133.56	
MW-14	6/28/2002	NA	25.18	158.67	NA	133.49	NA	133.49	
MW-14	7/29/2002	NA	25.35	158.67	NA	133.32	NA	133.32	
MW-14	8/30/2002	25.93	25.95	158.67	132.74	132.72	0.02	132.74	
MW-14	9/30/2002	26.32	26.35	158.67	132.35	132.32	0.03	132.35	
MW-14	10/10/2002	26.35	26.38	158.67	132.32	132.29	0.03	132.32	
MW-14	10/15/2002	26.32	26.35	158.67	132.35	132.32	0.03	132.35	
MW-14	10/25/2002	NA	25.62	158.67	NA	133.05	NA	133.05	
MW-14	11/27/2002	22.61	22.64	158.67	136.06	136.03	0.03	136.06	
MW-14	12/2/2002	22.73	22.77	158.67	135.94	135.90	0.04	135.93	
MW-14	12/13/2002	22.92	22.93	158.67	135.75	135.74	0.01	135.75	
MW-14	12/20/2002	NA	22.35	158.67	NA	136.32	NA	136.32	
MW-14	12/27/2002	NA	22.33	158.67	NA	136.34	NA	136.34	
MW-14	12/30/2002	22.34	22.38	158.67	136.33	136.29	0.04	136.32	
MW-14	1/10/2003	22.16	22.17	158.67	136.51	136.50	0.01	136.51	
MW-14	1/17/2003	22.50	22.51	158.67	136.17	136.16	0.01	136.17	.06 gallons removed
MW-14	1/22/2003	22.47	22.48	158.67	136.20	136.19	0.01	136.20	.03 gallons removed
MW-14	1/31/2003	NA	22.81	158.67	NA	135.86	NA	135.86	
MW-14	2/5/2003	NA	22.89	158.67	NA	135.78	NA	135.78	
MW-14	2/13/2003	NA	23.07	158.67	NA	135.60	NA	135.60	
MW-14	2/25/2003	NA	NA	158.67	NA	NA	NA	NA	covered with snow
MW-14	3/4/2003	22.56	22.57	158.67	136.11	136.10	0.01	136.11	
MW-14	3/14/2003	NA	24.34	158.67	NA	134.33	NA	134.33	
MW-14	3/17/2003	NA	22.12	158.67	NA	136.55	NA	136.55	
MW-14	4/30/2003	NA	22.51	158.67	NA	136.16	NA	136.16	
MW-14	5/29/2003	NA	22.17	158.67	NA	136.50	NA	136.50	
MW-14	6/27/2003	NA	21.45	158.67	NA	137.22	NA	137.22	
MW-14	7/25/2003	NA	22.51	158.67	NA	136.16	NA	136.16	
MW-14	8/26/2003	NA	22.36	158.67	NA	136.31	NA	136.31	
MW-14	9/29/2003	NA	22.63	158.67	NA	136.04	NA	136.04	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-14	10/31/2003	NA	22.16	158.67	NA	136.51	NA	136.51	
MW-14	11/25/2003	NA	21.70	158.67	NA	136.97	NA	136.97	
MW-14	12/30/2003	NA	21.32	158.67	NA	137.35	NA	137.35	
MW-14	2/4/2004	NA	NA	158.67	NA	NA	NA	NA	covered with snow
MW-14	2/26/2004	NA	22.39	158.67	NA	136.28	NA	136.28	
MW-14	3/31/2004	NA	22.88	158.67	NA	135.79	NA	135.79	
MW-14	4/27/2004	NA	22.12	158.67	NA	136.55	NA	136.55	
MW-14	5/27/2004	NA	22.35	158.67	NA	136.32	NA	136.32	
MW-14	6/28/2004	NA	23.35	158.67	NA	135.32	NA	135.32	
MW-14	7/27/2004	NA	22.66	158.67	NA	136.01	NA	136.01	
MW-14	10/25/2004	NA	23.57	158.67	NA	135.10	NA	135.10	
MW-14	12/1/2004	NA	23.50	158.67	NA	135.17	NA	135.17	
MW-14	12/31/2004	NA	23.30	158.67	NA	135.37	NA	135.37	
MW-14	1/28/2005	NA	23.21	158.67	NA	135.46	NA	135.46	
MW-14	2/24/2005	NA	23.20	158.67	NA	135.47	NA	135.47	
MW-14	3/27/2005	NA	23.46	158.67	NA	135.21	NA	135.21	
MW-14	4/26/2005	NA	22.66	158.67	NA	136.01	NA	136.01	
MW-14	5/27/2005	NA	23.22	158.67	NA	135.45	NA	135.45	
MW-14	6/30/2005	NA	23.19	158.67	NA	135.48	NA	135.48	
MW-14	7/29/2005	NA	23.12	158.67	NA	135.55	NA	135.55	
MW-14	8/31/2005	NA	23.95	158.67	NA	134.72	NA	134.72	
MW-14	9/30/2005	NA	23.61	158.67	NA	135.06	NA	135.06	
MW-14	10/31/2005	NA	23.30	158.67	NA	135.37	NA	135.37	
MW-14	11/30/2005	NA	23.82	158.67	NA	134.85	NA	134.85	
MW-14	12/28/2005	23.98	23.99	158.67	134.69	134.68	0.01	134.69	
KEMRON Assumes Control of Site 1st Quarter 2006									
MW-14	1/26/2006	NA	23.34	158.67	NA	135.33	NA	135.33	
MW-14	2/23/2006	NA	22.73	158.67	NA	135.94	NA	135.94	
MW-14	3/31/2006	NA	20.25	158.67	NA	138.42	NA	138.42	
MW-14	4/28/2006	NA	19.93	158.67	NA	138.74	NA	138.74	
MW-14	5/25/2006	NA	19.95	158.67	NA	138.72	NA	138.72	
MW-14	6/30/2006	NA	22.41	158.67	NA	136.26	NA	136.26	
MW-14	7/26/2006	NA	24.03	158.67	NA	134.64	NA	134.64	
MW-14	8/31/2006	NA	24.84	158.67	NA	133.83	NA	133.83	
MW-14	9/29/2006	NA	23.84	158.67	NA	134.83	NA	134.83	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-14	10/31/2006	NA	24.27	158.67	NA	134.40	NA	134.40	
MW-14	11/30/2006	NA	22.46	158.67	NA	136.21	NA	136.21	
MW-14	12/28/2006	NA	23.20	158.67	NA	135.47	NA	135.47	
MW-14	1/25/2007	NA	23.18	158.67	NA	135.49	NA	135.49	
MW-14	2/22/2007	NA	23.63	158.67	NA	135.04	NA	135.04	
MW-14	3/30/2007	NA	22.92	158.67	NA	135.75	NA	135.75	
MW-14	4/27/2007	NA	22.71	158.67	NA	135.96	NA	135.96	
MW-14	5/31/2007	NA	23.20	158.67	NA	135.47	NA	135.47	
MW-14	6/28/2007	NA	24.05	158.67	NA	134.62	NA	134.62	
MW-14	7/27/2007	NA	24.73	158.67	NA	133.94	NA	133.94	
MW-14	8/31/2007	NA	25.13	158.67	NA	133.54	NA	133.54	
MW-14	9/28/2007	NA	25.36	158.67	NA	133.31	NA	133.31	
MW-14	10/31/2007	NA	25.81	158.67	NA	132.86	NA	132.86	
MW-14	11/29/2007	NA	25.44	158.67	NA	133.23	NA	133.23	
MW-14	12/27/2007	NA	25.38	158.67	NA	133.29	NA	133.29	
MW-14	1/31/2008	NA	24.91	158.67	NA	133.76	NA	133.76	
MW-14	2/28/2008	NA	25.75	158.67	NA	132.92	NA	132.92	
MW-14	3/27/2008	NA	24.09	158.67	NA	134.58	NA	134.58	
MW-15	6/8/2000	NA	25.60	155.36	NA	129.76	NA	129.76	
MW-15	6/13/2000	NA	25.65	155.36	NA	129.71	NA	129.71	
MW-15	6/21/2000	NA	25.57	155.36	NA	129.79	NA	129.79	
MW-15	6/28/2000	NA	25.61	155.36	NA	129.75	NA	129.75	
MW-15	7/3/2000	NA	25.60	155.36	NA	129.76	NA	129.76	No access
MW-15	7/12/2000	NA	25.70	155.36	NA	129.66	NA	129.66	No access
MW-15	7/20/2000	NA	25.81	155.36	NA	129.55	NA	129.55	
MW-15	7/27/2000	NA	25.70	155.36	NA	129.66	NA	129.66	
MW-15	8/14/2000	NA	25.63	155.36	NA	129.73	NA	129.73	
MW-15	9/18/2000	NA	26.21	155.36	NA	129.15	NA	129.15	
MW-15	10/12/2000	NA	NA	155.36	NA	NA	NA	NA	
MW-15	10/19/2000	NA	NA	155.36	NA	NA	NA	NA	
MW-15	10/24/2000	NA	26.51	155.36	NA	128.85	NA	128.85	
MW-15	11/9/2000	NA	26.76	155.36	NA	128.60	NA	128.60	
MW-15	11/17/2000	NA	26.91	155.36	NA	128.45	NA	128.45	
MW-15	11/22/2000	NA	27.11	155.36	NA	128.25	NA	128.25	

TABLE 2

Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	Comments
MW-15	11/27/2000	NA	38.92	155.36	NA	116.44	NA	116.44	
MW-15	12/28/2000	NA	27.35	155.36	NA	128.01	NA	128.01	
MW-15	1/24/2000	NA	27.59	155.36	NA	127.77	NA	127.77	
MW-15	2/27/2001	NA	27.41	155.36	NA	127.95	NA	127.95	
MW-15	3/29/2001	NA	27.04	155.36	NA	128.32	NA	128.32	
MW-15	4/26/2001	NA	26.46	155.36	NA	128.90	NA	128.90	
MW-15	5/31/2001	NA	26.48	155.36	NA	128.88	NA	128.88	
MW-15	6/28/2001	NA	25.92	155.36	NA	129.44	NA	129.44	
MW-15	7/24/2001	NA	26.17	155.36	NA	129.19	NA	129.19	
MW-15	8/31/2001	NA	26.85	155.36	NA	128.51	NA	128.51	
MW-15	9/28/2001	NA	27.21	155.36	NA	128.15	NA	128.15	
MW-15	10/30/2001	27.96	27.98	155.36	127.40	127.38	0.02	127.40	
MW-15	11/5/2001	27.95	27.99	155.36	127.41	127.37	0.04	127.40	
MW-15	11/13/2001	28.27	28.29	155.36	127.09	127.07	0.02	127.09	
MW-15	11/20/2001	28.35	28.37	155.36	127.01	126.99	0.02	127.01	
MW-15	11/27/2001	28.55	28.56	155.36	126.81	126.80	0.01	126.81	
MW-15	12/5/2001	28.79	28.82	155.36	126.57	126.54	0.03	126.57	
MW-15	12/14/2001	28.93	29.03	155.36	126.43	126.33	0.10	126.42	
MW-15	12/19/2001	29.21	29.31	155.36	126.15	126.05	0.10	126.14	
MW-15	12/28/2001	29.11	29.20	155.36	126.25	126.16	0.09	126.24	
MW-15	1/3/2002	29.21	29.31	155.36	126.15	126.05	0.10	126.14	
MW-15	1/11/2002	29.40	29.51	155.36	125.96	125.85	0.11	125.94	
MW-15	1/17/2002	29.41	29.53	155.36	125.95	125.83	0.12	125.93	
MW-15	1/24/2002	29.48	29.59	155.36	125.88	125.77	0.11	125.86	
MW-15	1/30/2002	29.67	29.78	155.36	125.69	125.58	0.11	125.67	
MW-15	2/7/2002	29.78	29.88	155.36	125.58	125.48	0.10	125.57	
MW-15	2/12/2002	30.06	30.16	155.36	125.30	125.20	0.10	125.29	
MW-15	2/22/2002	30.05	30.16	155.36	125.31	125.20	0.11	125.29	
MW-15	2/26/2002	30.21	30.31	155.36	125.15	125.05	0.10	125.14	
MW-15	3/7/2002	30.35	30.45	155.36	125.01	124.91	0.10	125.00	
MW-15	3/13/2002	30.28	30.39	155.36	125.08	124.97	0.11	125.06	
MW-15	3/21/2002	30.22	30.36	155.36	125.14	125.00	0.14	125.12	
MW-15	3/27/2002	30.31	30.41	155.36	125.05	124.95	0.10	125.04	
MW-15	4/5/2002	30.30	30.39	155.36	125.06	124.97	0.09	125.05	
MW-15	4/9/2002	30.27	30.36	155.36	125.09	125.00	0.09	125.08	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	Comments
MW-15	4/16/2002	30.31	30.41	155.36	125.05	124.95	0.10	125.04	
MW-15	4/26/2002	30.07	30.17	155.36	125.29	125.19	0.10	125.28	
MW-15	4/30/2002	29.83	29.93	155.36	125.53	125.43	0.10	125.52	
MW-15	5/6/2002	29.35	29.45	155.36	126.01	125.91	0.10	126.00	
MW-15	5/17/2002	29.21	29.29	155.36	126.15	126.07	0.08	126.14	
MW-15	5/24/2002	29.10	29.20	155.36	126.26	126.16	0.10	126.25	
MW-15	5/31/2002	29.11	29.23	155.36	126.25	126.13	0.12	126.23	
MW-15	6/7/2002	29.02	29.13	155.36	126.34	126.23	0.11	126.32	
MW-15	6/11/2002	29.37	29.49	155.36	125.99	125.87	0.12	125.97	
MW-15	6/21/2002	29.48	29.58	155.36	125.88	125.78	0.10	125.87	
MW-15	6/28/2002	29.55	29.67	155.36	125.81	125.69	0.12	125.79	
MW-15	7/3/2002	29.62	29.73	155.36	125.74	125.63	0.11	125.72	
MW-15	7/9/2002	29.58	29.67	155.36	125.78	125.69	0.09	125.77	
MW-15	7/17/2002	29.82	29.92	155.36	125.54	125.44	0.10	125.53	
MW-15	7/23/2002	29.83	29.94	155.36	125.53	125.42	0.11	125.51	
MW-15	7/29/2002	29.84	29.95	155.36	125.52	125.41	0.11	125.50	
MW-15	8/7/2002	30.22	30.31	155.36	125.14	125.05	0.09	125.13	
MW-15	8/16/2002	30.42	30.52	155.36	124.94	124.84	0.10	124.93	
MW-15	8/23/2002	30.55	30.66	155.36	124.81	124.70	0.11	124.79	
MW-15	8/30/2002	30.58	30.68	155.36	124.78	124.68	0.10	124.77	
MW-15	9/6/2002	30.42	30.52	155.36	124.94	124.84	0.10	124.93	
MW-15	9/11/2002	30.40	30.51	155.36	124.96	124.85	0.11	124.94	
MW-15	9/17/2002	30.61	30.71	155.36	124.75	124.65	0.10	124.74	
MW-15	9/25/2002	30.81	30.92	155.36	124.55	124.44	0.11	124.53	
MW-15	9/30/2002	30.66	30.75	155.36	124.70	124.61	0.09	124.69	
MW-15	10/10/2002	30.70	30.79	155.36	124.66	124.57	0.09	124.65	
MW-15	10/15/2002	30.69	30.78	155.36	124.67	124.58	0.09	124.66	
MW-15	10/25/2002	29.69	29.79	155.36	125.67	125.57	0.10	125.66	
MW-15	10/31/2002	29.65	29.76	155.36	125.71	125.60	0.11	125.69	
MW-15	11/4/2002	29.07	29.16	155.36	126.29	126.20	0.09	126.28	
MW-15	11/12/2002	28.23	28.32	155.36	127.13	127.04	0.09	127.12	
MW-15	11/21/2002	28.65	28.66	155.36	126.71	126.70	0.01	126.71	
MW-15	11/27/2002	28.54	28.54	155.36	126.82	126.82	0.00	126.82	sheen
MW-15	12/2/2002	NA	28.43	155.36	NA	126.93	NA	126.93	
MW-15	12/13/2002	NA	28.25	155.36	NA	127.11	NA	127.11	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-15	12/20/2002	NA	27.54	155.36	NA	127.82	NA	127.82	
MW-15	12/27/2002	NA	27.51	155.36	NA	127.85	NA	127.85	
MW-15	12/30/2002	NA	27.65	155.36	NA	127.71	NA	127.71	
MW-15	1/31/2003	NA	NA	155.36	NA	NA	NA	NA	frozen shut
MW-15	2/5/2003	NA	26.63	155.36	NA	128.73	NA	128.73	
MW-15	2/13/2003	NA	26.81	155.36	NA	128.55	NA	128.55	
MW-15	2/25/2003	NA	NA	155.36	NA	NA	NA	NA	covered with snow
MW-15	3/4/2003	NA	25.73	155.36	NA	129.63	NA	129.63	
MW-15	3/14/2003	NA	24.96	155.36	NA	130.40	NA	130.40	
MW-15	3/17/2003	NA	24.98	155.36	NA	130.38	NA	130.38	
MW-15	4/30/2003	NA	24.15	155.36	NA	131.21	NA	131.21	
MW-15	5/29/2003	NA	24.26	155.36	NA	131.10	NA	131.10	
MW-15	6/27/2003	NA	23.61	155.36	NA	131.75	NA	131.75	
MW-15	7/25/2003	NA	24.15	155.36	NA	131.21	NA	131.21	
MW-15	8/26/2003	NA	23.24	155.36	NA	132.12	NA	132.12	
MW-15	9/29/2003	NA	23.40	155.36	NA	131.96	NA	131.96	
MW-15	10/31/2003	NA	23.17	155.36	NA	132.19	NA	132.19	
MW-15	11/25/2003	NA	23.00	155.36	NA	132.36	NA	132.36	
MW-15	12/30/2003	NA	22.45	155.36	NA	132.91	NA	132.91	
MW-15	2/4/2004	NA	NA	155.36	NA	NA	NA	NA	covered with snow
MW-15	2/26/2004	NA	22.95	155.36	NA	132.41	NA	132.41	
MW-15	3/31/2004	23.41	23.41	155.36	131.95	131.95	0.00	131.95	sheen
MW-15	4/27/2004	NA	23.29	155.36	NA	132.07	NA	132.07	
MW-15	5/27/2004	NA	23.58	155.36	NA	131.78	NA	131.78	
MW-15	6/28/2004	NA	23.40	155.36	NA	131.96	NA	131.96	
MW-15	7/27/2004	NA	23.76	155.36	NA	131.60	NA	131.60	
MW-15	10/25/2004	24.07	24.09	155.36	131.29	131.27	0.02	131.29	
MW-15	12/1/2004	24.75	24.78	155.36	130.61	130.58	0.03	130.61	
MW-15	12/31/2004	24.68	24.71	155.36	130.68	130.65	0.03	130.68	
MW-15	1/28/2005	24.99	25.02	155.36	130.37	130.34	0.03	130.37	
MW-15	2/24/2005	25.12	25.20	155.36	130.24	130.16	0.08	130.23	
MW-15	3/27/2005	25.03	25.04	155.36	130.33	130.32	0.01	130.33	
MW-15	4/26/2005	24.21	24.25	155.36	131.15	131.11	0.04	131.14	
MW-15	5/27/2005	24.58	24.66	155.36	130.78	130.70	0.08	130.77	
MW-15	6/30/2005	24.76	24.91	155.36	130.60	130.45	0.15	130.58	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	Comments
MW-15	7/29/2005	24.91	25.08	155.36	130.45	130.28	0.17	130.43	
MW-15	8/31/2005	24.55	24.82	155.36	130.81	130.54	0.27	130.77	
MW-15	9/30/2005	24.84	25.07	155.36	130.52	130.29	0.23	130.49	
MW-15	10/31/2005	25.17	25.37	155.36	130.19	129.99	0.20	130.16	
MW-15	11/30/2005	25.50	25.75	155.36	129.86	129.61	0.25	129.83	
MW-15	12/28/2005	25.48	25.67	155.36	129.88	129.69	0.19	129.85	
KEMRON Assumes Control of Site 1st Quarter 2006									
MW-15	1/26/2006	25.37	25.61	155.36	129.99	129.75	0.24	129.96	
MW-15	2/23/2006	24.83	25.01	155.36	130.53	130.35	0.18	130.50	
MW-15	3/31/2006	24.20	24.59	155.36	131.16	130.77	0.39	131.11	
MW-15	4/28/2006	23.90	24.05	155.36	131.46	131.31	0.15	131.44	
MW-15	5/25/2006	23.93	23.97	155.36	131.43	131.39	0.04	131.42	
MW-15	6/30/2006	24.87	24.92	155.36	130.49	130.44	0.05	130.48	
MW-15	7/26/2006	25.59	25.78	155.36	129.77	129.58	0.19	129.74	
MW-15	8/31/2006	26.72	26.94	155.36	128.64	128.42	0.22	128.61	
MW-15	9/29/2006	26.25	26.51	155.36	129.11	128.85	0.26	129.07	
MW-15	10/31/2006	26.06	26.25	155.36	129.30	129.11	0.19	129.27	
MW-15	11/30/2006	25.08	25.10	155.36	130.28	130.26	0.02	130.28	
MW-15	12/28/2006	25.34	25.50	155.36	130.02	129.86	0.16	130.00	
MW-15	1/25/2007	25.15	25.26	155.36	130.21	130.10	0.11	130.19	
MW-15	2/22/2007	25.55	25.59	155.36	129.81	129.77	0.04	129.80	
MW-15	3/30/2007	25.22	25.30	155.36	130.14	130.06	0.08	130.13	
MW-15	4/27/2007	24.82	24.86	155.36	130.54	130.50	0.04	130.53	
MW-15	5/31/2007	26.10	26.15	155.36	129.26	129.21	0.05	129.25	
MW-15	6/28/2007	25.42	25.46	155.36	129.94	129.90	0.04	129.93	
MW-15	7/6/2007	25.34	25.37	155.36	130.02	129.99	0.03	130.02	
MW-15	7/13/2007	25.87	25.97	155.36	129.49	129.39	0.10	129.48	
MW-15	7/20/2007	26.06	26.23	155.36	129.30	129.13	0.17	129.28	
MW-15	7/27/2007	26.16	26.27	155.36	129.20	129.09	0.11	129.18	
MW-15	8/3/2007	25.43	25.58	155.36	129.93	129.78	0.15	129.91	
MW-15	8/10/2007	25.54	25.65	155.36	129.82	129.71	0.11	129.80	
MW-15	8/17/2007	26.78	26.89	155.36	128.58	128.47	0.11	128.56	
MW-15	8/23/2007	26.95	27.01	155.36	128.41	128.35	0.06	128.40	
MW-15	8/31/2007	26.88	26.96	155.36	128.48	128.40	0.08	128.47	
MW-15	9/7/2007	27.17	27.24	155.36	128.19	128.12	0.07	128.18	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-15	9/14/2007	27.36	27.47	155.36	128.00	127.89	0.11	127.98	
MW-15	9/21/2007	27.60	27.68	155.36	127.76	127.68	0.08	127.75	
MW-15	9/28/2007	27.80	27.90	155.36	127.56	127.46	0.10	127.55	
MW-15	10/5/2007	28.00	28.03	155.36	127.36	127.33	0.03	127.36	
MW-15	10/11/2007	28.10	28.11	155.36	127.26	127.25	0.01	127.26	
MW-15	10/19/2007	28.31	28.32	155.36	127.05	127.04	0.01	127.05	
MW-15	10/24/2007	NA	28.53	155.36	NA	126.83	NA	126.83	SHEEN
MW-15	10/31/2007	NA	27.87	155.36	NA	127.49	NA	127.49	
MW-15	11/7/2007	NA	27.90	155.36	NA	127.46	NA	127.46	
MW-15	11/16/2007	NA	27.93	155.36	NA	127.43	NA	127.43	
MW-15	11/21/2007	NA	27.94	155.36	NA	127.42	NA	127.42	
MW-15	11/29/2007	NA	28.26	155.36	NA	127.10	NA	127.10	
MW-15	12/7/2007	NA	28.53	155.36	NA	126.83	NA	126.83	
MW-15	12/14/2007	NA	28.28	155.36	NA	127.08	NA	127.08	
MW-15	12/21/2007	NA	28.20	155.36	NA	127.16	NA	127.16	
MW-15	12/27/2007	NA	28.06	155.36	NA	127.30	NA	127.30	
MW-15	1/4/2008	NA	28.10	155.36	NA	127.26	NA	127.26	
MW-15	1/11/2008	NA	28.10	155.36	NA	127.26	NA	127.26	
MW-15	1/17/2008	NA	27.85	155.36	NA	127.51	NA	127.51	
MW-15	1/25/2008	NA	28.03	155.36	NA	127.33	NA	127.33	
MW-15	1/31/2008	NA	28.17	155.36	NA	127.19	NA	127.19	
MW-15	2/7/2008	NA	27.25	155.36	NA	128.11	NA	128.11	
MW-15	2/14/2008	NA	27.96	155.36	NA	127.40	NA	127.40	
MW-15	2/21/2008	NA	27.93	155.36	NA	127.43	NA	127.43	
MW-15	2/28/2008	NA	27.82	155.36	NA	127.54	NA	127.54	
MW-15	3/6/2008	NA	27.30	155.36	NA	128.06	NA	128.06	
MW-15	3/13/2008	NA	27.09	155.36	NA	128.27	NA	128.27	
MW-15	3/20/2008	NA	26.98	155.36	NA	128.38	NA	128.38	
MW-15	3/27/2008	NA	27.11	155.36	NA	128.25	NA	128.25	Bio-sock in place
MW-18	6/21/2000	NA	26.71	157.06	NA	130.35	NA	130.35	
MW-18	7/27/2000	NA	26.90	157.06	NA	130.16	NA	130.16	
MW-18	8/14/2000	NA	28.80	157.06	NA	128.26	NA	128.26	
MW-18	9/18/2000	NA	27.28	157.06	NA	129.78	NA	129.78	
MW-18	10/24/2000	NA	27.49	157.06	NA	129.57	NA	129.57	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-18	11/27/2000	NA	27.98	157.06	NA	129.08	NA	129.08	
MW-18	12/28/2000	NA	28.39	157.06	NA	128.67	NA	128.67	
MW-18	1/24/2001	NA	28.39	157.06	NA	128.67	NA	128.67	frozen shut
MW-18	2/27/2001	28.37	28.38	157.06	128.69	128.68	0.01	128.69	sock installed
MW-18	3/8/2001	NA	28.44	157.06	NA	128.62	NA	128.62	
MW-18	3/16/2001	NA	28.85	157.06	NA	128.21	NA	128.21	
MW-18	3/23/2001	NA	28.19	157.06	NA	128.87	NA	128.87	
MW-18	3/29/2001	NA	27.90	157.06	NA	129.16	NA	129.16	
MW-18	4/26/2001	NA	27.12	157.06	NA	129.94	NA	129.94	
MW-18	5/31/2001	NA	27.31	157.06	NA	129.75	NA	129.75	
MW-18	6/28/2001	NA	26.64	157.06	NA	130.42	NA	130.42	
MW-18	7/24/2001	NA	26.96	157.06	NA	130.10	NA	130.10	
MW-18	8/31/2001	NA	27.54	157.06	NA	129.52	NA	129.52	
MW-18	9/28/2001	NA	27.95	157.06	NA	129.11	NA	129.11	
MW-18	10/30/2001	NA	28.61	157.06	NA	128.45	NA	128.45	
MW-18	11/27/2001	NA	29.95	157.06	NA	127.11	NA	127.11	
MW-18	12/28/2001	NA	30.40	157.06	NA	126.66	NA	126.66	
MW-18	1/30/2002	NA	31.04	157.06	NA	126.02	NA	126.02	
MW-18	2/26/2002	NA	31.36	157.06	NA	125.70	NA	125.70	
MW-18	3/27/2002	NA	30.99	157.06	NA	126.07	NA	126.07	
MW-18	4/26/2002	NA	30.33	157.06	NA	126.73	NA	126.73	
MW-18	5/31/2002	NA	29.70	157.06	NA	127.36	NA	127.36	
MW-18	6/28/2002	NA	30.31	157.06	NA	126.75	NA	126.75	
MW-18	7/29/2002	NA	30.31	157.06	NA	126.75	NA	126.75	
MW-18	8/30/2002	NA	31.42	157.06	NA	125.64	NA	125.64	
MW-18	9/30/2002	NA	31.38	157.06	NA	125.68	NA	125.68	
MW-18	10/25/2002	NA	30.73	157.06	NA	126.33	NA	126.33	
MW-18	11/27/2002	NA	27.28	157.06	NA	129.78	NA	129.78	
MW-18	12/30/2002	NA	26.90	157.06	NA	130.16	NA	130.16	
MW-18	1/31/2003	NA	NA	157.06	NA	NA	NA	NA	frozen shut
MW-18	2/25/2003	NA	NA	157.06	NA	NA	NA	NA	covered with snow
MW-18	3/17/2003	NA	24.06	157.06	NA	133.00	NA	133.00	
MW-18	4/30/2003	NA	24.48	157.06	NA	132.58	NA	132.58	
MW-18	5/29/2003	NA	24.27	157.06	NA	132.79	NA	132.79	
MW-18	6/27/2003	NA	23.65	157.06	NA	133.41	NA	133.41	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-18	7/25/2003	NA	24.48	157.06	NA	132.58	NA	132.58	
MW-18	8/26/2003	NA	24.30	157.06	NA	132.76	NA	132.76	
MW-18	9/29/2003	NA	24.04	157.06	NA	133.02	NA	133.02	
MW-18	10/31/2003	NA	24.42	157.06	NA	132.64	NA	132.64	
MW-18	11/25/2003	NA	23.97	157.06	NA	133.09	NA	133.09	
MW-18	12/30/2003	NA	23.31	157.06	NA	133.75	NA	133.75	
MW-18	2/4/2004	NA	NA	157.06	NA	NA	NA	NA	covered with snow
MW-18	2/26/2004	NA	NA	157.06	NA	NA	NA	NA	No access due to building demolition
MW-18	3/31/2004	NA	NA	157.06	NA	NA	NA	NA	No access due to building demolition
MW-18	4/27/2004	NA	NA	157.06	NA	NA	NA	NA	No access due to building demolition
MW-18	5/27/2004	NA	NA	157.06	NA	NA	NA	NA	No access due to building demolition
MW-18	6/28/2004	NA	NA	157.06	NA	NA	NA	NA	No access due to building demolition
MW-18	7/27/2004	NA	NA	157.06	NA	NA	NA	NA	No access due to building demolition
MW-18	8/25/2004	NA	NA	157.06	NA	NA	NA	NA	No access due to building demolition
MW-18	9/23/2004	NA	NA	157.06	NA	NA	NA	NA	No access due to building demolition
MW-18	10/22/2004	NA	NA	157.06	NA	NA	NA	NA	No access due to building demolition
MW-18	11/20/2004	NA	NA	157.06	NA	NA	NA	NA	No access due to building demolition
MW-18	12/19/2004	NA	NA	157.06	NA	NA	NA	NA	No access due to building demolition
MW-18	1/28/2005	NA	NA	157.06	NA	NA	NA	NA	No access due to building demolition
MW-18	2/24/2005	NA	NA	157.06	NA	NA	NA	NA	No access due to building demolition
MW-18	3/27/2005	NA	NA	157.06	NA	NA	NA	NA	No access due to building demolition
MW-18	4/26/2005	NA	NA	157.06	NA	NA	NA	NA	No access due to building demolition
MW-18	5/27/2005	NA	NA	157.06	NA	NA	NA	NA	No access due to building demolition
MW-18	6/30/2005	NA	NA	157.06	NA	NA	NA	NA	No access due to building demolition
MW-18	7/29/2005	NA	NA	157.06	NA	NA	NA	NA	No access due to building demolition
MW-18	8/31/2005	NA	NA	157.06	NA	NA	NA	NA	No access due to building demolition
MW-18	9/30/2005	NA	NA	157.06	NA	NA	NA	NA	No access due to building demolition
MW-18	10/31/2005	NA	NA	157.06	NA	NA	NA	NA	No access due to building demolition
MW-18	11/30/2005	NA	NA	157.06	NA	NA	NA	NA	No access due to building demolition
MW-18	12/28/2005	NA	NA	157.06	NA	NA	NA	NA	No access due to building demolition
KEMRON Assumes Control of Site 1st Quarter 2006									
MW-18	1/26/2006	NA	NA	157.06	NA	NA	NA	NA	No access due to building demolition
MW-18	2/23/2006	NA	NA	157.06	NA	NA	NA	NA	No access due to building demolition
MW-18	3/31/2006	NA	NA	157.06	NA	NA	NA	NA	No access due to building demolition
MW-18	4/28/2006	NA	NA	157.06	NA	NA	NA	NA	No access due to building demolition

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-18	5/25/2006	NA	NA	157.06	NA	NA	NA	NA	No access due to building demolition
MW-18	6/30/2006	NA	NA	157.06	NA	NA	NA	NA	No access due to building demolition
MW-18	7/26/2006	NA	NA	157.06	NA	NA	NA	NA	No access due to building demolition
MW-18	8/31/2006	NA	NA	157.06	NA	NA	NA	NA	No access due to building demolition
MW-18	9/29/2006	NA	NA	157.06	NA	NA	NA	NA	No access due to building demolition
MW-18	10/31/2006	NA	NA	157.06	NA	NA	NA	NA	No access due to building demolition
MW-18	11/30/2006	NA	NA	157.06	NA	NA	NA	NA	No access due to building demolition
MW-18	12/28/2006	NA	NA	157.06	NA	NA	NA	NA	No access due to building demolition
MW-18	1/25/2007	NA	NA	157.06	NA	NA	NA	NA	No access due to building demolition
MW-18	2/22/2007	NA	NA	157.06	NA	NA	NA	NA	No access due to building demolition
MW-18	3/30/2007	NA	NA	157.06	NA	NA	NA	NA	No access due to building demolition
MW-18	4/27/2007	NA	NA	157.06	NA	NA	NA	NA	No access due to building demolition
MW-18	5/31/2007	NA	NA	157.06	NA	NA	NA	NA	No access due to building demolition
MW-18	6/28/2007	NA	NA	157.06	NA	NA	NA	NA	No access due to building demolition
MW-18	7/27/2007	NA	NA	157.06	NA	NA	NA	NA	No access due to building demolition
MW-18	9/28/2007	NA	NA	157.06	NA	NA	NA	NA	No access due to building demolition
MW-18	10/31/2007	NA	NA	157.06	NA	NA	NA	NA	No access due to building demolition
MW-18	11/29/2007	NA	NA	157.06	NA	NA	NA	NA	No access due to building demolition
MW-18	12/27/2007	NA	NA	157.06	NA	NA	NA	NA	No access due to building demolition
MW-18	1/31/2008	NA	NA	157.06	NA	NA	NA	NA	No access due to building demolition
MW-18	2/28/2008	NA	NA	157.06	NA	NA	NA	NA	No access due to building demolition
MW-18	3/27/2008	NA	NA	157.06	NA	NA	NA	NA	No access due to building demolition
<hr/>									
MW-19	6/21/2000	NA	26.50	158.18	NA	131.68	NA	131.68	
MW-19	7/27/2000	NA	26.70	158.18	NA	131.48	NA	131.48	
MW-19	8/14/2000	NA	26.00	158.18	NA	132.18	NA	132.18	
MW-19	9/18/2000	NA	26.74	158.18	NA	131.44	NA	131.44	
MW-19	10/24/2000	NA	26.94	158.18	NA	131.24	NA	131.24	
MW-19	11/27/2000	NA	27.62	158.18	NA	130.56	NA	130.56	
MW-19	12/28/2000	NA	28.21	158.18	NA	129.97	NA	129.97	
MW-19	1/24/2001	NA	27.37	158.18	NA	130.81	NA	130.81	
MW-19	2/27/2001	27.30	27.31	158.18	130.88	130.87	0.01	130.88	sock installed
MW-19	3/8/2001	NA	27.31	158.18	NA	130.87	NA	130.87	
MW-19	3/16/2001	NA	27.32	158.18	NA	130.86	NA	130.86	
MW-19	3/23/2001	NA	27.17	158.18	NA	131.01	NA	131.01	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-19	3/29/2001	NA	27.10	158.18	NA	131.08	NA	131.08	
MW-19	4/26/2001	NA	26.68	158.18	NA	131.50	NA	131.50	
MW-19	5/31/2001	NA	26.94	158.18	NA	131.24	NA	131.24	
MW-19	6/28/2001	NA	26.40	158.18	NA	131.78	NA	131.78	
MW-19	7/24/2001	NA	26.62	158.18	NA	131.56	NA	131.56	
MW-19	8/31/2001	NA	27.06	158.18	NA	131.12	NA	131.12	
MW-19	9/28/2001	NA	27.39	158.18	NA	130.79	NA	130.79	
MW-19	10/30/2001	NA	28.39	158.18	NA	129.79	NA	129.79	
MW-19	11/27/2001	NA	29.07	158.18	NA	129.11	NA	129.11	
MW-19	12/28/2001	NA	29.42	158.18	NA	128.76	NA	128.76	
MW-19	1/30/2002	NA	29.66	158.18	NA	128.52	NA	128.52	
MW-19	2/26/2002	NA	29.68	158.18	NA	128.50	NA	128.50	
MW-19	3/27/2002	NA	29.25	158.18	NA	128.93	NA	128.93	
MW-19	4/26/2002	NA	28.35	158.18	NA	129.83	NA	129.83	
MW-19	5/31/2002	NA	27.47	158.18	NA	130.71	NA	130.71	
MW-19	6/28/2002	NA	28.42	158.18	NA	129.76	NA	129.76	
MW-19	7/29/2002	NA	28.66	158.18	NA	129.52	NA	129.52	
MW-19	8/30/2002	NA	29.55	158.18	NA	128.63	NA	128.63	
MW-19	9/30/2002	NA	29.43	158.18	NA	128.75	NA	128.75	
MW-19	10/25/2002	NA	27.35	158.18	NA	130.83	NA	130.83	
MW-19	11/27/2002	NA	26.75	158.18	NA	131.43	NA	131.43	
MW-19	12/30/2002	NA	26.43	158.18	NA	131.75	NA	131.75	
MW-19	1/31/2003	NA	26.10	158.18	NA	132.08	NA	132.08	
MW-19	2/25/2003	NA	NA	158.18	NA	NA	NA	NA	covered with snow
MW-19	3/17/2003	NA	24.96	158.18	NA	133.22	NA	133.22	
MW-19	4/30/2003	NA	25.15	158.18	NA	133.03	NA	133.03	
MW-19	5/29/2003	NA	25.18	158.18	NA	133.00	NA	133.00	
MW-19	6/27/2003	NA	24.48	158.18	NA	133.70	NA	133.70	
MW-19	7/25/2003	NA	25.15	158.18	NA	133.03	NA	133.03	
MW-19	8/26/2003	NA	24.98	158.18	NA	133.20	NA	133.20	
MW-19	9/29/2003	NA	24.91	158.18	NA	133.27	NA	133.27	
MW-19	10/31/2003	NA	25.06	158.18	NA	133.12	NA	133.12	
MW-19	11/25/2003	NA	24.63	158.18	NA	133.55	NA	133.55	
MW-19	12/30/2003	NA	24.12	158.18	NA	134.06	NA	134.06	
MW-19	2/4/2004	NA	NA	158.18	NA	NA	NA	NA	covered with snow

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-19	2/26/2004	NA	24.71	158.18	NA	133.47	NA	133.47	
MW-19	3/31/2004	NA	24.99	158.18	NA	133.19	NA	133.19	
MW-19	4/27/2004	NA	24.80	158.18	NA	133.38	NA	133.38	
MW-19	5/27/2004	NA	24.95	158.18	NA	133.23	NA	133.23	
MW-19	6/28/2004	NA	NA	158.18	NA	NA	NA	NA	No access due to building demolition
MW-19	7/27/2004	NA	NA	158.18	NA	NA	NA	NA	No access due to building demolition
MW-19	10/25/2004	NA	25.91	158.18	NA	132.27	NA	132.27	
MW-19	12/1/2004	NA	26.17	158.18	NA	132.01	NA	132.01	
MW-19	12/31/2004	NA	26.05	158.18	NA	132.13	NA	132.13	
MW-19	1/28/2005	NA	25.93	158.18	NA	132.25	NA	132.25	
MW-19	2/24/2005	NA	26.16	158.18	NA	132.02	NA	132.02	
MW-19	3/27/2005	NA	26.25	158.18	NA	131.93	NA	131.93	
MW-19	4/26/2005	NA	25.31	158.18	NA	132.87	NA	132.87	
MW-19	5/27/2005	NA	25.71	158.18	NA	132.47	NA	132.47	
MW-19	6/30/2005	NA	25.88	158.18	NA	132.30	NA	132.30	
MW-19	7/29/2005	NA	26.10	158.18	NA	132.08	NA	132.08	
MW-19	8/31/2005	NA	26.04	158.18	NA	132.14	NA	132.14	
MW-19	9/30/2005	NA	26.08	158.18	NA	132.10	NA	132.10	
MW-19	10/31/2005	NA	26.14	158.18	NA	132.04	NA	132.04	
MW-19	11/30/2005	NA	26.47	158.18	NA	131.71	NA	131.71	
MW-19	12/28/2005	NA	26.27	158.18	NA	131.91	NA	131.91	
KEMRON Assumes Control of Site 1st Quarter 2006									
MW-19	1/26/2006	NA	28.15	158.18	NA	130.03	NA	130.03	
MW-19	2/23/2006	NA	28.11	158.18	NA	130.07	NA	130.07	
MW-19	3/31/2006	NA	28.10	158.18	NA	130.08	NA	130.08	
MW-19	4/28/2006	NA	27.93	158.18	NA	130.25	NA	130.25	
MW-19	5/25/2006	NA	25.34	158.18	NA	132.84	NA	132.84	
MW-19	6/30/2006	NA	25.34	158.18	NA	132.84	NA	132.84	
MW-19	7/26/2006	NA	26.09	158.18	NA	132.09	NA	132.09	
MW-19	8/31/2006	NA	26.89	158.18	NA	131.29	NA	131.29	
MW-19	9/29/2006	NA	26.52	158.18	NA	131.66	NA	131.66	
MW-19	10/31/2006	NA	26.28	158.18	NA	131.90	NA	131.90	
MW-19	11/30/2006	NA	25.53	158.18	NA	132.65	NA	132.65	
MW-19	12/28/2006	NA	25.82	158.18	NA	132.36	NA	132.36	
MW-19	1/25/2007	NA	25.97	158.18	NA	132.21	NA	132.21	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-19	2/22/2007	NA	26.24	158.18	NA	131.94	NA	131.94	
MW-19	3/30/2007	NA	26.42	158.18	NA	131.76	NA	131.76	
MW-19	4/27/2007	NA	25.53	158.18	NA	132.65	NA	132.65	
MW-19	5/31/2007	NA	26.53	158.18	NA	131.65	NA	131.65	
MW-19	6/28/2007	NA	26.19	158.18	NA	131.99	NA	131.99	
MW-19	7/27/2007	NA	26.74	158.18	NA	131.44	NA	131.44	
MW-19	8/31/2007	NA	26.55	158.18	NA	131.63	NA	131.63	
MW-19	9/28/2007	NA	27.24	158.18	NA	130.94	NA	130.94	
MW-19	10/31/2007	NA	26.19	158.18	NA	131.99	NA	131.99	
MW-19	11/29/2007	NA	27.66	158.18	NA	130.52	NA	130.52	
MW-19	12/27/2007	NA	26.90	158.18	NA	131.28	NA	131.28	
MW-19	1/31/2008	NA	26.81	158.18	NA	131.37	NA	131.37	
MW-19	2/28/2008	NA	27.12	158.18	NA	131.06	NA	131.06	
MW-19	3/27/2008	NA	25.98	158.18	NA	132.20	NA	132.20	
MW-20	6/21/2000	NA	22.30	153.13	NA	130.83	NA	130.83	
MW-20	7/27/2000	NA	24.30	153.13	NA	128.83	NA	128.83	
MW-20	8/14/2000	NA	22.56	153.13	NA	130.57	NA	130.57	
MW-20	9/18/2000	NA	23.35	153.13	NA	129.78	NA	129.78	
MW-20	10/24/2000	NA	23.65	153.13	NA	129.48	NA	129.48	
MW-20	11/27/2000	NA	24.13	153.13	NA	129.00	NA	129.00	
MW-20	12/28/2000	NA	24.48	153.13	NA	128.65	NA	128.65	
MW-20	1/25/2001	NA	24.71	153.13	NA	128.42	NA	128.42	
MW-20	2/27/2001	NA	24.14	153.13	NA	128.99	NA	128.99	
MW-20	3/29/2001	NA	23.72	153.13	NA	129.41	NA	129.41	
MW-20	4/26/2001	NA	23.06	153.13	NA	130.07	NA	130.07	
MW-20	5/31/2001	NA	23.16	153.13	NA	129.97	NA	129.97	
MW-20	6/28/2001	21.41	21.42	153.13	131.72	131.71	0.01	131.72	
MW-20	7/3/2001	NA	22.29	153.13	NA	130.84	NA	130.84	
MW-20	7/11/2001	NA	22.26	153.13	NA	130.87	NA	130.87	
MW-20	7/19/2001	NA	22.90	153.13	NA	130.23	NA	130.23	
MW-20	7/24/2001	NA	23.03	153.13	NA	130.10	NA	130.10	
MW-20	8/31/2001	NA	22.78	153.13	NA	130.35	NA	130.35	
MW-20	9/28/2001	NA	23.80	153.13	NA	129.33	NA	129.33	
MW-20	10/30/2001	NA	24.88	153.13	NA	128.25	NA	128.25	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-20	11/27/2001	NA	25.55	153.13	NA	127.58	NA	127.58	
MW-20	12/28/2001	NA	26.05	153.13	NA	127.08	NA	127.08	
MW-20	1/30/2002	NA	26.70	153.13	NA	126.43	NA	126.43	
MW-20	2/26/2002	NA	27.26	153.13	NA	125.87	NA	125.87	
MW-20	3/27/2002	NA	27.10	153.13	NA	126.03	NA	126.03	
MW-20	4/26/2002	NA	26.61	153.13	NA	126.52	NA	126.52	
MW-20	5/31/2002	NA	25.60	153.13	NA	127.53	NA	127.53	
MW-20	6/28/2002	NA	26.02	153.13	NA	127.11	NA	127.11	
MW-20	7/29/2002	NA	28.66	153.13	NA	124.47	NA	124.47	
MW-20	8/30/2002	NA	27.00	153.13	NA	126.13	NA	126.13	
MW-20	9/30/2002	NA	27.20	153.13	NA	125.93	NA	125.93	
MW-20	10/25/2002	NA	26.48	153.13	NA	126.65	NA	126.65	
MW-20	11/27/2002	NA	24.27	153.13	NA	128.86	NA	128.86	
MW-20	12/30/2002	NA	23.60	153.13	NA	129.53	NA	129.53	
MW-20	1/31/2003	NA	NA	153.13	NA	NA	NA	NA	frozen shut
MW-20	2/25/2003	NA	NA	153.13	NA	NA	NA	NA	covered with snow
MW-20	3/17/2003	NA	21.71	153.13	NA	131.42	NA	131.42	
MW-20	4/30/2003	NA	21.11	153.13	NA	132.02	NA	132.02	
MW-20	5/30/2003	NA	20.74	153.13	NA	132.39	NA	132.39	
MW-20	6/27/2003	NA	19.97	153.13	NA	133.16	NA	133.16	
MW-20	7/25/2003	NA	21.11	153.13	NA	132.02	NA	132.02	
MW-20	8/26/2003	NA	20.35	153.13	NA	132.78	NA	132.78	
MW-20	9/29/2003	NA	20.31	153.13	NA	132.82	NA	132.82	
MW-20	10/31/2003	NA	20.35	153.13	NA	132.78	NA	132.78	
MW-20	11/25/2003	NA	20.10	153.13	NA	133.03	NA	133.03	
MW-20	12/30/2003	NA	19.72	153.13	NA	133.41	NA	133.41	
MW-20	2/4/2004	NA	NA	153.13	NA	NA	NA	NA	covered with snow
MW-20	2/26/2004	NA	20.46	153.13	NA	132.67	NA	132.67	
MW-20	3/31/2004	NA	20.21	153.13	NA	132.92	NA	132.92	
MW-20	4/27/2004	NA	20.18	153.13	NA	132.95	NA	132.95	
MW-20	5/27/2004	NA	20.29	153.13	NA	132.84	NA	132.84	
MW-20	6/28/2004	NA	20.38	153.13	NA	132.75	NA	132.75	
MW-20	7/27/2004	NA	20.38	153.13	NA	132.75	NA	132.75	
MW-20	10/25/2004	NA	21.69	153.13	NA	131.44	NA	131.44	
MW-20	12/1/2004	NA	22.46	153.13	NA	130.67	NA	130.67	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-20	12/31/2004	NA	21.77	153.13	NA	131.36	NA	131.36	
MW-20	1/28/2005	NA	NA	153.13	NA	NA	NA	NA	frozen under ice
MW-20	2/24/2005	NA	21.91	153.13	NA	131.22	NA	131.22	
MW-20	3/27/2005	NA	21.97	153.13	NA	131.16	NA	131.16	
MW-20	4/26/2005	NA	21.16	153.13	NA	131.97	NA	131.97	
MW-20	5/27/2005	NA	21.40	153.13	NA	131.73	NA	131.73	
MW-20	6/30/2005	NA	21.68	153.13	NA	131.45	NA	131.45	
MW-20	7/29/2005	NA	21.57	153.13	NA	131.56	NA	131.56	
MW-20	8/31/2005	NA	21.44	153.13	NA	131.69	NA	131.69	
MW-20	9/30/2005	NA	21.89	153.13	NA	131.24	NA	131.24	
MW-20	10/31/2005	NA	22.21	153.13	NA	130.92	NA	130.92	
MW-20	11/30/2005	NA	21.61	153.13	NA	131.52	NA	131.52	
MW-20	12/28/2005	NA	22.63	153.13	NA	130.50	NA	130.50	
KEMRON Assumes Control of Site 1st Quarter 2006									
MW-20	1/26/2006	NA	22.60	153.13	NA	130.53	NA	130.53	
MW-20	2/23/2006	NA	22.10	153.13	NA	131.03	NA	131.03	
MW-20	3/31/2006	NA	17.87	153.13	NA	135.26	NA	135.26	
MW-20	4/28/2006	NA	21.92	153.13	NA	131.21	NA	131.21	
MW-20	5/25/2006	NA	16.80	153.13	NA	136.33	NA	136.33	
MW-20	6/30/2006	NA	22.48	153.13	NA	130.65	NA	130.65	
MW-20	7/26/2006	NA	24.11	153.13	NA	129.02	NA	129.02	
MW-20	8/31/2006	NA	24.41	153.13	NA	128.72	NA	128.72	
MW-20	9/29/2006	NA	23.38	153.13	NA	129.75	NA	129.75	
MW-20	10/31/2006	NA	23.32	153.13	NA	129.81	NA	129.81	
MW-20	11/30/2006	NA	22.43	153.13	NA	130.70	NA	130.70	
MW-20	12/28/2006	NA	22.87	153.13	NA	130.26	NA	130.26	
MW-20	1/25/2007	NA	22.86	153.13	NA	130.27	NA	130.27	
MW-20	2/22/2007	NA	23.21	153.13	NA	129.92	NA	129.92	
MW-20	3/30/2007	NA	22.98	153.13	NA	130.15	NA	130.15	
MW-20	4/27/2007	NA	22.63	153.13	NA	130.50	NA	130.50	
MW-20	5/31/2007	NA	23.00	153.13	NA	130.13	NA	130.13	
MW-20	6/28/2007	NA	23.52	153.13	NA	129.61	NA	129.61	
MW-20	7/27/2007	NA	24.19	153.13	NA	128.94	NA	128.94	
MW-20	8/31/2007	NA	24.70	153.13	NA	128.43	NA	128.43	
MW-20	9/28/2007	NA	25.62	153.13	NA	127.51	NA	127.51	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-20	10/31/2007	NA	25.58	153.13	NA	127.55	NA	127.55	
MW-20	11/29/2007	NA	26.15	153.13	NA	126.98	NA	126.98	
MW-20	12/27/2007	NA	25.76	153.13	NA	127.37	NA	127.37	
MW-20	1/31/2008	NA	25.86	153.13	NA	127.27	NA	127.27	
MW-20	2/28/2008	NA	24.80	153.13	NA	128.33	NA	128.33	
MW-20	3/27/2008	NA	24.62	153.13	NA	128.51	NA	128.51	
MW-28 (b)	8/14/2000	NA	34.97	NA	NA	NA	NA	NA	
MW-28 (b)	10/30/2001	NA	37.65	NA	NA	NA	NA	NA	
MW-28 (b)	12/28/2001	NA	38.92	NA	NA	NA	NA	NA	
MW-28 (b)	1/30/2002	NA	39.47	NA	NA	NA	NA	NA	
MW-28 (b)	2/26/2002	NA	40.01	NA	NA	NA	NA	NA	
MW-28 (b)	3/27/2002	NA	40.10	NA	NA	NA	NA	NA	
MW-28 (b)	4/26/2002	NA	40.16	NA	NA	NA	NA	NA	
MW-28 (b)	5/31/2002	NA	39.33	NA	NA	NA	NA	NA	
MW-28 (b)	6/28/2002	NA	39.63	NA	NA	NA	NA	NA	
MW-28 (b)	7/29/2002	NA	40.00	NA	NA	NA	NA	NA	
MW-28 (b)	8/30/2002	NA	40.53	NA	NA	NA	NA	NA	
MW-28 (b)	9/30/2002	NA	40.71	NA	NA	NA	NA	NA	
MW-28 (b)	10/25/2002	NA	40.10	NA	NA	NA	NA	NA	
MW-28 (b)	11/27/2002	NA	37.61	NA	NA	NA	NA	NA	
MW-28 (b)	12/30/2002	NA	36.33	NA	NA	NA	NA	NA	
MW-28 (b)	1/31/2003	NA	35.49	NA	NA	NA	NA	NA	
MW-28 (b)	2/25/2003	NA	NA	NA	NA	NA	NA	NA	covered with snow
MW-28 (b)	3/17/2003	NA	33.12	NA	NA	NA	NA	NA	
MW-28 (b)	4/30/2003	NA	33.31	NA	NA	NA	NA	NA	
MW-28 (b)	5/29/2003	NA	32.99	NA	NA	NA	NA	NA	
MW-28 (b)	6/27/2003	NA	32.03	NA	NA	NA	NA	NA	
MW-28 (b)	7/25/2003	NA	33.31	NA	NA	NA	NA	NA	
MW-28 (b)	8/26/2003	NA	32.17	NA	NA	NA	NA	NA	
MW-28 (b)	9/29/2003	NA	32.05	NA	NA	NA	NA	NA	
MW-28 (b)	10/31/2003	NA	32.21	NA	NA	NA	NA	NA	
MW-28 (b)	11/25/2003	NA	31.94	NA	NA	NA	NA	NA	
MW-28 (b)	12/30/2003	NA	31.35	NA	NA	NA	NA	NA	
MW-28 (b)	2/4/2004	NA	NA	NA	NA	NA	NA	NA	covered with snow

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-28 (b)	2/26/2004	NA	31.80	NA	NA	NA	NA	NA	
MW-28 (b)	3/31/2004	NA	32.25	NA	NA	NA	NA	NA	
MW-28 (b)	4/27/2004	NA	32.25	NA	NA	NA	NA	NA	
MW-28 (b)	5/27/2004	NA	32.32	NA	NA	NA	NA	NA	
MW-28 (b)	6/28/2004	NA	34.40	NA	NA	NA	NA	NA	
MW-28 (b)	7/27/2004	NA	32.70	NA	NA	NA	NA	NA	
MW-28 (b)	10/25/2004	NA	33.46	NA	NA	NA	NA	NA	
MW-28 (b)	12/1/2004	NA	33.98	NA	NA	NA	NA	NA	
MW-28 (b)	12/31/2004	NA	33.83	NA	NA	NA	NA	NA	
MW-28 (b)	1/28/2005	NA	33.82	NA	NA	NA	NA	NA	
MW-28 (b)	2/24/2005	NA	34.09	NA	NA	NA	NA	NA	
MW-28 (b)	3/27/2005	NA	34.17	NA	NA	NA	NA	NA	
MW-28 (b)	4/26/2005	NA	33.35	NA	NA	NA	NA	NA	
MW-28 (b)	5/27/2005	NA	33.38	NA	NA	NA	NA	NA	
MW-28 (b)	6/30/2005	NA	33.52	NA	NA	NA	NA	NA	
MW-28 (b)	7/29/2005	NA	33.85	NA	NA	NA	NA	NA	
MW-28 (b)	8/31/2005	NA	33.85	NA	NA	NA	NA	NA	
MW-28 (b)	9/30/2005	NA	34.02	NA	NA	NA	NA	NA	
MW-28 (b)	10/31/2005	NA	34.20	NA	NA	NA	NA	NA	
MW-28 (b)	11/30/2005	NA	34.63	NA	NA	NA	NA	NA	
MW-28 (b)	12/28/2005	NA	34.61	NA	NA	NA	NA	NA	
KEMRON Assumes Control of Site 1st Quarter 2006									
MW-28 (b)	1/26/2006	NA	34.40	NA	NA	NA	NA	NA	
MW-28 (b)	2/23/2006	NA	33.73	NA	NA	NA	NA	NA	
MW-28 (b)	3/31/2006	NA	33.44	NA	NA	NA	NA	NA	
MW-28 (b)	4/28/2006	NA	33.29	NA	NA	NA	NA	NA	
MW-28 (b)	5/25/2006	NA	33.54	NA	NA	NA	NA	NA	
MW-28 (b)	6/30/2006	NA	34.28	NA	NA	NA	NA	NA	
MW-28 (b)	7/26/2006	NA	34.56	NA	NA	NA	NA	NA	
MW-28 (b)	8/31/2006	NA	36.48	NA	NA	NA	NA	NA	
MW-28 (b)	9/29/2006	NA	36.48	NA	NA	NA	NA	NA	
MW-28 (b)	10/31/2006	NA	35.76	NA	NA	NA	NA	NA	
MW-28 (b)	11/30/2006	NA	34.21	NA	NA	NA	NA	NA	
MW-28 (b)	12/28/2006	NA	34.31	NA	NA	NA	NA	NA	
MW-28 (b)	1/25/2007	NA	34.23	NA	NA	NA	NA	NA	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-28 (b)	2/22/2007	NA	34.49	NA	NA	NA	NA	NA	
MW-28 (b)	3/30/2007	NA	34.23	NA	NA	NA	NA	NA	
MW-28 (b)	4/27/2007	NA	32.60	NA	NA	NA	NA	NA	
MW-28 (b)	5/31/2007	NA	33.97	NA	NA	NA	NA	NA	
MW-28 (b)	6/28/2007	NA	34.42	NA	NA	NA	NA	NA	
MW-28 (b)	7/27/2007	NA	35.44	NA	NA	NA	NA	NA	
MW-28 (b)	8/31/2007	NA	36.47	NA	NA	NA	NA	NA	
MW-28 (b)	9/28/2007	NA	37.26	NA	NA	NA	NA	NA	
MW-28 (b)	10/31/2007	NA	37.46	NA	NA	NA	NA	NA	
MW-28 (b)	11/29/2007	NA	37.61	NA	NA	NA	NA	NA	
MW-28 (b)	12/27/2007	NA	37.05	NA	NA	NA	NA	NA	
MW-28 (b)	1/31/2008	NA	36.74	NA	NA	NA	NA	NA	
MW-28 (b)	2/28/2008	NA	35.37	NA	NA	NA	NA	NA	
MW-28 (b)	3/27/2008	NA	34.88	NA	NA	NA	NA	NA	
<hr/>									
MW-29	6/21/2000	NA	28.70	159.67	NA	130.97	NA	130.97	
MW-29	7/27/2000	NA	29.00	159.67	NA	130.67	NA	130.67	
MW-29	8/14/2000	NA	28.81	159.67	NA	130.86	NA	130.86	
MW-29	9/18/2000	NA	29.30	159.67	NA	130.37	NA	130.37	
MW-29	10/24/2000	NA	29.52	159.67	NA	130.15	NA	130.15	
MW-29	11/27/2000	NA	30.15	159.67	NA	129.52	NA	129.52	
MW-29	12/28/2000	NA	30.67	159.67	NA	129.00	NA	129.00	
MW-29	1/24/2001	NA	30.41	159.67	NA	129.26	NA	129.26	
MW-29	2/27/2001	NA	30.45	159.67	NA	129.22	NA	129.22	
MW-29	3/29/2001	NA	30.22	159.67	NA	129.45	NA	129.45	
MW-29	4/26/2001	NA	29.35	159.67	NA	130.32	NA	130.32	
MW-29	5/31/2001	NA	29.64	159.67	NA	130.03	NA	130.03	
MW-29	6/28/2001	NA	28.75	159.67	NA	130.92	NA	130.92	
MW-29	7/24/2001	NA	29.09	159.67	NA	130.58	NA	130.58	
MW-29	8/31/2001	NA	29.81	159.67	NA	129.86	NA	129.86	
MW-29	9/28/2001	NA	30.35	159.67	NA	129.32	NA	129.32	
MW-29	10/30/2001	NA	31.14	159.67	NA	128.53	NA	128.53	
MW-29	11/27/2001	NA	31.73	159.67	NA	127.94	NA	127.94	
MW-29	12/28/2001	NA	32.20	159.67	NA	127.47	NA	127.47	
MW-29	1/30/2002	NA	32.61	159.67	NA	127.06	NA	127.06	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-29	2/26/2002	NA	32.84	159.67	NA	126.83	NA	126.83	
MW-29	3/27/2002	NA	32.94	159.67	NA	126.73	NA	126.73	
MW-29	4/26/2002	NA	32.74	159.67	NA	126.93	NA	126.93	
MW-29	5/31/2002	NA	31.80	159.67	NA	127.87	NA	127.87	
MW-29	6/28/2002	NA	32.18	159.67	NA	127.49	NA	127.49	
MW-29	7/29/2002	NA	32.55	159.67	NA	127.12	NA	127.12	
MW-29	8/30/2002	NA	33.13	159.67	NA	126.54	NA	126.54	
MW-29	9/30/2002	NA	33.15	159.67	NA	126.52	NA	126.52	
MW-29	10/25/2002	NA	32.36	159.67	NA	127.31	NA	127.31	
MW-29	11/27/2002	NA	30.57	159.67	NA	129.10	NA	129.10	
MW-29	12/30/2002	NA	29.58	159.67	NA	130.09	NA	130.09	
MW-29	1/31/2003	NA	28.40	159.67	NA	131.27	NA	131.27	
MW-29	2/25/2003	NA	NA	159.67	NA	NA	NA	NA	covered with snow
MW-29	3/17/2003	NA	26.41	159.67	NA	133.26	NA	133.26	
MW-29	4/30/2003	NA	26.69	159.67	NA	132.98	NA	132.98	
MW-29	5/29/2003	NA	26.71	159.67	NA	132.96	NA	132.96	
MW-29	6/27/2003	NA	25.87	159.67	NA	133.80	NA	133.80	
MW-29	7/25/2003	NA	26.69	159.67	NA	132.98	NA	132.98	
MW-29	8/26/2003	NA	26.35	159.67	NA	133.32	NA	133.32	
MW-29	9/29/2003	NA	26.28	159.67	NA	133.39	NA	133.39	
MW-29	10/31/2003	NA	26.48	159.67	NA	133.19	NA	133.19	
MW-29	11/25/2003	NA	26.02	159.67	NA	133.65	NA	133.65	
MW-29	12/30/2003	NA	25.48	159.67	NA	134.19	NA	134.19	
MW-29	2/4/2004	NA	NA	159.67	NA	NA	NA	NA	covered with snow
MW-29	2/26/2004	NA	26.08	159.67	NA	133.59	NA	133.59	
MW-29	3/31/2004	NA	26.38	159.67	NA	133.29	NA	133.29	
MW-29	4/27/2004	NA	26.18	159.67	NA	133.49	NA	133.49	
MW-29	5/27/2004	NA	26.35	159.67	NA	133.32	NA	133.32	
MW-29	6/28/2004	NA	26.52	159.67	NA	133.15	NA	133.15	
MW-29	7/27/2004	NA	26.81	159.67	NA	132.86	NA	132.86	
MW-29	10/25/2004	NA	27.76	159.67	NA	131.91	NA	131.91	
MW-29	12/1/2004	NA	28.05	159.67	NA	131.62	NA	131.62	
MW-29	12/31/2004	NA	28.03	159.67	NA	131.64	NA	131.64	
MW-29	1/28/2005	NA	27.97	159.67	NA	131.70	NA	131.70	
MW-29	2/24/2005	NA	28.24	159.67	NA	131.43	NA	131.43	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-29	3/27/2005	NA	28.27	159.67	NA	131.40	NA	131.40	
MW-29	4/26/2005	NA	27.10	159.67	NA	132.57	NA	132.57	
MW-29	5/27/2005	NA	27.51	159.67	NA	132.16	NA	132.16	
MW-29	6/30/2005	NA	27.67	159.67	NA	132.00	NA	132.00	
MW-29	7/29/2005	NA	28.06	159.67	NA	131.61	NA	131.61	
MW-29	8/31/2005	NA	27.95	159.67	NA	131.72	NA	131.72	
MW-29	9/30/2005	NA	28.08	159.67	NA	131.59	NA	131.59	
MW-29	10/31/2005	NA	28.31	159.67	NA	131.36	NA	131.36	
MW-29	11/30/2005	NA	28.76	159.67	NA	130.91	NA	130.91	
MW-29	12/28/2005	NA	28.75	159.67	NA	130.92	NA	130.92	
KEMRON Assumes Control of Site 1st Quarter 2006									
MW-29	1/26/2006	NA	28.34	159.67	NA	131.33	NA	131.33	
MW-29	2/23/2006	NA	27.49	159.67	NA	132.18	NA	132.18	
MW-29	3/31/2006	NA	27.79	159.67	NA	131.88	NA	131.88	
MW-29	4/28/2006	NA	27.02	159.67	NA	132.65	NA	132.65	
MW-29	5/25/2006	NA	27.23	159.67	NA	132.44	NA	132.44	
MW-29	6/30/2006	NA	27.99	159.67	NA	131.68	NA	131.68	
MW-29	7/26/2006	NA	27.75	159.67	NA	131.92	NA	131.92	
MW-29	8/31/2006	NA	27.99	159.67	NA	131.68	NA	131.68	
MW-29	10/31/2006	NA	29.03	159.67	NA	130.64	NA	130.64	
MW-29	11/30/2006	NA	27.53	159.67	NA	132.14	NA	132.14	
MW-29	12/28/2006	NA	27.99	159.67	NA	131.68	NA	131.68	
MW-29	1/25/2007	NA	27.91	159.67	NA	131.76	NA	131.76	
MW-29	2/22/2007	NA	28.21	159.67	NA	131.46	NA	131.46	
MW-29	3/30/2007	NA	27.73	159.67	NA	131.94	NA	131.94	
MW-29	4/27/2007	NA	27.34	159.67	NA	132.33	NA	132.33	
MW-29	5/31/2007	NA	27.71	159.67	NA	131.96	NA	131.96	
MW-29	6/28/2007	NA	28.20	159.67	NA	131.47	NA	131.47	
MW-29	7/27/2007	NA	29.11	159.67	NA	130.56	NA	130.56	
MW-29	8/31/2007	NA	29.63	159.67	NA	130.04	NA	130.04	
MW-29	9/28/2007	NA	30.46	159.67	NA	129.21	NA	129.21	
MW-29	10/31/2007	NA	30.41	159.67	NA	129.26	NA	129.26	
MW-29	11/29/2007	NA	30.99	159.67	NA	128.68	NA	128.68	
MW-29	12/27/2007	NA	30.27	159.67	NA	129.40	NA	129.40	
MW-29	1/31/2008	NA	30.46	159.67	NA	129.21	NA	129.21	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-29	2/28/2008	NA	29.36	159.67	NA	130.31	NA	130.31	
MW-29	3/27/2008	NA	28.67	159.67	NA	131.00	NA	131.00	
MW-30	6/21/2000	NA	36.30	166.46	NA	130.16	NA	130.16	
MW-30	7/27/2000	NA	36.50	166.46	NA	129.96	NA	129.96	
MW-30	8/14/2000	NA	36.44	166.46	NA	130.02	NA	130.02	
MW-30	9/18/2000	NA	36.95	166.46	NA	129.51	NA	129.51	
MW-30	10/24/2000	NA	37.18	166.46	NA	129.28	NA	129.28	
MW-30	11/27/2000	NA	37.77	166.46	NA	128.69	NA	128.69	
MW-30	12/28/2000	NA	38.14	166.46	NA	128.32	NA	128.32	
MW-30	1/24/2001	NA	38.26	166.46	NA	128.20	NA	128.20	
MW-30	2/27/2001	NA	38.12	166.46	NA	128.34	NA	128.34	
MW-30	3/29/2001	NA	37.82	166.46	NA	128.64	NA	128.64	
MW-30	4/26/2001	NA	37.08	166.46	NA	129.38	NA	129.38	
MW-30	5/31/2001	NA	37.22	166.46	NA	129.24	NA	129.24	
MW-30	6/28/2001	NA	36.61	166.46	NA	129.85	NA	129.85	
MW-30	7/24/2001	NA	36.92	166.46	NA	129.54	NA	129.54	
MW-30	8/31/2001	NA	37.58	166.46	NA	128.88	NA	128.88	
MW-30	9/28/2001	NA	37.98	166.46	NA	128.48	NA	128.48	
MW-30	10/30/2001	NA	38.67	166.46	NA	127.79	NA	127.79	
MW-30	11/27/2001	NA	NA	166.46	NA	NA	NA	NA	No Access
MW-30	12/28/2001	NA	39.77	166.46	NA	126.69	NA	126.69	
MW-30	1/30/2002	NA	40.21	166.46	NA	126.25	NA	126.25	
MW-30	2/26/2002	NA	40.61	166.46	NA	125.85	NA	125.85	
MW-30	3/27/2002	NA	40.70	166.46	NA	125.76	NA	125.76	
MW-30	4/26/2002	NA	40.67	166.46	NA	125.79	NA	125.79	
MW-30	5/31/2002	NA	40.04	166.46	NA	126.42	NA	126.42	
MW-30	6/28/2002	NA	40.31	166.46	NA	126.15	NA	126.15	
MW-30	7/29/2002	NA	40.80	166.46	NA	125.66	NA	125.66	
MW-30	8/30/2002	NA	41.29	166.46	NA	125.17	NA	125.17	
MW-30	9/30/2002	NA	41.48	166.46	NA	124.98	NA	124.98	
MW-30	10/25/2002	NA	40.89	166.46	NA	125.57	NA	125.57	
MW-30	11/27/2002	NA	39.13	166.46	NA	127.33	NA	127.33	
MW-30	12/30/2002	NA	38.04	166.46	NA	128.42	NA	128.42	
MW-30	1/31/2003	NA	NA	166.46	NA	NA	NA	NA	frozen shut

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-30	2/25/2003	NA	NA	166.46	NA	NA	NA	NA	covered with snow
MW-30	3/17/2003	NA	34.95	166.46	NA	131.51	NA	131.51	
MW-30	4/30/2003	NA	34.44	166.46	NA	132.02	NA	132.02	
MW-30	5/29/2003	NA	34.23	166.46	NA	132.23	NA	132.23	
MW-30	6/27/2003	NA	33.26	166.46	NA	133.20	NA	133.20	
MW-30	7/25/2003	NA	34.44	166.46	NA	132.02	NA	132.02	
MW-30	8/26/2003	NA	33.60	166.46	NA	132.86	NA	132.86	
MW-30	9/29/2003	NA	33.57	166.46	NA	132.89	NA	132.89	
MW-30	10/31/2003	NA	33.72	166.46	NA	132.74	NA	132.74	
MW-30	11/25/2003	NA	33.28	166.46	NA	133.18	NA	133.18	
MW-30	12/30/2003	NA	32.64	166.46	NA	133.82	NA	133.82	
MW-30	2/4/2004	NA	NA	166.46	NA	NA	NA	NA	covered with snow
MW-30	2/26/2004	NA	33.05	166.46	NA	133.41	NA	133.41	
MW-30	3/31/2004	NA	33.43	166.46	NA	133.03	NA	133.03	
MW-30	4/27/2004	NA	33.35	166.46	NA	133.11	NA	133.11	
MW-30	5/27/2004	NA	33.55	166.46	NA	132.91	NA	132.91	
MW-30	6/28/2004	NA	33.77	166.46	NA	132.69	NA	132.69	
MW-30	7/27/2004	NA	34.18	166.46	NA	132.28	NA	132.28	
MW-30	10/25/2004	NA	35.13	166.46	NA	131.33	NA	131.33	
MW-30	12/1/2004	NA	35.47	166.46	NA	130.99	NA	130.99	
MW-30	12/31/2004	NA	35.53	166.46	NA	130.93	NA	130.93	
MW-30	1/28/2005	NA	NA	166.46	NA	NA	NA	NA	under ice
MW-30	2/24/2005	NA	35.63	166.46	NA	130.83	NA	130.83	
MW-30	3/27/2005	NA	35.61	166.46	NA	130.85	NA	130.85	
MW-30	4/26/2005	NA	34.41	166.46	NA	132.05	NA	132.05	
MW-30	5/27/2005	NA	35.83	166.46	NA	130.63	NA	130.63	
MW-30	6/30/2005	NA	35.16	166.46	NA	131.30	NA	131.30	
MW-30	7/29/2005	NA	35.62	166.46	NA	130.84	NA	130.84	
MW-30	8/31/2005	NA	35.62	166.46	NA	130.84	NA	130.84	
MW-30	9/30/2005	NA	35.98	166.46	NA	130.48	NA	130.48	
MW-30	10/31/2005	NA	36.23	166.46	NA	130.23	NA	130.23	
MW-30	11/30/2005	NA	33.75	166.46	NA	132.71	NA	132.71	
MW-30	12/28/2005	NA	36.30	166.46	NA	130.16	NA	130.16	
KEMRON Assumes Control of Site 1st Quarter 2006									
MW-30	1/26/2006	NA	30.09	166.46	NA	136.37	NA	136.37	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-30	2/23/2006	NA	29.97	166.46	NA	136.49	NA	136.49	
MW-30	3/31/2006	NA	30.11	166.46	NA	136.35	NA	136.35	
MW-30	4/28/2006	NA	30.39	166.46	NA	136.07	NA	136.07	
MW-30	5/25/2006	NA	36.09	166.46	NA	130.37	NA	130.37	
MW-30	6/30/2006	NA	36.80	166.46	NA	129.66	NA	129.66	
MW-30	7/26/2006	NA	35.54	166.46	NA	130.92	NA	130.92	
MW-30	8/31/2006	NA	37.55	166.46	NA	128.91	NA	128.91	
MW-30	9/29/2006	NA	37.33	166.46	NA	129.13	NA	129.13	
MW-30	10/31/2006	NA	37.11	166.46	NA	129.35	NA	129.35	
MW-30	11/30/2006	NA	35.83	166.46	NA	130.63	NA	130.63	
MW-30	12/28/2006	NA	34.89	166.46	NA	131.57	NA	131.57	
MW-30	1/25/2007	NA	35.80	166.46	NA	130.66	NA	130.66	
MW-30	2/22/2007	NA	36.17	166.46	NA	130.29	NA	130.29	
MW-30	3/30/2007	NA	35.48	166.46	NA	130.98	NA	130.98	
MW-30	4/27/2007	NA	35.14	166.46	NA	131.32	NA	131.32	
MW-30	5/31/2007	NA	35.11	166.46	NA	131.35	NA	131.35	
MW-30	6/28/2007	NA	36.23	166.46	NA	130.23	NA	130.23	
MW-30	7/27/2007	NA	NA	166.46	NA	NA	NA	NA	
MW-30	8/31/2007	NA	37.82	166.46	NA	128.64	NA	128.64	
MW-30	9/28/2007	NA	38.51	166.46	NA	127.95	NA	127.95	
MW-30	10/31/2007	NA	38.76	166.46	NA	127.70	NA	127.70	
MW-30	11/29/2007	NA	38.96	166.46	NA	127.50	NA	127.50	
MW-30	12/27/2007	NA	38.90	166.46	NA	127.56	NA	127.56	
MW-30	1/31/2008	NA	38.88	166.46	NA	127.58	NA	127.58	
MW-30	2/28/2008	NA	38.81	166.46	NA	127.65	NA	127.65	
MW-30	3/27/2008	NA	37.86	166.46	NA	128.60	NA	128.60	
<hr/>									
MW-31	6/21/2000	NA	38.00	168.42	NA	130.42	NA	130.42	
MW-31	7/27/2000	NA	38.30	168.42	NA	130.12	NA	130.12	
MW-31	8/14/2000	NA	38.15	168.42	NA	130.27	NA	130.27	
MW-31	9/18/2000	NA	38.64	168.42	NA	129.78	NA	129.78	
MW-31	10/24/2000	NA	38.92	168.42	NA	129.50	NA	129.50	
MW-31	11/27/2000	NA	39.57	168.42	NA	128.85	NA	128.85	
MW-31	12/28/2000	NA	39.81	168.42	NA	128.61	NA	128.61	
MW-31	1/24/2001	NA	35.40	168.42	NA	133.02	NA	133.02	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-31	2/21/2001	NA	40.80	168.42	NA	127.62	NA	127.62	
MW-31	3/29/2001	NA	39.45	168.42	NA	128.97	NA	128.97	
MW-31	4/26/2001	NA	38.70	168.42	NA	129.72	NA	129.72	
MW-31	5/31/2001	NA	38.91	168.42	NA	129.51	NA	129.51	
MW-31	6/28/2001	NA	38.26	168.42	NA	130.16	NA	130.16	
MW-31	7/24/2001	NA	38.61	168.42	NA	129.81	NA	129.81	
MW-31	8/31/2001	NA	39.30	168.42	NA	129.12	NA	129.12	
MW-31	9/28/2001	NA	39.68	168.42	NA	128.74	NA	128.74	
MW-31	10/30/2001	NA	40.36	168.42	NA	128.06	NA	128.06	
MW-31	11/27/2001	NA	NA	168.42	NA	NA	NA	NA	No Access
MW-31	12/28/2001	NA	41.48	168.42	NA	126.94	NA	126.94	
MW-31	1/30/2002	NA	41.91	168.42	NA	126.51	NA	126.51	
MW-31	2/26/2002	NA	42.35	168.42	NA	126.07	NA	126.07	
MW-31	3/27/2002	NA	42.43	168.42	NA	125.99	NA	125.99	
MW-31	4/26/2002	NA	NA	168.42	NA	NA	NA	NA	No Access
MW-31	5/31/2002	NA	41.80	168.42	NA	126.62	NA	126.62	
MW-31	6/28/2002	NA	42.08	168.42	NA	126.34	NA	126.34	
MW-31	7/29/2002	NA	41.51	168.42	NA	126.91	NA	126.91	
MW-31	8/30/2002	NA	43.01	168.42	NA	125.41	NA	125.41	
MW-31	9/30/2002	NA	43.23	168.42	NA	125.19	NA	125.19	
MW-31	10/25/2002	NA	42.68	168.42	NA	125.74	NA	125.74	
MW-31	11/27/2002	NA	40.91	168.42	NA	127.51	NA	127.51	
MW-31	12/30/2002	NA	39.78	168.42	NA	128.64	NA	128.64	
MW-31	1/31/2003	NA	NA	168.42	NA	NA	NA	NA	frozen shut
MW-31	2/25/2003	NA	NA	168.42	NA	NA	NA	NA	covered with snow
MW-31	3/17/2003	NA	NA	168.42	NA	NA	NA	NA	car parked on
MW-31	4/30/2003	NA	36.20	168.42	NA	132.22	NA	132.22	
MW-31	5/29/2003	NA	36.04	168.42	NA	132.38	NA	132.38	
MW-31	6/27/2003	NA	35.06	168.42	NA	133.36	NA	133.36	
MW-31	7/25/2003	NA	36.20	168.42	NA	132.22	NA	132.22	
MW-31	8/26/2003	NA	35.45	168.42	NA	132.97	NA	132.97	
MW-31	9/29/2003	NA	35.42	168.42	NA	133.00	NA	133.00	
MW-31	10/31/2003	NA	36.62	168.42	NA	131.80	NA	131.80	
MW-31	11/25/2003	NA	35.10	168.42	NA	133.32	NA	133.32	
MW-31	12/30/2003	NA	34.37	168.42	NA	134.05	NA	134.05	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-31	2/4/2004	NA	NA	168.42	NA	NA	NA	NA	covered with snow
MW-31	2/26/2004	NA	34.86	168.42	NA	133.56	NA	133.56	
MW-31	3/31/2004	NA	35.25	168.42	NA	133.17	NA	133.17	
MW-31	4/27/2004	NA	35.18	168.42	NA	133.24	NA	133.24	
MW-31	5/27/2004	NA	NA	168.42	NA	NA	NA	NA	car parked on
MW-31	6/28/2004	NA	NA	168.42	NA	NA	NA	NA	car parked on
MW-31	7/27/2004	NA	NA	168.42	NA	NA	NA	NA	car parked on
MW-31	10/25/2004	NA	36.98	168.42	NA	131.44	NA	131.44	
MW-31	12/1/2004	NA	37.17	168.42	NA	131.25	NA	131.25	
MW-31	12/31/2004	NA	37.37	168.42	NA	131.05	NA	131.05	
MW-31	1/28/2005	NA	37.21	168.42	NA	131.21	NA	131.21	
MW-31	2/24/2005	NA	37.41	168.42	NA	131.01	NA	131.01	
MW-31	3/27/2005	NA	NA	168.42	NA	NA	NA	NA	car parked on
MW-31	4/26/2005	NA	36.14	168.42	NA	132.28	NA	132.28	
MW-31	5/27/2005	NA	36.50	168.42	NA	131.92	NA	131.92	
MW-31	6/30/2005	NA	36.80	168.42	NA	131.62	NA	131.62	
MW-31	7/29/2005	NA	37.25	168.42	NA	131.17	NA	131.17	
MW-31	8/31/2005	NA	37.43	168.42	NA	130.99	NA	130.99	
MW-31	9/30/2005	NA	37.61	168.42	NA	130.81	NA	130.81	
MW-31	10/31/2005	NA	37.52	168.42	NA	130.90	NA	130.90	
MW-31	11/30/2005	NA	37.98	168.42	NA	130.44	NA	130.44	
MW-31	12/28/2005	NA	37.88	168.42	NA	130.54	NA	130.54	
KEMRON Assumes Control of Site 1st Quarter 2006									
MW-31	1/26/2006	NA	31.03	168.42	NA	137.39	NA	137.39	
MW-31	2/23/2006	NA	30.89	168.42	NA	137.53	NA	137.53	
MW-31	3/31/2006	NA	31.00	168.42	NA	137.42	NA	137.42	
MW-31	4/28/2006	NA	31.15	168.42	NA	137.27	NA	137.27	
MW-31	5/25/2006	NA	37.63	168.42	NA	130.79	NA	130.79	
MW-31	6/30/2006	NA	38.52	168.42	NA	129.90	NA	129.90	
MW-31	7/26/2006	NA	37.08	168.42	NA	131.34	NA	131.34	
MW-31	8/31/2006	NA	39.11	168.42	NA	129.31	NA	129.31	
MW-31	9/29/2006	NA	38.75	168.42	NA	129.67	NA	129.67	
MW-31	10/31/2006	NA	38.57	168.42	NA	129.85	NA	129.85	
MW-31	11/30/2006	NA	NA	168.42	NA	NA	NA	NA	Inaccessible(covered by parked car)
MW-31	12/28/2006	NA	38.94	168.42	NA	129.48	NA	129.48	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-31	1/25/2007	NA	NA	168.42	NA	NA	NA	NA	Inaccessible(covered by parked car)
MW-31	2/22/2007	NA	NA	168.42	NA	NA	NA	NA	Inaccessible(covered by parked car)
MW-31	3/30/2007	NA	36.01	168.42	NA	132.41	NA	132.41	
MW-31	4/27/2007	NA	NA	168.42	NA	NA	NA	NA	Inaccessible(covered by parked car)
MW-31	5/31/2007	NA	37.29	168.42	NA	131.13	NA	131.13	
MW-31	6/28/2007	NA	37.85	168.42	NA	130.57	NA	130.57	
MW-31	7/27/2007	NA	NA	168.42	NA	NA	NA	NA	
MW-31	8/31/2007	NA	39.26	168.42	NA	129.16	NA	129.16	
MW-31	9/28/2007	NA	40.04	168.42	NA	128.38	NA	128.38	
MW-31	10/31/2007	NA	40.28	168.42	NA	128.14	NA	128.14	
MW-31	11/29/2007	NA	40.47	168.42	NA	127.95	NA	127.95	
MW-31	12/27/2007	NA	40.42	168.42	NA	128.00	NA	128.00	
MW-31	1/31/2008	NA	NA	168.42	NA	NA	NA	NA	
MW-31	2/28/2008	NA	40.15	168.42	NA	128.27	NA	128.27	
MW-31	3/27/2008	NA	NA	168.42	NA	NA	NA	NA	No access due to parked car
MW-32	6/21/2000	NA	33.60	163.41	NA	129.81	NA	129.81	
MW-32	7/27/2000	NA	33.80	163.41	NA	129.61	NA	129.61	
MW-32	8/14/2000	NA	NA	163.41	NA	NA	NA	NA	No Access
MW-32	9/18/2000	NA	34.25	163.41	NA	129.16	NA	129.16	
MW-32	10/24/2000	NA	34.53	163.41	NA	128.88	NA	128.88	
MW-32	11/27/2000	NA	35.05	163.41	NA	128.36	NA	128.36	
MW-32	12/28/2000	NA	35.35	163.41	NA	128.06	NA	128.06	
MW-32	1/24/2001	NA	39.93	163.41	NA	123.48	NA	123.48	
MW-32	2/27/2001	NA	35.21	163.41	NA	128.20	NA	128.20	
MW-32	3/29/2001	NA	34.85	163.41	NA	128.56	NA	128.56	
MW-32	4/26/2001	NA	34.19	163.41	NA	129.22	NA	129.22	
MW-32	5/31/2001	NA	34.37	163.41	NA	129.04	NA	129.04	
MW-32	6/28/2001	NA	33.84	163.41	NA	129.57	NA	129.57	
MW-32	7/24/2001	NA	34.21	163.41	NA	129.20	NA	129.20	
MW-32	8/31/2001	NA	34.92	163.41	NA	128.49	NA	128.49	
MW-32	9/28/2001	NA	35.25	163.41	NA	128.16	NA	128.16	
MW-32	10/30/2001	NA	35.94	163.41	NA	127.47	NA	127.47	
MW-32	11/27/2001	NA	NA	163.41	NA	NA	NA	NA	No Access
MW-32	12/28/2001	NA	NA	163.41	NA	NA	NA	NA	No Access, well frozen

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-32	1/30/2002	NA	37.27	163.41	NA	126.14	NA	126.14	
MW-32	2/26/2002	NA	37.66	163.41	NA	125.75	NA	125.75	
MW-32	3/27/2002	NA	37.70	163.41	NA	125.71	NA	125.71	
MW-32	4/26/2002	NA	37.63	163.41	NA	125.78	NA	125.78	
MW-32	5/31/2002	NA	37.01	163.41	NA	126.40	NA	126.40	
MW-32	6/28/2002	NA	37.38	163.41	NA	126.03	NA	126.03	
MW-32	7/29/2002	NA	37.83	163.41	NA	125.58	NA	125.58	
MW-32	8/30/2002	NA	38.33	163.41	NA	125.08	NA	125.08	
MW-32	9/30/2002	NA	38.53	163.41	NA	124.88	NA	124.88	
MW-32	10/25/2002	NA	37.84	163.41	NA	125.57	NA	125.57	
MW-32	11/27/2002	NA	36.05	163.41	NA	127.36	NA	127.36	
MW-32	12/30/2002	NA	35.05	163.41	NA	128.36	NA	128.36	
MW-32	1/31/2003	NA	NA	163.41	NA	NA	NA	NA	frozen shut
MW-32	2/25/2003	NA	NA	163.41	NA	NA	NA	NA	covered with snow
MW-32	3/17/2003	NA	31.93	163.41	NA	131.48	NA	131.48	
MW-32	4/30/2003	NA	31.68	163.41	NA	131.73	NA	131.73	
MW-32	5/29/2003	NA	31.36	163.41	NA	132.05	NA	132.05	
MW-32	6/27/2003	NA	NA	163.41	NA	NA	NA	NA	no access due to parking lot paving
MW-32	7/25/2003	NA	31.68	163.41	NA	131.73	NA	131.73	
MW-32	8/26/2003	NA	31.11	163.41	NA	132.30	NA	132.30	
MW-32	9/29/2003	NA	30.88	163.41	NA	132.53	NA	132.53	
MW-32	10/31/2003	NA	31.11	163.41	NA	132.30	NA	132.30	
MW-32	11/25/2003	NA	30.65	163.41	NA	132.76	NA	132.76	
MW-32	12/30/2003	NA	29.98	163.41	NA	133.43	NA	133.43	
MW-32	2/4/2004	NA	NA	163.41	NA	NA	NA	NA	covered with snow
MW-32	2/26/2004	NA	30.48	163.41	NA	132.93	NA	132.93	
MW-32	3/31/2004	NA	30.84	163.41	NA	132.57	NA	132.57	
MW-32	4/27/2004	NA	30.67	163.41	NA	132.74	NA	132.74	
MW-32	5/27/2004	NA	30.90	163.41	NA	132.51	NA	132.51	
MW-32	6/28/2004	NA	31.17	163.41	NA	132.24	NA	132.24	
MW-32	7/27/2004	NA	31.63	163.41	NA	131.78	NA	131.78	
MW-32	10/25/2004	NA	32.55	163.41	NA	130.86	NA	130.86	
MW-32	12/1/2004	NA	32.77	163.41	NA	130.64	NA	130.64	
MW-32	12/31/2004	NA	32.81	163.41	NA	130.60	NA	130.60	
MW-32	1/28/2005	NA	32.68	163.41	NA	130.73	NA	130.73	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-32	2/24/2005	NA	32.91	163.41	NA	130.50	NA	130.50	
MW-32	3/27/2005	NA	32.74	163.41	NA	130.67	NA	130.67	
MW-32	4/26/2005	NA	32.62	163.41	NA	130.79	NA	130.79	
MW-32	5/27/2005	NA	32.13	163.41	NA	131.28	NA	131.28	
MW-32	6/30/2005	NA	32.15	163.41	NA	131.26	NA	131.26	
MW-32	7/29/2005	NA	32.93	163.41	NA	130.48	NA	130.48	
MW-32	8/31/2005	NA	33.95	163.41	NA	129.46	NA	129.46	
MW-32	9/30/2005	NA	33.78	163.41	NA	129.63	NA	129.63	
MW-32	10/31/2005	NA	33.52	163.41	NA	129.89	NA	129.89	
MW-32	11/30/2005	NA	36.46	163.41	NA	126.95	NA	126.95	
MW-32	12/28/2005	NA	33.47	163.41	NA	129.94	NA	129.94	
KEMRON Assumes Control of Site 1st Quarter 2006									
MW-32	1/26/2006	NA	29.52	163.41	NA	133.89	NA	133.89	
MW-32	2/23/2006	NA	29.61	163.41	NA	133.80	NA	133.80	
MW-32	3/31/2006	NA	29.60	163.41	NA	133.81	NA	133.81	
MW-32	4/28/2006	NA	30.03	163.41	NA	133.38	NA	133.38	
MW-32	5/25/2006	NA	NA	163.41	NA	NA	NA	NA	
MW-32	6/30/2006	NA	37.84	163.41	NA	125.57	NA	125.57	
MW-32	7/26/2006	NA	36.81	163.41	NA	126.60	NA	126.60	
MW-32	8/31/2006	NA	36.78	163.41	NA	126.63	NA	126.63	
MW-32	9/29/2006	NA	NA	163.41	NA	NA	NA	NA	Inaccessible
MW-32	10/31/2006	NA	34.28	163.41	NA	129.13	NA	129.13	
MW-32	11/30/2006	NA	32.92	163.41	NA	130.49	NA	130.49	
MW-32	12/28/2006	NA	34.87	163.41	NA	128.54	NA	128.54	
MW-32	1/25/2007	NA	33.05	163.41	NA	130.36	NA	130.36	
MW-32	2/22/2007	NA	33.41	163.41	NA	130.00	NA	130.00	
MW-32	3/30/2007	NA	35.54	163.41	NA	127.87	NA	127.87	
MW-32	4/27/2007	NA	32.27	163.41	NA	131.14	NA	131.14	
MW-32	5/31/2007	NA	32.94	163.41	NA	130.47	NA	130.47	
MW-32	6/28/2007	NA	33.56	163.41	NA	129.85	NA	129.85	
MW-32	7/27/2007	NA	34.44	163.41	NA	128.97	NA	128.97	
MW-32	8/31/2007	NA	35.09	163.41	NA	128.32	NA	128.32	
MW-32	9/28/2007	NA	35.77	163.41	NA	127.64	NA	127.64	
MW-32	10/31/2007	NA	35.87	163.41	NA	127.54	NA	127.54	
MW-32	11/29/2007	NA	36.11	163.41	NA	127.30	NA	127.30	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-32	12/27/2007	NA	35.97	163.41	NA	127.44	NA	127.44	
MW-32	1/31/2008	NA	NA	163.41	NA	NA	NA	NA	
MW-32	2/28/2008	NA	35.37	163.41	NA	128.04	NA	128.04	
MW-32	3/27/2008	NA	34.91	163.41	NA	128.50	NA	128.50	
MW-102	6/8/2000	NA	28.81	158.42	NA	129.61	NA	129.61	
MW-102	6/13/2000	NA	28.93	158.42	NA	129.49	NA	129.49	
MW-102	6/21/2000	NA	28.90	158.42	NA	129.52	NA	129.52	
MW-102	6/28/2000	NA	28.90	158.42	NA	129.52	NA	129.52	
MW-102	7/3/2000	NA	28.90	158.42	NA	129.52	NA	129.52	
MW-102	7/12/2000	NA	29.15	158.42	NA	129.27	NA	129.27	
MW-102	7/20/2000	NA	29.14	158.42	NA	129.28	NA	129.28	
MW-102	7/27/2000	NA	29.10	158.42	NA	129.32	NA	129.32	
MW-102	8/14/2000	NA	28.97	158.42	NA	129.45	NA	129.45	
MW-102	9/18/2000	NA	29.58	158.42	NA	128.84	NA	128.84	
MW-102	10/12/2000	NA	26.93	158.42	NA	131.49	NA	131.49	
MW-102	10/19/2000	NA	29.76	158.42	NA	128.66	NA	128.66	
MW-102	10/24/2000	NA	34.54	158.42	NA	123.88	NA	123.88	
MW-102	11/2/2000	NA	30.03	158.42	NA	128.39	NA	128.39	
MW-102	11/9/2000	30.14	30.15	158.42	128.28	128.27	0.01	128.28	1 new sock
MW-102	11/17/2000	NA	30.28	158.42	NA	128.14	NA	128.14	.0125 gallons removed, 1 new sock
MW-102	11/22/2000	NA	30.32	158.42	NA	128.10	NA	128.10	.0125 gallons removed, 1 new sock
MW-102	11/27/2000	NA	30.41	158.42	NA	128.01	NA	128.01	.0125 gallons removed, 1 new sock
MW-102	12/6/2000	NA	30.56	158.42	NA	127.86	NA	127.86	0.0125 gallons removed, 1 new sock
MW-102	12/14/2000	NA	30.66	158.42	NA	127.76	NA	127.76	0.0125 gallons removed, 1 new sock
MW-102	12/21/2000	NA	30.57	158.42	NA	127.85	NA	127.85	0 recovered
MW-102	12/28/2000	NA	31.60	158.42	NA	126.82	NA	126.82	0.025 recovered, 1 new sock
MW-102	1/5/2001	NA	31.36	158.42	NA	127.06	NA	127.06	0.0125 gallons removed, 1 new sock
MW-102	1/10/2001	NA	30.68	158.42	NA	127.74	NA	127.74	0.0125 gallons removed, 1 new sock
MW-102	1/16/2001	NA	30.79	158.42	NA	127.63	NA	127.63	0 recovered
MW-102	1/24/2001	NA	30.66	158.42	NA	127.76	NA	127.76	0.025 gallons removed, 1 new sock
MW-102	2/1/2001	NA	30.64	158.42	NA	127.78	NA	127.78	
MW-102	2/9/2001	NA	30.53	158.42	NA	127.89	NA	127.89	
MW-102	2/15/2001	NA	30.53	158.42	NA	127.89	NA	127.89	.033 gallons removed
MW-102	2/22/2001	30.49	30.50	158.42	127.93	127.92	0.01	127.93	.0125 gallons removed

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-102	2/27/2001	NA	30.38	158.42	NA	128.04	NA	128.04	.00625 gallons removed
MW-102	3/8/2001	NA	30.42	158.42	NA	128.00	NA	128.00	.0333 gallons removed
MW-102	3/16/2001	NA	30.43	158.42	NA	127.99	NA	127.99	.0125 gallons removed
MW-102	3/23/2001	NA	30.26	158.42	NA	128.16	NA	128.16	.0125 gallons removed
MW-102	3/29/2001	NA	30.08	158.42	NA	128.34	NA	128.34	.0125 gallons removed
MW-102	4/6/2001	NA	29.68	158.42	NA	128.74	NA	128.74	.00625 gallons removed
MW-102	4/13/2001	NA	29.52	158.42	NA	128.90	NA	128.90	.00625 gallons removed
MW-102	4/20/2001	NA	29.45	158.42	NA	128.97	NA	128.97	.00625 gallons removed
MW-102	4/26/2001	NA	29.45	158.42	NA	128.97	NA	128.97	.0125 gallons removed
MW-102	5/2/2001	NA	29.51	158.42	NA	128.91	NA	128.91	
MW-102	5/11/2001	NA	29.64	158.42	NA	128.78	NA	128.78	.0125 gallons removed
MW-102	5/18/2001	NA	29.81	158.42	NA	128.61	NA	128.61	
MW-102	5/24/2001	NA	29.86	158.42	NA	128.56	NA	128.56	
MW-102	5/31/2001	NA	29.65	158.42	NA	128.77	NA	128.77	.0125 gallons removed
MW-102	6/6/2001	NA	29.42	158.42	NA	129.00	NA	129.00	.00625 gallons removed
MW-102	6/13/2001	NA	29.03	158.42	NA	129.39	NA	129.39	
MW-102	6/21/2001	NA	29.88	158.42	NA	128.54	NA	128.54	.00625 gallons removed
MW-102	6/28/2001	NA	29.09	158.42	NA	129.33	NA	129.33	.000625 gallons removed
MW-102	7/3/2001	NA	29.52	158.42	NA	128.90	NA	128.90	.00625 gallons removed
MW-102	7/11/2001	NA	29.53	158.42	NA	128.89	NA	128.89	.00625 gallons removed
MW-102	7/19/2001	NA	29.51	158.42	NA	128.91	NA	128.91	
MW-102	7/24/2001	NA	29.51	158.42	NA	128.91	NA	128.91	.00625 gallons removed
MW-102	8/1/2001	NA	29.91	158.42	NA	128.51	NA	128.51	.00625 gallons removed
MW-102	8/10/2001	NA	29.89	158.42	NA	128.53	NA	128.53	.00625 gallons removed
MW-102	8/16/2001	NA	29.99	158.42	NA	128.43	NA	128.43	.00625 gallons removed
MW-102	8/22/2001	NA	29.89	158.42	NA	128.53	NA	128.53	.00625 gallons removed
MW-102	8/31/2001	NA	30.21	158.42	NA	128.21	NA	128.21	.00025 gallons removed
MW-102	9/4/2001	NA	30.22	158.42	NA	128.20	NA	128.20	.025 gallons removed
MW-102	9/28/2001	NA	30.56	158.42	NA	127.86	NA	127.86	.025 gallons removed
MW-102	10/2/2001	NA	30.91	158.42	NA	127.51	NA	127.51	.0125 gallons removed
MW-102	10/9/2001	NA	30.82	158.42	NA	127.60	NA	127.60	.025 gallons removed
MW-102	10/18/2001	NA	31.01	158.42	NA	127.41	NA	127.41	.025 gallons removed
MW-102	10/26/2001	NA	31.15	158.42	NA	127.27	NA	127.27	.025 gallons removed
MW-102	10/30/2001	NA	31.26	158.42	NA	127.16	NA	127.16	
MW-102	11/2/2001	NA	30.91	158.42	NA	127.51	NA	127.51	.0125 gallons removed

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	Comments
MW-102	11/27/2001	31.80	31.95	158.42	126.62	126.47	0.15	126.60	
MW-102	12/5/2001	31.95	32.10	158.42	126.47	126.32	0.15	126.45	
MW-102	12/14/2001	31.96	32.08	158.42	126.46	126.34	0.12	126.44	
MW-102	12/19/2001	32.05	32.18	158.42	126.37	126.24	0.13	126.35	
MW-102	12/28/2001	32.16	32.29	158.42	126.26	126.13	0.13	126.24	
MW-102	1/3/2002	32.27	32.40	158.42	126.15	126.02	0.13	126.13	
MW-102	1/11/2002	32.32	32.51	158.42	126.10	125.91	0.19	126.07	
MW-102	1/17/2002	32.35	32.55	158.42	126.07	125.87	0.20	126.04	
MW-102	1/24/2002	32.48	32.65	158.42	125.94	125.77	0.17	125.92	
MW-102	1/30/2002	32.53	32.70	158.42	125.89	125.72	0.17	125.87	
MW-102	2/7/2002	32.62	32.81	158.42	125.80	125.61	0.19	125.77	
MW-102	2/12/2002	32.75	32.96	158.42	125.67	125.46	0.21	125.64	
MW-102	2/22/2002	32.76	32.98	158.42	125.66	125.44	0.22	125.63	
MW-102	2/26/2002	32.93	33.14	158.42	125.49	125.28	0.21	125.46	
MW-102	3/7/2002	33.03	33.27	158.42	125.39	125.15	0.24	125.36	
MW-102	3/13/2002	32.96	33.20	158.42	125.46	125.22	0.24	125.43	
MW-102	3/21/2002	33.05	33.31	158.42	125.37	125.11	0.26	125.33	
MW-102	3/27/2002	32.97	33.25	158.42	125.45	125.17	0.28	125.41	
MW-102	4/5/2002	32.90	33.19	158.42	125.52	125.23	0.29	125.48	
MW-102	4/9/2002	32.88	33.16	158.42	125.54	125.26	0.28	125.50	
MW-102	4/16/2002	32.90	33.64	158.42	125.52	124.78	0.74	125.42	
MW-102	4/26/2002	32.71	33.35	158.42	125.71	125.07	0.64	125.62	
MW-102	4/30/2002	32.60	33.05	158.42	125.82	125.37	0.45	125.76	
MW-102	5/6/2002	32.27	32.33	158.42	126.15	126.09	0.06	126.14	
MW-102	5/17/2002	32.02	32.25	158.42	126.40	126.17	0.23	126.37	
MW-102	5/24/2002	32.06	32.35	158.42	126.36	126.07	0.29	126.32	
MW-102	5/31/2002	32.14	32.55	158.42	126.28	125.87	0.41	126.22	
MW-102	6/7/2002	32.06	32.47	158.42	126.36	125.95	0.41	126.30	
MW-102	6/11/2002	32.33	32.37	158.42	126.09	126.05	0.04	126.08	
MW-102	6/21/2002	32.42	32.98	158.42	126.00	125.44	0.56	125.92	
MW-102	6/28/2002	32.51	33.11	158.42	125.91	125.31	0.60	125.83	
MW-102	7/3/2002	32.65	33.25	158.42	125.77	125.17	0.60	125.69	
MW-102	7/9/2002	32.59	33.18	158.42	125.83	125.24	0.59	125.75	
MW-102	7/17/2002	32.82	33.53	158.42	125.60	124.89	0.71	125.50	
MW-102	7/23/2002	32.97	33.77	158.42	125.45	124.65	0.80	125.34	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-102	7/29/2002	32.98	33.75	158.42	125.44	124.67	0.77	125.33	
MW-102	8/7/2002	33.11	33.99	158.42	125.31	124.43	0.88	125.19	
MW-102	8/16/2002	33.26	34.31	158.42	125.16	124.11	1.05	125.01	
MW-102	8/23/2002	33.38	34.54	158.42	125.04	123.88	1.16	124.88	
MW-102	8/30/2002	33.46	34.68	158.42	124.96	123.74	1.22	124.79	
MW-102	9/6/2002	33.35	34.76	158.42	125.07	123.66	1.41	124.87	
MW-102	9/11/2002	33.33	34.86	158.42	125.09	123.56	1.53	124.88	
MW-102	9/17/2002	33.48	34.97	158.42	124.94	123.45	1.49	124.73	
MW-102	9/25/2002	33.57	35.17	158.42	124.85	123.25	1.60	124.63	
MW-102	9/30/2002	33.52	35.33	158.42	124.90	123.09	1.81	124.65	
MW-102	10/10/2002	33.55	35.36	158.42	124.87	123.06	1.81	124.62	
MW-102	10/15/2002	33.52	35.33	158.42	124.90	123.09	1.81	124.65	
MW-102	10/25/2002	32.71	33.95	158.42	125.71	124.47	1.24	125.54	
MW-102	10/31/2002	32.68	33.90	158.42	125.74	124.52	1.22	125.57	
MW-102	11/4/2002	32.28	32.85	158.42	126.14	125.57	0.57	126.06	
MW-102	11/12/2002	31.74	32.24	158.42	126.68	126.18	0.50	126.61	
MW-102	11/21/2002	NA	31.36	158.42	NA	127.06	NA	127.06	
MW-102	11/27/2002	31.05	31.05	158.42	127.37	127.37	0.00	127.37	Sheen
MW-102	12/2/2002	31.06	31.09	158.42	127.36	127.33	0.03	127.36	
MW-102	12/13/2002	31.07	31.13	158.42	127.35	127.29	0.06	127.34	
MW-102	12/20/2002	30.30	30.35	158.42	128.12	128.07	0.05	128.11	
MW-102	12/27/2002	30.31	30.34	158.42	128.11	128.08	0.03	128.11	
MW-102	12/30/2002	30.14	30.19	158.42	128.28	128.23	0.05	128.27	
MW-102	1/10/2003	29.31	29.38	158.42	129.11	129.04	0.07	129.10	
MW-102	1/17/2003	29.13	29.17	158.42	129.29	129.25	0.04	129.28	.1 gallons removed
MW-102	1/22/2003	29.11	29.16	158.42	129.31	129.26	0.05	129.30	.05 gallons removed
MW-102	1/31/2003	NA	NA	158.42	NA	NA	NA	NA	Unable to access
MW-102	2/5/2003	NA	29.40	158.42	NA	129.02	NA	129.02	.1 gallons removed
MW-102	2/13/2003	29.50	29.51	158.42	128.92	128.91	0.01	128.92	
MW-102	2/25/2003	NA	28.95	158.42	NA	129.47	NA	129.47	
MW-102	3/4/2003	NA	27.99	158.42	NA	130.43	NA	130.43	
MW-102	3/14/2003	NA	27.06	158.42	NA	131.36	NA	131.36	
MW-102	3/17/2003	27.90	27.91	158.42	130.52	130.51	0.01	130.52	
MW-102	3/28/2003	27.87	27.89	158.42	130.55	130.53	0.02	130.55	
MW-102	4/3/2003	NA	26.75	158.42	NA	131.67	NA	131.67	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-102	4/10/2003	NA	26.75	158.42	NA	131.67	NA	131.67	
MW-102	4/18/2003	NA	26.73	158.42	NA	131.69	NA	131.69	
MW-102	4/25/2003	NA	26.73	158.42	NA	131.69	NA	131.69	
MW-102	4/30/2003	NA	26.79	158.42	NA	131.63	NA	131.63	
MW-102	5/29/2003	NA	26.46	158.42	NA	131.96	NA	131.96	
MW-102	6/27/2003	NA	25.43	158.42	NA	132.99	NA	132.99	
MW-102	7/25/2003	NA	26.79	158.42	NA	131.63	NA	131.63	
MW-102	8/26/2003	NA	26.27	158.42	NA	132.15	NA	132.15	
MW-102	9/29/2003	NA	26.01	158.42	NA	132.41	NA	132.41	
MW-102	10/31/2003	NA	26.25	158.42	NA	132.17	NA	132.17	
MW-102	11/25/2003	NA	25.80	158.42	NA	132.62	NA	132.62	
MW-102	12/30/2003	NA	25.15	158.42	NA	133.27	NA	133.27	
MW-102	2/4/2004	NA	25.77	158.42	NA	132.65	NA	132.65	covered with snow
MW-102	2/26/2004	NA	25.71	158.42	NA	132.71	NA	132.71	
MW-102	3/31/2004	NA	26.07	158.42	NA	132.35	NA	132.35	
MW-102	4/27/2004	NA	25.85	158.42	NA	132.57	NA	132.57	
MW-102	5/27/2004	NA	26.04	158.42	NA	132.38	NA	132.38	
MW-102	6/28/2004	NA	26.33	158.42	NA	132.09	NA	132.09	
MW-102	7/27/2004	NA	26.79	158.42	NA	131.63	NA	131.63	
MW-102	10/25/2004	NA	27.79	158.42	NA	130.63	NA	130.63	
MW-102	12/1/2004	NA	28.02	158.42	NA	130.40	NA	130.40	
MW-102	12/31/2004	NA	28.02	158.42	NA	130.40	NA	130.40	
MW-102	1/28/2005	NA	27.82	158.42	NA	130.60	NA	130.60	
MW-102	2/24/2005	NA	28.05	158.42	NA	130.37	NA	130.37	
MW-102	3/27/2005	NA	27.90	158.42	NA	130.52	NA	130.52	
MW-102	4/26/2005	NA	26.71	158.42	NA	131.71	NA	131.71	
MW-102	5/27/2005	NA	27.25	158.42	NA	131.17	NA	131.17	
MW-102	6/30/2005	NA	27.59	158.42	NA	130.83	NA	130.83	
MW-102	7/29/2005	NA	28.10	158.42	NA	130.32	NA	130.32	
MW-102	8/31/2005	NA	28.06	158.42	NA	130.36	NA	130.36	
MW-102	9/30/2005	NA	28.25	158.42	NA	130.17	NA	130.17	
MW-102	10/31/2005	NA	28.67	158.42	NA	129.75	NA	129.75	
MW-102	11/30/2005	NA	28.93	158.42	NA	129.49	NA	129.49	
MW-102	12/28/2005	NA	28.62	158.42	NA	129.80	NA	129.80	

KEMRON Assumes Control of Site 1st Quarter 2006

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-102	1/26/2006	NA	28.40	158.42	NA	130.02	NA	130.02	
MW-102	2/23/2006	NA	27.79	158.42	NA	130.63	NA	130.63	
MW-102	3/31/2006	NA	28.19	158.42	NA	130.23	NA	130.23	
MW-102	4/28/2006	NA	28.01	158.42	NA	130.41	NA	130.41	
MW-102	5/25/2006	NA	28.22	158.42	NA	130.20	NA	130.20	
MW-102	6/30/2006	NA	30.03	158.42	NA	128.39	NA	128.39	
MW-102	7/26/2006	NA	29.94	158.42	NA	128.48	NA	128.48	
MW-102	8/31/2006	NA	30.31	158.42	NA	128.11	NA	128.11	
MW-102	9/29/2006	NA	29.80	158.42	NA	128.62	NA	128.62	
MW-102	10/31/2006	NA	29.37	158.42	NA	129.05	NA	129.05	
MW-102	11/30/2006	NA	27.88	158.42	NA	130.54	NA	130.54	
MW-102	12/28/2006	NA	28.30	158.42	NA	130.12	NA	130.12	
MW-102	1/25/2007	NA	28.17	158.42	NA	130.25	NA	130.25	
MW-102	2/22/2007	NA	28.61	158.42	NA	129.81	NA	129.81	
MW-102	3/30/2007	NA	27.75	158.42	NA	130.67	NA	130.67	
MW-102	4/27/2007	NA	27.26	158.42	NA	131.16	NA	131.16	
MW-102	5/31/2007	NA	28.00	158.42	NA	130.42	NA	130.42	
MW-102	6/28/2007	NA	28.73	158.42	NA	129.69	NA	129.69	Sheen
MW-102	7/27/2007	NA	29.67	158.42	NA	128.75	NA	128.75	
MW-102	8/31/2007	NA	30.21	158.42	NA	128.21	NA	128.21	
MW-102	9/28/2007	30.95	30.96	158.42	127.47	127.46	0.01	127.47	
MW-102	10/31/2007	NA	30.66	158.42	NA	127.76	NA	127.76	
MW-102	11/29/2007	NA	31.34	158.42	NA	127.08	NA	127.08	
MW-102	12/27/2007	NA	31.08	158.42	NA	127.34	NA	127.34	
MW-102	1/31/2008	NA	30.99	158.42	NA	127.43	NA	127.43	
MW-102	2/28/2008	NA	30.21	158.42	NA	128.21	NA	128.21	
MW-102	3/27/2008	NA	29.92	158.42	NA	128.50	NA	128.50	
<hr/>									
MW-104	6/8/2000	26.70	26.71	157.88	131.18	131.17	0.01	131.18	Sock 1/2 full
MW-104	6/13/2000	NA	26.80	157.88	NA	131.08	NA	131.08	Sock 3/4 full
MW-104	6/21/2000	26.78	26.79	157.88	131.10	131.09	0.01	131.10	Sock full, 2 new socks, 0.1 gal
MW-104	6/28/2000	NA	26.78	157.88	NA	131.10	NA	131.10	1 full sock, 1 new sock, 0.1 gal
MW-104	7/3/2000	26.70	26.78	157.88	131.18	131.10	0.08	131.17	1 full sock, 1 new sock
MW-104	7/12/2000	NA	30.12	157.88	NA	127.76	NA	127.76	1 full sock, 1 new sock
MW-104	7/20/2000	NA	26.94	157.88	NA	130.94	NA	130.94	1 full sock, 1 new sock

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-104	7/27/2000	NA	26.90	157.88	NA	130.98	NA	130.98	
MW-104	8/14/2000	NA	42.20	157.88	NA	115.68	NA	115.68	
MW-104	9/18/2000	27.09	27.11	157.88	130.79	130.77	0.02	130.79	
MW-104	10/12/2000	NA	NA	157.88	NA	NA	NA	NA	No access
MW-104	10/19/2000	NA	NA	157.88	NA	NA	NA	NA	No access
MW-104	10/24/2000	27.29	27.34	157.88	130.59	130.54	0.05	130.58	2 new socks
MW-104	11/2/2000	NA	27.52	157.88	NA	130.36	NA	130.36	0.4 gallons removed, 1 new sock
MW-104	11/9/2000	NA	27.55	157.88	NA	130.33	NA	130.33	
MW-104	11/17/2000	NA	27.72	157.88	NA	130.16	NA	130.16	.025 gallons removed, 1 new sock
MW-104	11/22/2000	NA	27.90	157.88	NA	129.98	NA	129.98	.05 gallons removed, 1 new sock
MW-104	11/27/2000	NA	28.91	157.88	NA	128.97	NA	128.97	.025 gallons removed, 1 new sock
MW-104	12/6/2000	NA	28.12	157.88	NA	129.76	NA	129.76	0.0125 gallons removed, 1 new sock
MW-104	12/14/2000	NA	28.21	157.88	NA	129.67	NA	129.67	0.0125 gallons removed, 1 new sock
MW-104	12/21/2000	NA	28.31	157.88	NA	129.57	NA	129.57	0.0125 gallons removed, 1 new sock
MW-104	12/28/2000	NA	28.37	157.88	NA	129.51	NA	129.51	0.033 gallons removed, 1 new sock
MW-104	1/5/2001	NA	28.18	157.88	NA	129.70	NA	129.70	0.0125 gallons removed, 1 new sock
MW-104	1/10/2001	NA	28.59	157.88	NA	129.29	NA	129.29	0.025 gallons removed, 1 new sock
MW-104	1/16/2001	NA	28.65	157.88	NA	129.23	NA	129.23	0.025 gallons removed, 1 new sock
MW-104	1/24/2001	NA	28.60	157.88	NA	129.28	NA	129.28	0.0125 gallons removed, 1 new sock
MW-104	2/1/2001	NA	28.66	157.88	NA	129.22	NA	129.22	.025 gallons removed
MW-104	2/9/2001	NA	28.51	157.88	NA	129.37	NA	129.37	.025 gallons recovered
MW-104	2/15/2001	NA	28.49	157.88	NA	129.39	NA	129.39	
MW-104	2/22/2001	28.44	28.45	157.88	129.44	129.43	0.01	129.44	.033 gallons removed
MW-104	2/27/2001	NA	28.25	157.88	NA	129.63	NA	129.63	0.0125 gallons removed
MW-104	3/8/2001	28.21	28.22	157.88	129.67	129.66	0.01	129.67	.033 gallons removed
MW-104	3/16/2001	NA	28.16	157.88	NA	129.72	NA	129.72	.033 gallons removed
MW-104	3/23/2001	NA	27.97	157.88	NA	129.91	NA	129.91	0.0125 gallons removed
MW-104	3/29/2001	NA	27.81	157.88	NA	130.07	NA	130.07	0.0125 gallons removed
MW-104	4/6/2001	NA	27.42	157.88	NA	130.46	NA	130.46	.0125 gallons removed
MW-104	4/13/2001	NA	27.25	157.88	NA	130.63	NA	130.63	.0125 gallons removed
MW-104	4/20/2001	NA	27.20	157.88	NA	130.68	NA	130.68	
MW-104	4/26/2001	NA	27.13	157.88	NA	130.75	NA	130.75	.025 gallons removed
MW-104	5/2/2001	NA	27.10	157.88	NA	130.78	NA	130.78	.0125 gallons removed
MW-104	5/11/2001	NA	27.14	157.88	NA	130.74	NA	130.74	.0125 gallons removed
MW-104	5/18/2001	NA	27.27	157.88	NA	130.61	NA	130.61	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-104	5/24/2001	NA	27.33	157.88	NA	130.55	NA	130.55	.0125 gallons removed
MW-104	5/31/2001	NA	27.21	157.88	NA	130.67	NA	130.67	.0125 gallons removed
MW-104	6/6/2001	NA	27.05	157.88	NA	130.83	NA	130.83	.00625 gallons removed
MW-104	6/13/2001	NA	26.77	157.88	NA	131.11	NA	131.11	.00625 gallons removed
MW-104	6/21/2001	NA	27.04	157.88	NA	130.84	NA	130.84	.0125 gallons removed
MW-104	6/28/2001	NA	26.35	157.88	NA	131.53	NA	131.53	.0125 gallons removed
MW-104	7/3/2001	NA	26.45	157.88	NA	131.43	NA	131.43	.0125 gallons removed
MW-104	7/11/2001	NA	26.14	157.88	NA	131.74	NA	131.74	.0125 gallons removed
MW-104	7/19/2001	NA	26.68	157.88	NA	131.20	NA	131.20	.0125 gallons removed
MW-104	7/24/2001	NA	26.70	157.88	NA	131.18	NA	131.18	.00625 gallons removed
MW-104	8/1/2001	NA	27.03	157.88	NA	130.85	NA	130.85	.0125 gallons removed
MW-104	8/10/2001	NA	27.03	157.88	NA	130.85	NA	130.85	.0125 gallons removed
MW-104	8/16/2001	NA	27.14	157.88	NA	130.74	NA	130.74	.00625 gallons removed
MW-104	8/22/2001	NA	27.05	157.88	NA	130.83	NA	130.83	.00625 gallons removed
MW-104	8/31/2001	NA	27.33	157.88	NA	130.55	NA	130.55	.0025 gallons removed
MW-104	9/4/2001	NA	27.35	157.88	NA	130.53	NA	130.53	.025 gallons removed
MW-104	9/28/2001	NA	27.71	157.88	NA	130.17	NA	130.17	.025 gallons removed
MW-104	10/2/2001	NA	27.78	157.88	NA	130.10	NA	130.10	.0033 gallons removed
MW-104	10/9/2001	NA	27.95	157.88	NA	129.93	NA	129.93	.025 gallons removed
MW-104	10/18/2001	NA	28.15	157.88	NA	129.73	NA	129.73	.025 gallons removed
MW-104	10/26/2001	NA	28.28	157.88	NA	129.60	NA	129.60	.033 gallons removed
MW-104	10/30/2001	NA	28.41	157.88	NA	129.47	NA	129.47	.033 gallons removed
MW-104	11/2/2001	NA	27.78	157.88	NA	130.10	NA	130.10	.033 gallons removed
MW-104	11/5/2001	28.42	28.42	157.88	129.46	129.46	0.00	129.46	
MW-104	11/13/2001	28.42	28.42	157.88	129.46	129.46	0.00	129.46	
MW-104	11/20/2001	28.90	28.90	157.88	128.98	128.98	0.00	128.98	
MW-104	11/27/2001	29.09	29.10	157.88	128.79	128.78	0.01	128.79	
MW-104	12/5/2001	29.43	29.49	157.88	128.45	128.39	0.06	128.44	
MW-104	12/14/2001	29.44	29.50	157.88	128.44	128.38	0.06	128.43	
MW-104	12/19/2001	29.71	29.76	157.88	128.17	128.12	0.05	128.16	
MW-104	12/28/2001	30.05	30.17	157.88	127.83	127.71	0.12	127.81	
MW-104	1/3/2002	30.01	30.06	157.88	127.87	127.82	0.05	127.86	
MW-104	1/11/2002	30.55	30.70	157.88	127.33	127.18	0.15	127.31	
MW-104	1/17/2002	30.57	30.71	157.88	127.31	127.17	0.14	127.29	
MW-104	1/24/2002	30.70	30.85	157.88	127.18	127.03	0.15	127.16	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-104	1/30/2002	NA	NA	157.88	NA	NA	NA	NA	No access
MW-104	2/7/2002	30.94	31.05	157.88	126.94	126.83	0.11	126.92	
MW-104	2/12/2002	31.30	31.46	157.88	126.58	126.42	0.16	126.56	
MW-104	2/22/2002	31.32	31.49	157.88	126.56	126.39	0.17	126.54	
MW-104	2/26/2002	31.47	31.66	157.88	126.41	126.22	0.19	126.38	
MW-104	3/7/2002	31.68	31.86	157.88	126.20	126.02	0.18	126.17	
MW-104	3/13/2002	31.54	31.77	157.88	126.34	126.11	0.23	126.31	
MW-104	3/21/2002	31.76	31.83	157.88	126.12	126.05	0.07	126.11	
MW-104	3/27/2002	31.65	31.74	157.88	126.23	126.14	0.09	126.22	
MW-104	4/16/2002	31.36	31.68	157.88	126.52	126.20	0.32	126.48	
MW-104	4/26/2002	31.08	31.42	157.88	126.80	126.46	0.34	126.75	
MW-104	4/30/2002	30.78	31.18	157.88	127.10	126.70	0.40	127.04	
MW-104	5/6/2002	30.73	31.13	157.88	127.15	126.75	0.40	127.09	
MW-104	5/17/2002	29.11	31.16	157.88	128.77	126.72	2.05	128.48	2 gallons removed
MW-104	5/24/2002	29.62	31.00	157.88	128.26	126.88	1.38	128.07	2.5 gallons removed
MW-104	5/31/2002	29.86	30.67	157.88	128.02	127.21	0.81	127.91	2 gallons removed
MW-104	6/7/2002	29.77	29.99	157.88	128.11	127.89	0.22	128.08	
MW-104	6/11/2002	30.19	30.92	157.88	127.69	126.96	0.73	127.59	
MW-104	6/21/2002	30.55	31.31	157.88	127.33	126.57	0.76	127.22	
MW-104	6/28/2002	30.65	31.45	157.88	127.23	126.43	0.80	127.12	
MW-104	7/3/2002	30.85	31.65	157.88	127.03	126.23	0.80	126.92	
MW-104	7/9/2002	30.80	31.59	157.88	127.08	126.29	0.79	126.97	
MW-104	7/17/2002	31.30	32.24	157.88	126.58	125.64	0.94	126.45	
MW-104	7/23/2002	31.46	32.45	157.88	126.42	125.43	0.99	126.28	
MW-104	7/29/2002	31.47	32.46	157.88	126.41	125.42	0.99	126.27	
MW-104	8/7/2002	31.75	32.77	157.88	126.13	125.11	1.02	125.99	
MW-104	8/16/2002	32.00	33.07	157.88	125.88	124.81	1.07	125.73	
MW-104	8/23/2002	32.17	33.24	157.88	125.71	124.64	1.07	125.56	
MW-104	8/30/2002	32.33	33.37	157.88	125.55	124.51	1.04	125.40	
MW-104	9/6/2002	32.22	33.23	157.88	125.66	124.65	1.01	125.52	
MW-104	9/11/2002	32.14	33.16	157.88	125.74	124.72	1.02	125.60	
MW-104	9/17/2002	32.27	33.32	157.88	125.61	124.56	1.05	125.46	
MW-104	9/25/2002	32.53	33.65	157.88	125.35	124.23	1.12	125.19	
MW-104	9/30/2002	32.43	35.53	157.88	125.45	122.35	3.10	125.02	
MW-104	10/10/2002	32.44	32.54	157.88	125.44	125.34	0.10	125.43	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-104	10/15/2002	32.42	32.51	157.88	125.46	125.37	0.09	125.45	
MW-104	10/25/2002	30.42	31.50	157.88	127.46	126.38	1.08	127.31	
MW-104	10/31/2002	30.40	31.47	157.88	127.48	126.41	1.07	127.33	
MW-104	11/4/2002	29.15	30.46	157.88	128.73	127.42	1.31	128.55	
MW-104	11/12/2002	28.15	29.40	157.88	129.73	128.48	1.25	129.56	
MW-104	11/21/2002	28.51	28.87	157.88	129.37	129.01	0.36	129.32	
MW-104	11/27/2002	28.11	28.56	157.88	129.77	129.32	0.45	129.71	
MW-104	12/2/2002	28.00	28.63	157.88	129.88	129.25	0.63	129.79	.5 gallons removed
MW-104	12/13/2002	27.87	28.55	157.88	130.01	129.33	0.68	129.91	.7 gallons removed
MW-104	12/20/2002	27.25	27.85	157.88	130.63	130.03	0.60	130.55	.5 gallons removed
MW-104	12/27/2002	27.24	27.83	157.88	130.64	130.05	0.59	130.56	.5 gallons removed
MW-104	12/30/2002	26.65	27.17	157.88	131.23	130.71	0.52	131.16	.5 gallons removed
MW-104	1/10/2003	25.28	25.61	157.88	132.60	132.27	0.33	132.55	
MW-104	1/17/2003	25.16	25.47	157.88	132.72	132.41	0.31	132.68	.3 gallons removed
MW-104	1/22/2003	25.14	25.46	157.88	132.74	132.42	0.32	132.70	.3 gallons removed
MW-104	1/31/2003	25.43	25.60	157.88	132.45	132.28	0.17	132.43	.3 gallons removed
MW-104	2/5/2003	25.53	25.81	157.88	132.35	132.07	0.28	132.31	
MW-104	2/13/2003	25.81	26.10	157.88	132.07	131.78	0.29	132.03	
MW-104	2/25/2003	NA	NA	157.88	NA	NA	NA	NA	covered with snow
MW-104	3/4/2003	NA	NA	157.88	NA	NA	NA	NA	frozen
MW-104	3/14/2003	NA	24.09	157.88	NA	133.79	NA	133.79	sheen
MW-104	3/17/2003	NA	23.89	157.88	NA	133.99	NA	133.99	
MW-104	4/3/2003	NA	24.25	157.88	NA	133.63	NA	133.63	
MW-104	4/10/2003	NA	24.31	157.88	NA	133.57	NA	133.57	
MW-104	4/18/2003	NA	24.36	157.88	NA	133.52	NA	133.52	
MW-104	4/25/2003	NA	24.36	157.88	NA	133.52	NA	133.52	
MW-104	4/30/2003	NA	24.41	157.88	NA	133.47	NA	133.47	
MW-104	5/29/2003	NA	24.38	157.88	NA	133.50	NA	133.50	
MW-104	6/27/2003	NA	23.49	157.88	NA	134.39	NA	134.39	
MW-104	7/25/2003	NA	24.41	157.88	NA	133.47	NA	133.47	
MW-104	8/26/2003	NA	24.24	157.88	NA	133.64	NA	133.64	
MW-104	9/4/2003	24.22	24.23	157.88	133.66	133.65	0.01	133.66	
MW-104	9/9/2003	24.20	24.21	157.88	133.68	133.67	0.01	133.68	
MW-104	9/18/2003	24.22	24.23	157.88	133.66	133.65	0.01	133.66	
MW-104	9/26/2003	NA	24.17	157.88	NA	133.71	NA	133.71	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-104	9/29/2003	NA	24.00	157.88	NA	133.88	NA	133.88	
MW-104	10/31/2003	NA	24.18	157.88	NA	133.70	NA	133.70	
MW-104	11/25/2003	NA	23.78	157.88	NA	134.10	NA	134.10	
MW-104	12/30/2003	NA	23.32	157.88	NA	134.56	NA	134.56	
MW-104	2/4/2004	NA	NA	157.88	NA	NA	NA	NA	covered with snow
MW-104	2/26/2004	24.07	24.07	157.88	133.81	133.81	0.00	133.81	sheen
MW-104	3/4/2004	24.10	24.15	157.88	133.78	133.73	0.05	133.77	
MW-104	3/10/2004	24.12	24.16	157.88	133.76	133.72	0.04	133.75	
MW-104	3/18/2004	24.23	24.29	157.88	133.65	133.59	0.06	133.64	
MW-104	3/23/2004	24.17	24.21	157.88	133.71	133.67	0.04	133.70	
MW-104	3/31/2004	NA	NA	157.88	NA	NA	NA	NA	No access
MW-104	4/7/2004	24.15	24.19	157.88	133.73	133.69	0.04	133.72	
MW-104	4/14/2004	24.17	24.23	157.88	133.71	133.65	0.06	133.70	
MW-104	4/23/2004	NA	24.10	157.88	NA	133.78	NA	133.78	
MW-104	4/27/2004	NA	24.05	157.88	NA	133.83	NA	133.83	
MW-104	5/6/2004	NA	24.03	157.88	NA	133.85	NA	133.85	
MW-104	5/13/2004	NA	24.09	157.88	NA	133.79	NA	133.79	
MW-104	5/18/2004	NA	24.14	157.88	NA	133.74	NA	133.74	
MW-104	5/27/2004	24.24	24.26	157.88	133.64	133.62	0.02	133.64	
MW-104	6/2/2004	24.23	24.24	157.88	133.65	133.64	0.01	133.65	
MW-104	6/17/2004	NA	24.24	157.88	NA	133.64	NA	133.64	
MW-104	6/25/2004	NA	24.22	157.88	NA	133.66	NA	133.66	
MW-104	6/28/2004	24.35	24.38	157.88	133.53	133.50	0.03	133.53	
MW-104	7/8/2004	24.38	24.42	157.88	133.50	133.46	0.04	133.49	
MW-104	7/14/2004	24.44	24.53	157.88	133.44	133.35	0.09	133.43	
MW-104	7/20/2004	24.50	24.67	157.88	133.38	133.21	0.17	133.36	
MW-104	7/27/2004	24.65	24.77	157.88	133.23	133.11	0.12	133.21	
MW-104	8/3/2004	24.57	24.69	157.88	133.31	133.19	0.12	133.29	
MW-104	8/19/2004	24.32	24.46	157.88	133.56	133.42	0.14	133.54	
MW-104	9/15/2004	24.81	24.95	157.88	133.07	132.93	0.14	133.05	
MW-104	12/1/2004	25.72	25.80	157.88	132.16	132.08	0.08	132.15	
MW-104	12/6/2004	25.80	25.87	157.88	132.08	132.01	0.07	132.07	
MW-104	12/14/2004	26.05	26.18	157.88	131.83	131.70	0.13	131.81	
MW-104	2/4/2005	24.88	24.99	157.88	133.00	132.89	0.11	132.98	
MW-104	2/12/2005	25.64	25.70	157.88	132.24	132.18	0.06	132.23	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	Comments
MW-104	2/18/2005	25.90	25.99	157.88	131.98	131.89	0.09	131.97	
MW-104	2/24/2005	25.93	26.02	157.88	131.95	131.86	0.09	131.94	
MW-104	3/3/2005	25.46	25.55	157.88	132.42	132.33	0.09	132.41	
MW-104	3/10/2005	25.45	25.53	157.88	132.43	132.35	0.08	132.42	
MW-104	3/16/2005	25.43	25.51	157.88	132.45	132.37	0.08	132.44	
MW-104	3/22/2005	25.42	25.51	157.88	132.46	132.37	0.09	132.45	
MW-104	4/5/2005	25.16	25.22	157.88	132.72	132.66	0.06	132.71	
MW-104	4/13/2005	NA	NA	157.88	NA	NA	NA	NA	Not accessible - car parked on
MW-104	4/21/2005	24.75	24.81	157.88	133.13	133.07	0.06	133.12	
MW-104	4/26/2005	24.53	24.54	157.88	133.35	133.34	0.01	133.35	
MW-104	5/5/2005	24.74	24.79	157.88	133.14	133.09	0.05	133.13	
MW-104	5/13/2005	24.76	24.80	157.88	133.12	133.08	0.04	133.11	
MW-104	5/20/2005	24.74	24.77	157.88	133.14	133.11	0.03	133.14	
MW-104	5/27/2005	24.82	24.87	157.88	133.06	133.01	0.05	133.05	
MW-104	6/3/2005	24.87	24.93	157.88	133.01	132.95	0.06	133.00	
MW-104	6/10/2005	24.85	24.90	157.88	133.03	132.98	0.05	133.02	
MW-104	6/17/2005	25.01	25.07	157.88	132.87	132.81	0.06	132.86	
MW-104	6/23/2005	25.09	25.13	157.88	132.79	132.75	0.04	132.78	
MW-104	6/30/2005	25.16	25.22	157.88	132.72	132.66	0.06	132.71	
MW-104	7/8/2005	25.27	25.33	157.88	132.61	132.55	0.06	132.60	
MW-104	7/15/2005	25.35	25.42	157.88	132.53	132.46	0.07	132.52	
MW-104	7/22/2005	25.40	25.48	157.88	132.48	132.40	0.08	132.47	
MW-104	7/29/2005	25.45	25.54	157.88	132.43	132.34	0.09	132.42	
MW-104	8/8/2005	25.47	25.53	157.88	132.41	132.35	0.06	132.40	
MW-104	8/15/2005	25.48	25.55	157.88	132.40	132.33	0.07	132.39	
MW-104	8/25/2005	25.52	25.60	157.88	132.36	132.28	0.08	132.35	
MW-104	8/31/2005	25.41	25.43	157.88	132.47	132.45	0.02	132.47	
MW-104	9/9/2005	25.62	25.72	157.88	132.26	132.16	0.10	132.25	
MW-104	9/16/2005	25.71	25.78	157.88	132.17	132.10	0.07	132.16	
MW-104	9/23/2005	26.02	26.14	157.88	131.86	131.74	0.12	131.84	
MW-104	9/30/2005	25.52	25.54	157.88	132.36	132.34	0.02	132.36	
MW-104	10/7/2005	25.50	25.51	157.88	132.38	132.37	0.01	132.38	
MW-104	10/14/2005	NA	25.57	157.88	NA	132.31	NA	132.31	
MW-104	10/24/2005	25.62	25.63	157.88	132.26	132.25	0.01	132.26	
MW-104	10/31/2005	25.62	25.65	157.88	132.26	132.23	0.03	132.26	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	Comments
MW-104	11/8/2005	25.67	25.73	157.88	132.21	132.15	0.06	132.20	
MW-104	11/14/2005	25.63	25.69	157.88	132.25	132.19	0.06	132.24	
MW-104	11/21/2005	25.60	25.65	157.88	132.28	132.23	0.05	132.27	
MW-104	11/30/2005								
MW-104	12/5/2005	25.61	25.64	157.88	132.27	132.24	0.03	132.27	
MW-104	12/9/2005	25.63	25.68	157.88	132.25	132.20	0.05	132.24	
MW-104	12/16/2005	25.69	25.72	157.88	132.19	132.16	0.03	132.19	
MW-104	12/22/2005	25.62	25.63	157.88	132.26	132.25	0.01	132.26	
MW-104	12/28/2005	26.59	26.61	157.88	131.29	131.27	0.02	131.29	
KEMRON Assumes Control of Site 1st Quarter 2006									
MW-104	1/5/2006	NA	25.22	157.88	NA	132.66	NA	132.66	
MW-104	1/12/2006	NA	25.96	157.88	NA	131.92	NA	131.92	
MW-104	1/19/2006	26.07	26.09	157.88	131.81	131.79	0.02	131.81	
MW-104	1/26/2006	26.42	26.44	157.88	131.46	131.44	0.02	131.46	
MW-104	2/2/2006	26.42	26.44	157.88	131.46	131.44	0.02	131.46	
MW-104	2/9/2006	NA	25.39	157.88	NA	132.49	NA	132.49	
MW-104	2/16/2006	NA	25.18	157.88	NA	132.70	NA	132.70	
MW-104	2/23/2006	NA	25.07	157.88	NA	132.81	NA	132.81	
MW-104	3/2/2006	NA	24.91	157.88	NA	132.97	NA	132.97	
MW-104	3/9/2006	NA	24.97	157.88	NA	132.91	NA	132.91	
MW-104	3/16/2006	NA	24.82	157.88	NA	133.06	NA	133.06	
MW-104	3/23/2006	NA	24.67	157.88	NA	133.21	NA	133.21	
MW-104	3/31/2006	26.42	26.43	157.88	131.46	131.45	0.01	131.46	
MW-104	4/6/2006	26.40	26.42	157.88	131.48	131.46	0.02	131.48	
MW-104	4/14/2006	NA	24.14	157.88	NA	133.74	NA	133.74	
MW-104	4/21/2006	NA	24.15	157.88	NA	133.73	NA	133.73	
MW-104	4/28/2006	NA	24.04	157.88	NA	133.84	NA	133.84	
MW-104	5/4/2006	NA	23.97	157.88	NA	133.91	NA	133.91	
MW-104	5/12/2006	23.99	24.01	157.88	133.89	133.87	0.02	133.89	
MW-104	5/18/2006	NA	23.93	157.88	NA	133.95	NA	133.95	
MW-104	5/25/2006	24.06	24.10	157.88	133.82	133.78	0.04	133.81	
MW-104	6/2/2006	NA	24.10	157.88	NA	133.78	NA	133.78	
MW-104	6/9/2006	24.30	24.34	157.88	133.58	133.54	0.04	133.57	
MW-104	6/16/2006	24.64	24.67	157.88	133.24	133.21	0.03	133.24	
MW-104	6/23/2006	25.01	25.06	157.88	132.87	132.82	0.05	132.86	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-104	6/30/2006	NA	24.90	157.88	NA	132.98	NA	132.98	
MW-104	7/7/2006	NA	24.93	157.88	NA	132.95	NA	132.95	
MW-104	7/13/2006	25.03	25.09	157.88	132.85	132.79	0.06	132.84	
MW-104	7/19/2006	25.21	25.28	157.88	132.67	132.60	0.07	132.66	
MW-104	7/26/2006	25.37	25.47	157.88	132.51	132.41	0.10	132.50	
MW-104	8/4/2006	25.71	25.80	157.88	132.17	132.08	0.09	132.16	
MW-104	8/11/2006	26.05	26.13	157.88	131.83	131.75	0.08	131.82	
MW-104	8/17/2006	26.57	26.60	157.88	131.31	131.28	0.03	131.31	
MW-104	8/23/2006	26.99	27.01	157.88	130.89	130.87	0.02	130.89	
MW-104	8/31/2006	27.40	27.45	157.88	130.48	130.43	0.05	130.47	
MW-104	9/8/2006	NA	27.34	157.88	NA	130.54	NA	130.54	
MW-104	9/15/2006	NA	26.79	157.88	NA	131.09	NA	131.09	
MW-104	9/22/2006	NA	26.46	157.88	NA	131.42	NA	131.42	
MW-104	9/29/2006	26.76	26.78	157.88	131.12	131.10	0.02	131.12	
MW-104	10/6/2006	NA	26.97	157.88	NA	130.91	NA	130.91	
MW-104	10/12/2006	NA	26.73	157.88	NA	131.15	NA	131.15	
MW-104	10/19/2006	NA	25.68	157.88	NA	132.20	NA	132.20	
MW-104	10/27/2006	27.04	27.10	157.88	130.84	130.78	0.06	130.83	
MW-104	10/31/2006	26.89	26.91	157.88	130.99	130.97	0.02	130.99	
MW-104	11/9/2006	NA	26.24	157.88	NA	131.64	NA	131.64	SHEEN
MW-104	11/17/2006	25.67	25.69	157.88	132.21	132.19	0.02	132.21	
MW-104	11/21/2006	NA	25.24	157.88	NA	132.64	NA	132.64	
MW-104	11/30/2006	NA	24.84	157.88	NA	133.04	NA	133.04	
MW-104	12/8/2006	34.69	34.79	157.88	123.19	123.09	0.10	123.18	
MW-104	12/14/2006	34.51	34.57	157.88	123.37	123.31	0.06	123.36	
MW-104	12/20/2006	25.15	25.22	157.88	132.73	132.66	0.07	132.72	
MW-104	12/28/2006	25.12	25.20	157.88	132.76	132.68	0.08	132.75	
MW-104	1/4/2007	25.46	25.51	157.88	132.42	132.37	0.05	132.41	SHEEN
MW-104	1/12/2007	25.52	25.54	157.88	132.36	132.34	0.02	132.36	
MW-104	1/19/2007	25.40	25.41	157.88	132.48	132.47	0.01	132.48	SHEEN
MW-104	1/25/2007	25.49	25.51	157.88	132.39	132.37	0.02	132.39	
MW-104	2/1/2007	NA	25.58	157.88	NA	132.30	NA	132.30	SHEEN
MW-104	2/1/2007	NA	25.58	157.88	NA	132.30	NA	132.30	SHEEN
MW-104	2/9/2007	25.72	25.80	157.88	132.16	132.08	0.08	132.15	SHEEN
MW-104	2/16/2007	NA	NA	157.88	NA	NA	NA	NA	

TABLE 2**Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data****Building 8481****Fort George G. Meade**

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-104	2/22/2007	NA	25.84	157.88	NA	132.04	NA	132.04	SHEEN
MW-104	3/2/2007	26.15	26.16	157.88	131.73	131.72	0.01	131.73	SHEEN
MW-104	3/9/2007	NA	26.40	157.88	NA	131.48	NA	131.48	SHEEN
MW-104	3/16/2007	NA	26.09	157.88	NA	131.79	NA	131.79	SHEEN
MW-104	3/21/2007	NA	25.79	157.88	NA	132.09	NA	132.09	SHEEN
MW-104	3/30/2007	NA	25.38	157.88	NA	132.50	NA	132.50	SHEEN
MW-104	4/6/2007	25.21	25.22	157.88	132.67	132.66	0.01	132.67	
MW-104	4/13/2007	25.30	25.32	157.88	132.58	132.56	0.02	132.58	
MW-104	4/20/2007	NA	25.10	157.88	NA	132.78	NA	132.78	
MW-104	4/27/2007	NA	25.00	157.88	NA	132.88	NA	132.88	
MW-104	5/4/2007	NA	24.95	157.88	NA	132.93	NA	132.93	
MW-104	5/10/2007	NA	24.94	157.88	NA	132.94	NA	132.94	
MW-104	5/17/2007	NA	25.11	157.88	NA	132.77	NA	132.77	
MW-104	5/25/2007	25.19	25.21	157.88	132.69	132.67	0.02	132.69	
MW-104	5/31/2007	25.34	25.36	157.88	132.54	132.52	0.02	132.54	
MW-104	6/8/2007	NA	25.44	157.88	NA	132.44	NA	132.44	
MW-104	6/13/2007	25.51	25.53	157.88	132.37	132.35	0.02	132.37	
MW-104	6/22/2007	25.69	25.70	157.88	132.19	132.18	0.01	132.19	
MW-104	6/28/2007	25.82	25.83	157.88	132.06	132.05	0.01	132.06	
MW-104	7/6/2007	26.18	26.19	157.88	131.70	131.69	0.01	131.70	
MW-104	7/13/2007	NA	26.57	157.88	NA	131.31	NA	131.31	
MW-104	7/20/2007	NA	26.65	157.88	NA	131.23	NA	131.23	
MW-104	7/27/2007	NA	27.01	157.88	NA	130.87	NA	130.87	
MW-104	8/3/2007	NA	27.19	157.88	NA	130.69	NA	130.69	
MW-104	8/10/2007	NA	27.37	157.88	NA	130.51	NA	130.51	
MW-104	8/17/2007	NA	27.52	157.88	NA	130.36	NA	130.36	
MW-104	8/23/2007	NA	27.63	157.88	NA	130.25	NA	130.25	
MW-104	8/31/2007	NA	27.73	157.88	NA	130.15	NA	130.15	
MW-104	9/7/2007	27.75	27.78	157.88	130.13	130.10	0.03	130.13	
MW-104	9/14/2007	27.89	27.93	157.88	129.99	129.95	0.04	129.98	
MW-104	9/21/2007	28.03	28.10	157.88	129.85	129.78	0.07	129.84	
MW-104	9/28/2007	28.23	28.25	157.88	129.65	129.63	0.02	129.65	
MW-104	10/5/2007	28.39	28.43	157.88	129.49	129.45	0.04	129.48	
MW-104	10/11/2007	28.51	28.52	157.88	129.37	129.36	0.01	129.37	
MW-104	10/19/2007	NA	28.71	157.88	NA	129.17	NA	129.17	SHEEN

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-104	10/24/2007	28.84	28.85	157.88	129.04	129.03	0.01	129.04	
MW-104	10/31/2007	NA	28.11	157.88	NA	129.77	NA	129.77	
MW-104	11/7/2007	NA	28.03	157.88	NA	129.85	NA	129.85	SHEEN
MW-104	11/16/2007	NA	28.00	157.88	NA	129.88	NA	129.88	SHEEN
MW-104	11/21/2007	NA	27.93	157.88	NA	129.95	NA	129.95	
MW-104	11/29/2007	28.16	28.17	157.88	129.72	129.71	0.01	129.72	
MW-104	12/7/2007	NA	28.19	157.88	NA	129.69	NA	129.69	
MW-104	12/14/2007	28.01	28.02	157.88	129.87	129.86	0.01	129.87	
MW-104	12/21/2007	NA	27.93	157.88	NA	129.95	NA	129.95	
MW-104	12/27/2007	27.97	27.98	157.88	129.91	129.90	0.01	129.91	
MW-104	1/4/2008	NA	27.98	157.88	NA	129.90	NA	129.90	
MW-104	1/11/2008	NA	27.57	157.88	NA	130.31	NA	130.31	
MW-104	1/17/2008	NA	27.63	157.88	NA	130.25	NA	130.25	
MW-104	1/25/2008	NA	28.67	157.88	NA	129.21	NA	129.21	
MW-104	1/31/2008	27.69	27.70	157.88	130.19	130.18	0.01	130.19	
MW-104	2/7/2008	NA	27.25	157.88	NA	130.63	NA	130.63	
MW-104	2/14/2008	NA	27.11	157.88	NA	130.77	NA	130.77	
MW-104	2/21/2008	NA	28.33	157.88	NA	129.55	NA	129.55	
MW-104	2/28/2008	NA	27.10	157.88	NA	130.78	NA	130.78	
MW-104	3/6/2008	NA	26.35	157.88	NA	131.53	NA	131.53	
MW-104	3/13/2008	NA	25.87	157.88	NA	132.01	NA	132.01	
MW-104	3/20/2008	NA	25.96	157.88	NA	131.92	NA	131.92	
MW-104	3/27/2008	NA	25.97	157.88	NA	131.91	NA	131.91	Bio-sock in place
<hr/>									
MW-105	6/8/2000	NA	30.00	159.25	NA	129.25	NA	129.25	
MW-105	6/13/2000	NA	30.10	159.25	NA	129.15	NA	129.15	
MW-105	6/21/2000	NA	30.01	159.25	NA	129.24	NA	129.24	
MW-105	6/28/2000	NA	30.01	159.25	NA	129.24	NA	129.24	
MW-105	7/3/2000	NA	30.10	159.25	NA	129.15	NA	129.15	
MW-105	7/12/2000	NA	30.47	159.25	NA	128.78	NA	128.78	
MW-105	7/20/2000	NA	30.12	159.25	NA	129.13	NA	129.13	
MW-105	7/27/2000	NA	30.10	159.25	NA	129.15	NA	129.15	
MW-105	8/14/2000	NA	30.04	159.25	NA	129.21	NA	129.21	
MW-105	9/18/2000	NA	30.57	159.25	NA	128.68	NA	128.68	
MW-105	10/12/2000	NA	30.64	159.25	NA	128.61	NA	128.61	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-105	10/19/2000	NA	30.75	159.25	NA	128.50	NA	128.50	
MW-105	10/24/2000	NA	30.85	159.25	NA	128.40	NA	128.40	
MW-105	11/2/2000	NA	31.05	159.25	NA	128.20	NA	128.20	
MW-105	11/9/2000	NA	31.13	159.25	NA	128.12	NA	128.12	
MW-105	11/17/2000	NA	31.27	159.25	NA	127.98	NA	127.98	
MW-105	11/22/2000	NA	31.43	159.25	NA	127.82	NA	127.82	
MW-105	11/27/2000	NA	31.45	159.25	NA	127.80	NA	127.80	
MW-105	1/25/2001	NA	31.91	159.25	NA	127.34	NA	127.34	
MW-105	2/27/2001	NA	31.68	159.25	NA	127.57	NA	127.57	
MW-105	3/29/2001	NA	31.32	159.25	NA	127.93	NA	127.93	
MW-105	4/26/2001	NA	30.69	159.25	NA	128.56	NA	128.56	
MW-105	5/31/2001	NA	30.71	159.25	NA	128.54	NA	128.54	
MW-105	6/28/2001	NA	30.21	159.25	NA	129.04	NA	129.04	
MW-105	7/24/2001	NA	30.51	159.25	NA	128.74	NA	128.74	
MW-105	8/31/2001	NA	31.14	159.25	NA	128.11	NA	128.11	
MW-105	9/28/2001	NA	31.52	159.25	NA	127.73	NA	127.73	
MW-105	10/30/2001	NA	32.26	159.25	NA	126.99	NA	126.99	
MW-105	11/27/2001	NA	32.92	159.25	NA	126.33	NA	126.33	
MW-105	12/28/2001	NA	33.37	159.25	NA	125.88	NA	125.88	
MW-105	1/30/2002	NA	33.85	159.25	NA	125.40	NA	125.40	
MW-105	2/26/2002	NA	34.31	159.25	NA	124.94	NA	124.94	
MW-105	3/27/2002	NA	34.19	159.25	NA	125.06	NA	125.06	
MW-105	4/26/2002	NA	34.12	159.25	NA	125.13	NA	125.13	
MW-105	5/31/2002	NA	33.45	159.25	NA	125.80	NA	125.80	
MW-105	6/28/2002	NA	33.81	159.25	NA	125.44	NA	125.44	
MW-105	7/29/2002	NA	34.28	159.25	NA	124.97	NA	124.97	
MW-105	8/30/2002	NA	34.83	159.25	NA	124.42	NA	124.42	
MW-105	9/30/2002	NA	34.93	159.25	NA	124.32	NA	124.32	
MW-105	10/25/2002	NA	34.05	159.25	NA	125.20	NA	125.20	
MW-105	11/27/2002	NA	32.20	159.25	NA	127.05	NA	127.05	
MW-105	12/30/2002	NA	31.23	159.25	NA	128.02	NA	128.02	
MW-105	1/31/2003	NA	30.46	159.25	NA	128.79	NA	128.79	
MW-105	2/25/2003	NA	30.15	159.25	NA	129.10	NA	129.10	
MW-105	3/17/2003	NA	28.45	159.25	NA	130.80	NA	130.80	
MW-105	4/30/2003	NA	28.22	159.25	NA	131.03	NA	131.03	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-105	5/29/2003	NA	27.71	159.25	NA	131.54	NA	131.54	
MW-105	6/27/2003	NA	26.33	159.25	NA	132.92	NA	132.92	
MW-105	7/25/2003	NA	28.22	159.25	NA	131.03	NA	131.03	
MW-105	8/26/2003	NA	27.38	159.25	NA	131.87	NA	131.87	
MW-105	9/29/2003	NA	27.11	159.25	NA	132.14	NA	132.14	
MW-105	10/31/2003	NA	27.31	159.25	NA	131.94	NA	131.94	
MW-105	11/25/2003	NA	26.90	159.25	NA	132.35	NA	132.35	
MW-105	12/30/2003	NA	25.95	159.25	NA	133.30	NA	133.30	
MW-105	2/4/2004	NA	27.02	159.25	NA	132.23	NA	132.23	
MW-105	2/26/2004	NA	27.05	159.25	NA	132.20	NA	132.20	
MW-105	3/31/2004	NA	27.33	159.25	NA	131.92	NA	131.92	
MW-105	4/27/2004	NA	27.17	159.25	NA	132.08	NA	132.08	
MW-105	5/27/2004	NA	27.39	159.25	NA	131.86	NA	131.86	
MW-105	6/28/2004	NA	27.56	159.25	NA	131.69	NA	131.69	
MW-105	7/27/2004	NA	27.91	159.25	NA	131.34	NA	131.34	
MW-105	10/25/2004	NA	28.84	159.25	NA	130.41	NA	130.41	
MW-105	12/1/2004	NA	29.13	159.25	NA	130.12	NA	130.12	
MW-105	12/31/2004	NA	29.15	159.25	NA	130.10	NA	130.10	
MW-105	1/28/2005	NA	29.18	159.25	NA	130.07	NA	130.07	
MW-105	2/24/2005	NA	29.35	159.25	NA	129.90	NA	129.90	
MW-105	3/27/2005	NA	29.23	159.25	NA	130.02	NA	130.02	
MW-105	4/26/2005	NA	28.42	159.25	NA	130.83	NA	130.83	
MW-105	5/27/2005	NA	29.57	159.25	NA	129.68	NA	129.68	
MW-105	6/30/2005	NA	28.90	159.25	NA	130.35	NA	130.35	
MW-105	7/29/2005	NA	29.22	159.25	NA	130.03	NA	130.03	
MW-105	8/31/2005	NA	29.04	159.25	NA	130.21	NA	130.21	
MW-105	9/30/2005	NA	29.42	159.25	NA	129.83	NA	129.83	
MW-105	10/31/2005	NA	29.70	159.25	NA	129.55	NA	129.55	
MW-105	11/30/2005	NA	30.03	159.25	NA	129.22	NA	129.22	
MW-105	12/28/2005	NA	29.83	159.25	NA	129.42	NA	129.42	
KEMRON Assumes Control of Site 1st Quarter 2006									
MW-105	1/26/2006	NA	29.77	159.25	NA	129.48	NA	129.48	
MW-105	2/23/2006	NA	30.01	159.25	NA	129.24	NA	129.24	
MW-105	3/31/2006	NA	28.02	159.25	NA	131.23	NA	131.23	
MW-105	4/28/2006	NA	28.31	159.25	NA	130.94	NA	130.94	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-105	5/25/2006	NA	28.32	159.25	NA	130.93	NA	130.93	
MW-105	6/30/2006	NA	30.11	159.25	NA	129.14	NA	129.14	
MW-105	7/26/2006	NA	29.49	159.25	NA	129.76	NA	129.76	
MW-105	8/31/2006	NA	31.28	159.25	NA	127.97	NA	127.97	
MW-105	9/29/2006	NA	30.81	159.25	NA	128.44	NA	128.44	
MW-105	10/31/2006	NA	30.42	159.25	NA	128.83	NA	128.83	
MW-105	11/30/2006	NA	29.31	159.25	NA	129.94	NA	129.94	
MW-105	12/28/2006	NA	29.62	159.25	NA	129.63	NA	129.63	
MW-105	1/25/2007	NA	29.46	159.25	NA	129.79	NA	129.79	
MW-105	2/22/2007	NA	29.81	159.25	NA	129.44	NA	129.44	
MW-105	3/30/2007	NA	29.30	159.25	NA	129.95	NA	129.95	
MW-105	4/27/2007	NA	28.87	159.25	NA	130.38	NA	130.38	
MW-105	5/31/2007	NA	29.38	159.25	NA	129.87	NA	129.87	
MW-105	6/28/2007	NA	29.89	159.25	NA	129.36	NA	129.36	
MW-105	7/27/2007	NA	30.68	159.25	NA	128.57	NA	128.57	
MW-105	8/31/2007	NA	31.35	159.25	NA	127.90	NA	127.90	
MW-105	9/28/2007	NA	32.13	159.25	NA	127.12	NA	127.12	
MW-105	10/31/2007	NA	31.89	159.25	NA	127.36	NA	127.36	
MW-105	11/29/2007	NA	32.09	159.25	NA	127.16	NA	127.16	
MW-105	12/27/2007	NA	32.32	159.25	NA	126.93	NA	126.93	
MW-105	1/31/2008	NA	32.35	159.25	NA	126.90	NA	126.90	
MW-105	2/28/2008	NA	31.12	159.25	NA	128.13	NA	128.13	
MW-105	3/27/2008	NA	31.28	159.25	NA	127.97	NA	127.97	
<hr/>									
MW-110	6/8/2000	NA	38.05	168.94	NA	130.89	NA	130.89	
MW-110	6/13/2000	NA	28.15	168.94	NA	140.79	NA	140.79	
MW-110	6/21/2000	NA	38.14	168.94	NA	130.80	NA	130.80	
MW-110	6/28/2000	NA	38.20	168.94	NA	130.74	NA	130.74	
MW-110	7/3/2000	NA	38.20	168.94	NA	130.74	NA	130.74	
MW-110	7/12/2000	NA	31.04	168.94	NA	137.90	NA	137.90	
MW-110	7/20/2000	NA	38.36	168.94	NA	130.58	NA	130.58	
MW-110	7/27/2000	NA	38.40	168.94	NA	130.54	NA	130.54	
MW-110	8/14/2000	NA	38.23	168.94	NA	130.71	NA	130.71	
MW-110	9/18/2000	NA	37.69	168.94	NA	131.25	NA	131.25	
MW-110	10/12/2000	NA	38.82	168.94	NA	130.12	NA	130.12	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-110	10/19/2000	NA	38.87	168.94	NA	130.07	NA	130.07	
MW-110	10/24/2000	NA	38.96	168.94	NA	129.98	NA	129.98	
MW-110	11/2/2000	NA	39.11	168.94	NA	129.83	NA	129.83	
MW-110	11/9/2000	NA	38.20	168.94	NA	130.74	NA	130.74	
MW-110	11/17/2000	NA	39.34	168.94	NA	129.60	NA	129.60	
MW-110	11/22/2000	NA	39.51	168.94	NA	129.43	NA	129.43	
MW-110	11/27/2000	NA	39.55	168.94	NA	129.39	NA	129.39	
MW-110	1/25/2001	NA	40.44	168.94	NA	128.50	NA	128.50	
MW-110	2/27/2001	NA	40.28	168.94	NA	128.66	NA	128.66	
MW-110	3/29/2001	NA	39.97	168.94	NA	128.97	NA	128.97	
MW-110	4/26/2001	NA	39.02	168.94	NA	129.92	NA	129.92	
MW-110	5/31/2001	NA	38.09	168.94	NA	130.85	NA	130.85	
MW-110	6/28/2001	NA	38.26	168.94	NA	130.68	NA	130.68	
MW-110	7/24/2001	NA	38.54	168.94	NA	130.40	NA	130.40	
MW-110	8/31/2001	NA	39.19	168.94	NA	129.75	NA	129.75	
MW-110	9/28/2001	NA	39.56	168.94	NA	129.38	NA	129.38	
MW-110	10/30/2001	NA	40.25	168.94	NA	128.69	NA	128.69	
MW-110	11/27/2001	NA	40.82	168.94	NA	128.12	NA	128.12	
MW-110	12/28/2001	NA	41.40	168.94	NA	127.54	NA	127.54	
MW-110	1/30/2002	NA	42.17	168.94	NA	126.77	NA	126.77	
MW-110	2/26/2002	NA	42.81	168.94	NA	126.13	NA	126.13	
MW-110	3/27/2002	NA	43.01	168.94	NA	125.93	NA	125.93	
MW-110	4/26/2002	NA	43.10	168.94	NA	125.84	NA	125.84	
MW-110	5/31/2002	NA	42.23	168.94	NA	126.71	NA	126.71	
MW-110	6/28/2002	NA	42.48	168.94	NA	126.46	NA	126.46	
MW-110	7/29/2002	NA	42.82	168.94	NA	126.12	NA	126.12	
MW-110	8/30/2002	NA	43.35	168.94	NA	125.59	NA	125.59	
MW-110	9/30/2002	NA	43.42	168.94	NA	125.52	NA	125.52	
MW-110	10/25/2002	NA	42.75	168.94	NA	126.19	NA	126.19	
MW-110	11/27/2002	NA	40.54	168.94	NA	128.40	NA	128.40	
MW-110	12/30/2002	NA	39.26	168.94	NA	129.68	NA	129.68	
MW-110	1/31/2003	NA	38.17	168.94	NA	130.77	NA	130.77	
MW-110	2/25/2003	NA	38.39	168.94	NA	130.55	NA	130.55	
MW-110	3/17/2003	NA	36.63	168.94	NA	132.31	NA	132.31	
MW-110	4/30/2003	NA	36.31	168.94	NA	132.63	NA	132.63	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-110	5/29/2003	NA	36.13	168.94	NA	132.81	NA	132.81	
MW-110	6/27/2003	NA	35.03	168.94	NA	133.91	NA	133.91	
MW-110	7/25/2003	NA	36.31	168.94	NA	132.63	NA	132.63	
MW-110	8/26/2003	NA	36.62	168.94	NA	132.32	NA	132.32	
MW-110	9/29/2003	NA	35.71	168.94	NA	133.23	NA	133.23	
MW-110	10/31/2003	NA	35.78	168.94	NA	133.16	NA	133.16	
MW-110	11/25/2003	NA	35.36	168.94	NA	133.58	NA	133.58	
MW-110	12/30/2003	NA	34.28	168.94	NA	134.66	NA	134.66	
MW-110	2/4/2004	NA	35.11	168.94	NA	133.83	NA	133.83	
MW-110	2/26/2004	NA	35.30	168.94	NA	133.64	NA	133.64	
MW-110	3/31/2004	NA	35.56	168.94	NA	133.38	NA	133.38	
MW-110	4/27/2004	NA	35.56	168.94	NA	133.38	NA	133.38	
MW-110	5/27/2004	NA	35.72	168.94	NA	133.22	NA	133.22	
MW-110	6/28/2004	NA	35.82	168.94	NA	133.12	NA	133.12	
MW-110	7/27/2004	NA	36.13	168.94	NA	132.81	NA	132.81	
MW-110	10/25/2004	NA	37.01	168.94	NA	131.93	NA	131.93	
MW-110	12/1/2004	NA	37.46	168.94	NA	131.48	NA	131.48	
MW-110	12/31/2004	NA	37.50	168.94	NA	131.44	NA	131.44	
MW-110	1/28/2005	NA	37.57	168.94	NA	131.37	NA	131.37	
MW-110	2/24/2005	NA	37.70	168.94	NA	131.24	NA	131.24	
MW-110	3/27/2005	NA	37.81	168.94	NA	131.13	NA	131.13	
MW-110	4/26/2005	NA	36.64	168.94	NA	132.30	NA	132.30	
MW-110	5/27/2005	NA	36.91	168.94	NA	132.03	NA	132.03	
MW-110	6/30/2005	NA	37.10	168.94	NA	131.84	NA	131.84	
MW-110	7/29/2005	NA	37.51	168.94	NA	131.43	NA	131.43	
MW-110	8/31/2005	NA	37.51	168.94	NA	131.43	NA	131.43	
MW-110	9/30/2005	NA	37.79	168.94	NA	131.15	NA	131.15	
MW-110	10/31/2005	NA	38.02	168.94	NA	130.92	NA	130.92	
MW-110	11/30/2005	NA	38.43	168.94	NA	130.51	NA	130.51	
MW-110	12/28/2005	NA	38.35	168.94	NA	130.59	NA	130.59	
KEMRON Assumes Control of Site 1st Quarter 2006									
MW-110	1/26/2006	NA	38.29	168.94	NA	130.65	NA	130.65	
MW-110	2/23/2006	NA	37.50	168.94	NA	131.44	NA	131.44	
MW-110	3/31/2006	NA	36.98	168.94	NA	131.96	NA	131.96	
MW-110	4/28/2006	NA	36.70	168.94	NA	132.24	NA	132.24	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-110	5/25/2006	NA	36.59	168.94	NA	132.35	NA	132.35	
MW-110	6/30/2006	NA	37.30	168.94	NA	131.64	NA	131.64	
MW-110	7/26/2006	NA	37.74	168.94	NA	131.20	NA	131.20	
MW-110	8/31/2006	NA	38.77	168.94	NA	130.17	NA	130.17	
MW-110	9/29/2006	NA	38.56	168.94	NA	130.38	NA	130.38	
MW-110	10/31/2006	NA	38.55	168.94	NA	130.39	NA	130.39	
MW-110	11/30/2006	NA	37.05	168.94	NA	131.89	NA	131.89	
MW-110	12/28/2006	NA	36.83	168.94	NA	132.11	NA	132.11	
MW-110	1/25/2007	NA	37.31	168.94	NA	131.63	NA	131.63	
MW-110	2/22/2007	NA	37.56	168.94	NA	131.38	NA	131.38	
MW-110	3/30/2007	NA	37.41	168.94	NA	131.53	NA	131.53	
MW-110	4/27/2007	NA	37.16	168.94	NA	131.78	NA	131.78	
MW-110	5/31/2007	NA	37.43	168.94	NA	131.51	NA	131.51	
MW-110	6/28/2007	NA	37.83	168.94	NA	131.11	NA	131.11	
MW-110	7/27/2007	NA	38.68	168.94	NA	130.26	NA	130.26	
MW-110	8/31/2007	NA	39.61	168.94	NA	129.33	NA	129.33	
MW-110	9/28/2007	NA	40.31	168.94	NA	128.63	NA	128.63	
MW-110	10/31/2007	NA	40.67	168.94	NA	128.27	NA	128.27	
MW-110	11/29/2007	NA	40.78	168.94	NA	128.16	NA	128.16	
MW-110	12/27/2007	NA	40.74	168.94	NA	128.20	NA	128.20	
MW-110	1/31/2008	NA	40.64	168.94	NA	128.30	NA	128.30	
MW-110	2/28/2008	NA	39.83	168.94	NA	129.11	NA	129.11	
MW-110	3/27/2008	NA	39.39	168.94	NA	129.55	NA	129.55	
<hr/>									
MW-111	6/8/2000	NA	31.00	160.27	NA	129.27	NA	129.27	2 full socks, 2 new socks, 0.2 gal
MW-111	6/13/2000	NA	31.05	160.27	NA	129.22	NA	129.22	2 Socks, 3/4 full
MW-111	6/21/2000	NA	31.04	160.27	NA	129.23	NA	129.23	2 full socks, 2 new socks, 0.2 gal
MW-111	6/28/2000	NA	31.08	160.27	NA	129.19	NA	129.19	2 full sock, 2 new socks, 0.2 gal
MW-111	7/3/2000	NA	31.20	160.27	NA	129.07	NA	129.07	2 full socks, 2 new socks, 0.2 gal
MW-111	7/12/2000	NA	31.42	160.27	NA	128.85	NA	128.85	2 full socks, 2 new socks
MW-111	7/20/2000	NA	31.02	160.27	NA	129.25	NA	129.25	1 full sock, 1 new sock
MW-111	7/27/2000	NA	31.04	160.27	NA	129.23	NA	129.23	
MW-111	8/14/2000	30.97	31.00	160.27	129.30	129.27	0.03	129.30	
MW-111	9/18/2000	31.42	31.70	160.27	128.85	128.57	0.28	128.81	
MW-111	10/12/2000	31.49	31.80	160.27	128.78	128.47	0.31	128.74	4 New socks

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-111	10/19/2000	NA	31.76	160.27	NA	128.51	NA	128.51	4 full socks, 4 new socks
MW-111	10/24/2000	31.25	31.26	160.27	129.02	129.01	0.01	129.02	1 full sock, 1 new sock
MW-111	11/2/2000	NA	31.89	160.27	NA	128.38	NA	128.38	.025 gallons removed, 1 new sock
MW-111	11/9/2000	NA	31.99	160.27	NA	128.28	NA	128.28	.0125 gallons removed, 1 new sock
MW-111	11/17/2000	31.25	32.13	160.27	129.02	128.14	0.88	128.90	.0125 gallons removed, 1 new sock
MW-111	11/22/2000	NA	32.30	160.27	NA	127.97	NA	127.97	.025 gallons removed, 1 new sock
MW-111	11/27/2000	NA	32.31	160.27	NA	127.96	NA	127.96	.025 gallons removed, 1 new sock
MW-111	12/6/2000	NA	32.52	160.27	NA	127.75	NA	127.75	.05 gallons removed, 1 new sock
MW-111	12/14/2000	NA	32.60	160.27	NA	127.67	NA	127.67	.05 gallons removed, 1 new sock
MW-111	12/21/2000	NA	32.61	160.27	NA	127.66	NA	127.66	.025 gallons removed, 1 new sock
MW-111	12/28/2000	NA	32.66	160.27	NA	127.61	NA	127.61	.033 gallons removed, 1 new sock
MW-111	1/5/2001	NA	32.58	160.27	NA	127.69	NA	127.69	.05 gallons removed, 1 new sock
MW-111	1/10/2001	NA	32.90	160.27	NA	127.37	NA	127.37	.05 gallons removed, 1 new sock
MW-111	1/16/2001	NA	33.01	160.27	NA	127.26	NA	127.26	.05 gallons removed, 1 new sock
MW-111	1/24/2001	NA	32.87	160.27	NA	127.40	NA	127.40	.0125 gallons removed, 1 new sock
MW-111	2/1/2001	NA	32.94	160.27	NA	127.33	NA	127.33	.0125 gallons removed
MW-111	2/9/2001	NA	32.83	160.27	NA	127.44	NA	127.44	.033 gallons removed
MW-111	2/15/2001	NA	32.85	160.27	NA	127.42	NA	127.42	.033 gallons removed
MW-111	2/22/2001	32.82	32.83	160.27	127.45	127.44	0.01	127.45	.025 gallons removed
MW-111	2/27/2001	32.69	32.70	160.27	127.58	127.57	0.01	127.58	.025 gallons removed
MW-111	3/8/2001	NA	32.75	160.27	NA	127.52	NA	127.52	.033 gallons removed
MW-111	3/16/2001	NA	32.74	160.27	NA	127.53	NA	127.53	.033 gallons removed
MW-111	3/23/2001	NA	32.50	160.27	NA	127.77	NA	127.77	.075 gallons removed
MW-111	3/29/2001	34.23	34.24	160.27	126.04	126.03	0.01	126.04	.0125 gallons removed
MW-111	4/6/2001	NA	32.01	160.27	NA	128.26	NA	128.26	.075 gallons removed
MW-111	4/13/2001	NA	31.84	160.27	NA	128.43	NA	128.43	.05 gallons removed
MW-111	4/20/2001	NA	31.79	160.27	NA	128.48	NA	128.48	.05 gallons removed
MW-111	4/26/2001	NA	31.73	160.27	NA	128.54	NA	128.54	.05 gallons removed
MW-111	5/2/2001	NA	31.74	160.27	NA	128.53	NA	128.53	.067 gallons removed
MW-111	5/11/2001	NA	31.80	160.27	NA	128.47	NA	128.47	.075 gallons removed
MW-111	5/18/2001	NA	31.93	160.27	NA	128.34	NA	128.34	.075 gallons removed
MW-111	5/24/2001	NA	31.95	160.27	NA	128.32	NA	128.32	.025 gallons removed
MW-111	5/31/2001	NA	31.72	160.27	NA	128.55	NA	128.55	.033 gallons removed
MW-111	6/6/2001	NA	31.57	160.27	NA	128.70	NA	128.70	.0125 gallons removed
MW-111	6/13/2001	NA	31.26	160.27	NA	129.01	NA	129.01	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-111	6/21/2001	NA	31.27	160.27	NA	129.00	NA	129.00	.00625 gallons removed
MW-111	6/28/2001	NA	31.18	160.27	NA	129.09	NA	129.09	.025 gallons removed
MW-111	7/3/2001	NA	31.23	160.27	NA	129.04	NA	129.04	.025 gallons removed
MW-111	7/11/2001	NA	31.20	160.27	NA	129.07	NA	129.07	.025 gallons removed
MW-111	7/19/2001	NA	31.40	160.27	NA	128.87	NA	128.87	.1 gallons removed
MW-111	7/24/2001	NA	31.41	160.27	NA	128.86	NA	128.86	.05 gallons removed
MW-111	8/1/2001	NA	30.74	160.27	NA	129.53	NA	129.53	.075 gallons removed
MW-111	8/10/2001	NA	30.71	160.27	NA	129.56	NA	129.56	.075 gallons removed
MW-111	8/16/2001	NA	31.82	160.27	NA	128.45	NA	128.45	.075 gallons removed
MW-111	8/22/2001	NA	31.74	160.27	NA	128.53	NA	128.53	.075 gallons removed
MW-111	8/31/2001	NA	32.02	160.27	NA	128.25	NA	128.25	0.1 gallons removed
MW-111	9/4/2001	NA	32.03	160.27	NA	128.24	NA	128.24	.075 gallons removed
MW-111	9/28/2001	32.40	32.42	160.27	127.87	127.85	0.02	127.87	0.1 gallons removed
MW-111	10/2/2001	NA	32.49	160.27	NA	127.78	NA	127.78	0.075 gallons removed
MW-111	10/9/2001	NA	32.66	160.27	NA	127.61	NA	127.61	.05 gallons removed
MW-111	10/18/2001	NA	32.85	160.27	NA	127.42	NA	127.42	0.025 gallons removed
MW-111	10/26/2001	NA	32.99	160.27	NA	127.28	NA	127.28	0.025 gallons removed
MW-111	10/30/2001	NA	33.15	160.27	NA	127.12	NA	127.12	0.075 gallons removed
MW-111	11/2/2001	NA	32.49	160.27	NA	127.78	NA	127.78	
MW-111	11/5/2001	33.14	33.17	160.27	127.13	127.10	0.03	127.13	
MW-111	11/13/2001	32.42	33.47	160.27	127.85	126.80	1.05	127.70	
MW-111	11/20/2001	33.60	33.66	160.27	126.67	126.61	0.06	126.66	
MW-111	11/27/2001	33.75	33.84	160.27	126.52	126.43	0.09	126.51	
MW-111	12/5/2001	33.95	34.05	160.27	126.32	126.22	0.10	126.31	
MW-111	12/14/2001	33.97	34.07	160.27	126.30	126.20	0.10	126.29	
MW-111	12/19/2001	34.06	34.20	160.27	126.21	126.07	0.14	126.19	
MW-111	12/28/2001	34.22	34.38	160.27	126.05	125.89	0.16	126.03	
MW-111	1/3/2002	34.36	34.50	160.27	125.91	125.77	0.14	125.89	
MW-111	1/11/2002	34.52	34.67	160.27	125.75	125.60	0.15	125.73	
MW-111	1/17/2002	34.53	34.68	160.27	125.74	125.59	0.15	125.72	
MW-111	1/24/2002	34.68	34.76	160.27	125.59	125.51	0.08	125.58	
MW-111	1/30/2002	34.76	34.91	160.27	125.51	125.36	0.15	125.49	
MW-111	2/7/2002	34.83	35.02	160.27	125.44	125.25	0.19	125.41	
MW-111	2/12/2002	35.05	35.25	160.27	125.22	125.02	0.20	125.19	
MW-111	2/22/2002	35.05	35.26	160.27	125.22	125.01	0.21	125.19	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	Comments
MW-111	2/26/2002	35.21	35.43	160.27	125.06	124.84	0.22	125.03	
MW-111	3/7/2002	35.33	35.53	160.27	124.94	124.74	0.20	124.91	
MW-111	3/13/2002	35.30	35.49	160.27	124.97	124.78	0.19	124.94	
MW-111	3/21/2002	35.31	35.38	160.27	124.96	124.89	0.07	124.95	
MW-111	3/27/2002	35.33	35.45	160.27	124.94	124.82	0.12	124.92	
MW-111	4/5/2002	35.31	35.34	160.27	124.96	124.93	0.03	124.96	
MW-111	4/9/2002	35.27	35.31	160.27	125.00	124.96	0.04	124.99	
MW-111	4/16/2002	35.35	35.55	160.27	124.92	124.72	0.20	124.89	
MW-111	4/26/2002	35.18	35.25	160.27	125.09	125.02	0.07	125.08	
MW-111	4/30/2002	35.01	35.06	160.27	125.26	125.21	0.05	125.25	
MW-111	5/6/2002	34.67	34.69	160.27	125.60	125.58	0.02	125.60	
MW-111	5/17/2002	34.46	34.90	160.27	125.81	125.37	0.44	125.75	
MW-111	5/24/2002	34.45	34.50	160.27	125.82	125.77	0.05	125.81	
MW-111	5/31/2002	34.48	34.51	160.27	125.79	125.76	0.03	125.79	
MW-111	6/7/2002	34.35	34.38	160.27	125.92	125.89	0.03	125.92	
MW-111	6/11/2002	34.58	34.78	160.27	125.69	125.49	0.20	125.66	
MW-111	6/21/2002	34.71	34.92	160.27	125.56	125.35	0.21	125.53	
MW-111	6/28/2002	34.79	35.05	160.27	125.48	125.22	0.26	125.44	
MW-111	7/3/2002	34.88	35.16	160.27	125.39	125.11	0.28	125.35	
MW-111	7/9/2002	34.81	35.09	160.27	125.46	125.18	0.28	125.42	
MW-111	7/17/2002	35.05	35.37	160.27	125.22	124.90	0.32	125.18	
MW-111	7/23/2002	35.19	35.52	160.27	125.08	124.75	0.33	125.03	
MW-111	7/29/2002	35.21	35.54	160.27	125.06	124.73	0.33	125.01	
MW-111	8/7/2002	35.38	35.76	160.27	124.89	124.51	0.38	124.84	
MW-111	8/16/2002	35.55	35.95	160.27	124.72	124.32	0.40	124.66	
MW-111	8/23/2002	35.66	36.06	160.27	124.61	124.21	0.40	124.55	
MW-111	8/30/2002	35.71	36.02	160.27	124.56	124.25	0.31	124.52	
MW-111	9/6/2002	35.64	35.92	160.27	124.63	124.35	0.28	124.59	
MW-111	9/11/2002	35.68	36.02	160.27	124.59	124.25	0.34	124.54	
MW-111	9/17/2002	35.78	36.18	160.27	124.49	124.09	0.40	124.43	
MW-111	9/25/2002	35.93	36.34	160.27	124.34	123.93	0.41	124.28	
MW-111	9/30/2002	35.83	36.13	160.27	124.44	124.14	0.30	124.40	
MW-111	10/10/2002	35.85	36.15	160.27	124.42	124.12	0.30	124.38	
MW-111	10/15/2002	35.84	36.14	160.27	124.43	124.13	0.30	124.39	
MW-111	10/25/2002	35.10	35.25	160.27	125.17	125.02	0.15	125.15	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	Comments
MW-111	10/31/2002	35.06	35.23	160.27	125.21	125.04	0.17	125.19	
MW-111	11/4/2002	34.57	34.71	160.27	125.70	125.56	0.14	125.68	
MW-111	11/12/2002	33.75	33.87	160.27	126.52	126.40	0.12	126.50	
MW-111	11/21/2002	33.56	33.70	160.27	126.71	126.57	0.14	126.69	
MW-111	11/27/2002	33.28	33.45	160.27	126.99	126.82	0.17	126.97	
MW-111	12/2/2002	33.17	33.30	160.27	127.10	126.97	0.13	127.08	
MW-111	12/13/2002	33.11	33.25	160.27	127.16	127.02	0.14	127.14	
MW-111	12/20/2002	32.63	32.74	160.27	127.64	127.53	0.11	127.62	
MW-111	12/27/2002	32.61	32.73	160.27	127.66	127.54	0.12	127.64	
MW-111	12/30/2002	32.31	32.53	160.27	127.96	127.74	0.22	127.93	.1 gallons removed
MW-111	1/10/2003	31.63	31.91	160.27	128.64	128.36	0.28	128.60	
MW-111	1/17/2003	31.47	31.71	160.27	128.80	128.56	0.24	128.77	.1 gallons removed
MW-111	1/22/2003	31.46	31.69	160.27	128.81	128.58	0.23	128.78	.1 gallons removed
MW-111	1/31/2003	31.38	31.65	160.27	128.89	128.62	0.27	128.85	.1 gallons removed
MW-111	2/5/2003	31.62	31.87	160.27	128.65	128.40	0.25	128.62	
MW-111	2/13/2003	31.66	31.88	160.27	128.61	128.39	0.22	128.58	
MW-111	2/25/2003	31.21	31.35	160.27	129.06	128.92	0.14	129.04	
MW-111	3/4/2003	30.46	30.50	160.27	129.81	129.77	0.04	129.80	
MW-111	3/14/2003	29.85	29.98	160.27	130.42	130.29	0.13	130.40	
MW-111	3/17/2003	29.63	29.74	160.27	130.64	130.53	0.11	130.62	
MW-111	3/28/2003	29.61	29.73	160.27	130.66	130.54	0.12	130.64	
MW-111	4/3/2000	29.35	29.95	160.27	130.92	130.32	0.60	130.84	
MW-111	4/10/2003	29.27	29.35	160.27	131.00	130.92	0.08	130.99	
MW-111	4/18/2003	29.24	29.32	160.27	131.03	130.95	0.08	131.02	
MW-111	4/25/2003	29.24	29.32	160.27	131.03	130.95	0.08	131.02	
MW-111	4/30/2003	29.17	29.29	160.27	131.10	130.98	0.12	131.08	
MW-111	5/9/2003	29.17	29.25	160.27	131.10	131.02	0.08	131.09	
MW-111	5/13/2003	29.15	29.23	160.27	131.12	131.04	0.08	131.11	
MW-111	5/20/2003	29.18	29.31	160.27	131.09	130.96	0.13	131.07	
MW-111	5/29/2003	28.78	28.91	160.27	131.49	131.36	0.13	131.47	
MW-111	6/6/2003	28.71	28.89	160.27	131.56	131.38	0.18	131.53	
MW-111	6/13/2003	28.61	28.70	160.27	131.66	131.57	0.09	131.65	
MW-111	6/18/2003	28.73	28.89	160.27	131.54	131.38	0.16	131.52	
MW-111	6/27/2003	27.88	27.91	160.27	132.39	132.36	0.03	132.39	
MW-111	7/2/2003	27.83	27.86	160.27	132.44	132.41	0.03	132.44	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	Comments
MW-111	7/7/2003	27.82	27.84	160.27	132.45	132.43	0.02	132.45	
MW-111	7/14/2003	27.65	27.67	160.27	132.62	132.60	0.02	132.62	
MW-111	7/25/2003	29.17	29.29	160.27	131.10	130.98	0.12	131.08	
MW-111	7/29/2003	29.16	29.27	160.27	131.11	131.00	0.11	131.09	
MW-111	8/8/2003	29.15	29.25	160.27	131.12	131.02	0.10	131.11	
MW-111	8/15/2003	27.95	28.07	160.27	132.32	132.20	0.12	132.30	
MW-111	8/19/2003	28.08	28.12	160.27	132.19	132.15	0.04	132.18	
MW-111	8/26/2003	28.18	28.31	160.27	132.09	131.96	0.13	132.07	
MW-111	9/4/2003	28.19	28.31	160.27	132.08	131.96	0.12	132.06	
MW-111	9/9/2003	28.16	28.27	160.27	132.11	132.00	0.11	132.09	
MW-111	9/18/2003	28.15	28.25	160.27	132.12	132.02	0.10	132.11	
MW-111	9/26/2003	28.13	28.18	160.27	132.14	132.09	0.05	132.13	
MW-111	9/29/2003	28.08	28.20	160.27	132.19	132.07	0.12	132.17	
MW-111	10/3/2003	28.07	28.17	160.27	132.20	132.10	0.10	132.19	
MW-111	10/10/2003	28.11	28.22	160.27	132.16	132.05	0.11	132.14	
MW-111	10/15/2003	28.05	28.16	160.27	132.22	132.11	0.11	132.20	
MW-111	10/21/2003	28.10	28.21	160.27	132.17	132.06	0.11	132.15	
MW-111	10/31/2003	28.18	28.25	160.27	132.09	132.02	0.07	132.08	
MW-111	11/4/2003	28.16	28.22	160.27	132.11	132.05	0.06	132.10	
MW-111	11/10/2003	28.13	28.17	160.27	132.14	132.10	0.04	132.13	
MW-111	11/17/2003	28.13	28.17	160.27	132.14	132.10	0.04	132.13	
MW-111	11/25/2003	27.88	28.02	160.27	132.39	132.25	0.14	132.37	
MW-111	12/4/2003	27.80	27.91	160.27	132.47	132.36	0.11	132.45	
MW-111	12/8/2003	27.79	27.90	160.27	132.48	132.37	0.11	132.46	
MW-111	12/18/2003	27.78	27.89	160.27	132.49	132.38	0.11	132.47	
MW-111	12/23/2003	27.32	27.40	160.27	132.95	132.87	0.08	132.94	
MW-111	12/30/2003	27.35	27.42	160.27	132.92	132.85	0.07	132.91	
MW-111	1/5/2004	27.30	27.37	160.27	132.97	132.90	0.07	132.96	
MW-111	1/16/2004	27.28	27.34	160.27	132.99	132.93	0.06	132.98	
MW-111	1/23/2004	27.30	27.35	160.27	132.97	132.92	0.05	132.96	
MW-111	2/4/2004	27.78	27.95	160.27	132.49	132.32	0.17	132.47	
MW-111	2/11/2004	27.67	27.75	160.27	132.60	132.52	0.08	132.59	
MW-111	2/19/2004	27.69	27.74	160.27	132.58	132.53	0.05	132.57	
MW-111	2/26/2004	27.80	27.95	160.27	132.47	132.32	0.15	132.45	
MW-111	3/4/2004	27.85	27.98	160.27	132.42	132.29	0.13	132.40	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	Comments
MW-111	3/10/2004	27.87	28.00	160.27	132.40	132.27	0.13	132.38	
MW-111	3/18/2004	27.95	28.10	160.27	132.32	132.17	0.15	132.30	
MW-111	3/23/2004	27.74	27.89	160.27	132.53	132.38	0.15	132.51	
MW-111	3/31/2004	27.98	28.06	160.27	132.29	132.21	0.08	132.28	
MW-111	4/7/2004	28.00	28.07	160.27	132.27	132.20	0.07	132.26	
MW-111	4/14/2004	28.05	28.11	160.27	132.22	132.16	0.06	132.21	
MW-111	4/23/2004	27.91	28.01	160.27	132.36	132.26	0.10	132.35	
MW-111	4/27/2004	27.84	27.93	160.27	132.43	132.34	0.09	132.42	
MW-111	5/6/2004	27.80	27.90	160.27	132.47	132.37	0.10	132.46	
MW-111	5/13/2004	27.87	27.98	160.27	132.40	132.29	0.11	132.38	
MW-111	5/18/2004	27.90	28.00	160.27	132.37	132.27	0.10	132.36	
MW-111	5/27/2004	28.00	28.13	160.27	132.27	132.14	0.13	132.25	
MW-111	6/2/2004	27.98	28.15	160.27	132.29	132.12	0.17	132.27	
MW-111	6/17/2004	27.98	28.08	160.27	132.29	132.19	0.10	132.28	
MW-111	6/25/2004	27.95	28.05	160.27	132.32	132.22	0.10	132.31	
MW-111	6/28/2004	27.14	27.31	160.27	133.13	132.96	0.17	133.11	
MW-111	7/8/2004	25.15	25.33	160.27	135.12	134.94	0.18	135.09	
MW-111	7/14/2004	26.20	26.33	160.27	134.07	133.94	0.13	134.05	
MW-111	7/20/2004	27.25	27.33	160.27	133.02	132.94	0.08	133.01	
MW-111	7/27/2004	28.45	28.60	160.27	131.82	131.67	0.15	131.80	
MW-111	8/3/2004	28.22	28.34	160.27	132.05	131.93	0.12	132.03	
MW-111	8/19/2004	28.27	28.41	160.27	132.00	131.86	0.14	131.98	
MW-111	9/15/2004	27.76	27.91	160.27	132.51	132.36	0.15	132.49	
MW-111	10/7/2004	29.09	29.31	160.27	131.18	130.96	0.22	131.15	
MW-111	10/14/2004	29.10	29.35	160.27	131.17	130.92	0.25	131.14	
MW-111	10/25/2004	29.39	29.63	160.27	130.88	130.64	0.24	130.85	
MW-111	10/29/2004	29.41	29.60	160.27	130.86	130.67	0.19	130.83	
MW-111	11/3/2004	29.64	29.94	160.27	130.63	130.33	0.30	130.59	
MW-111	11/22/2004	29.69	29.92	160.27	130.58	130.35	0.23	130.55	
MW-111	12/1/2004	29.78	29.99	160.27	130.49	130.28	0.21	130.46	
MW-111	12/6/2004	29.79	30.02	160.27	130.48	130.25	0.23	130.45	
MW-111	12/14/2004	29.92	30.25	160.27	130.35	130.02	0.33	130.30	
MW-111	12/23/2004	29.72	29.91	160.27	130.55	130.36	0.19	130.52	
MW-111	12/31/2004	29.83	30.08	160.27	130.44	130.19	0.25	130.41	
MW-111	1/7/2005	29.99	30.31	160.27	130.28	129.96	0.32	130.24	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	Comments
MW-111	1/13/2005	29.98	30.28	160.27	130.29	129.99	0.30	130.25	
MW-111	1/20/2005	29.69	29.93	160.27	130.58	130.34	0.24	130.55	
MW-111	1/28/2005	29.90	30.15	160.27	130.37	130.12	0.25	130.34	
MW-111	2/4/2005	29.78	30.03	160.27	130.49	130.24	0.25	130.46	
MW-111	2/12/2005	29.82	30.07	160.27	130.45	130.20	0.25	130.42	
MW-111	2/18/2005	30.03	30.33	160.27	130.24	129.94	0.30	130.20	
MW-111	2/24/2005	30.01	30.29	160.27	130.26	129.98	0.28	130.22	
MW-111	3/3/2005	30.09	30.45	160.27	130.18	129.82	0.36	130.13	
MW-111	3/10/2005	30.08	30.42	160.27	130.19	129.85	0.34	130.14	
MW-111	3/16/2005	30.07	30.40	160.27	130.20	129.87	0.33	130.15	
MW-111	3/22/2005	30.07	30.38	160.27	130.20	129.89	0.31	130.16	
MW-111	3/27/2005	30.06	30.34	160.27	130.21	129.93	0.28	130.17	
MW-111	4/5/2005	29.39	29.64	160.27	130.88	130.63	0.25	130.85	
MW-111	4/13/2005	28.98	29.27	160.27	131.29	131.00	0.29	131.25	
MW-111	4/21/2005	28.92	29.22	160.27	131.35	131.05	0.30	131.31	
MW-111	4/26/2005	28.97	29.29	160.27	131.30	130.98	0.32	131.26	
MW-111	5/5/2005	29.11	29.41	160.27	131.16	130.86	0.30	131.12	
MW-111	5/13/2005	29.16	29.49	160.27	131.11	130.78	0.33	131.06	
MW-111	5/20/2005	29.25	29.54	160.27	131.02	130.73	0.29	130.98	
MW-111	5/27/2005	29.31	29.63	160.27	130.96	130.64	0.32	130.92	
MW-111	6/3/2005	29.32	29.63	160.27	130.95	130.64	0.31	130.91	
MW-111	6/10/2005	29.35	29.70	160.27	130.92	130.57	0.35	130.87	
MW-111	6/17/2005	29.37	29.71	160.27	130.90	130.56	0.34	130.85	
MW-111	6/23/2005	29.45	29.78	160.27	130.82	130.49	0.33	130.77	
MW-111	6/30/2005	29.55	29.90	160.27	130.72	130.37	0.35	130.67	
MW-111	7/8/2005	29.67	30.00	160.27	130.60	130.27	0.33	130.55	
MW-111	7/15/2005	29.77	30.14	160.27	130.50	130.13	0.37	130.45	
MW-111	7/22/2005	29.75	30.12	160.27	130.52	130.15	0.37	130.47	
MW-111	7/29/2005	29.87	30.26	160.27	130.40	130.01	0.39	130.35	
MW-111	8/8/2005	29.81	30.20	160.27	130.46	130.07	0.39	130.41	
MW-111	8/15/2005	29.83	30.21	160.27	130.44	130.06	0.38	130.39	
MW-111	8/25/2005	29.82	30.19	160.27	130.45	130.08	0.37	130.40	
MW-111	8/31/2005	29.79	30.17	160.27	130.48	130.10	0.38	130.43	
MW-111	9/9/2005	30.12	30.62	160.27	130.15	129.65	0.50	130.08	
MW-111	9/16/2005	30.29	30.81	160.27	129.98	129.46	0.52	129.91	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	Comments
MW-111	9/23/2005	30.52	31.10	160.27	129.75	129.17	0.58	129.67	
MW-111	9/30/2005	30.05	30.56	160.27	130.22	129.71	0.51	130.15	
MW-111	10/7/2005	30.10	30.62	160.27	130.17	129.65	0.52	130.10	
MW-111	10/14/2005	30.17	30.68	160.27	130.10	129.59	0.51	130.03	
MW-111	10/24/2005	30.31	30.80	160.27	129.96	129.47	0.49	129.89	
MW-111	10/31/2005	30.35	30.88	160.27	129.92	129.39	0.53	129.85	
MW-111	11/8/2005	30.39	30.91	160.27	129.88	129.36	0.52	129.81	
MW-111	11/14/2005	30.35	30.85	160.27	129.92	129.42	0.50	129.85	
MW-111	11/21/2005	30.35	30.86	160.27	129.92	129.41	0.51	129.85	
MW-111	11/30/2005	30.71	31.32	160.27	129.56	128.95	0.61	129.47	
MW-111	12/5/2005	30.78	31.34	160.27	129.49	128.93	0.56	129.41	
MW-111	12/9/2005	30.76	31.33	160.27	129.51	128.94	0.57	129.43	
MW-111	12/16/2005	30.71	31.30	160.27	129.56	128.97	0.59	129.48	
MW-111	12/22/2005	30.77	31.35	160.27	129.50	128.92	0.58	129.42	
MW-111	12/28/2005	30.65	31.23	160.27	129.62	129.04	0.58	129.54	
KEMRON Assumes Control of Site 1st Quarter 2006									
MW-111	1/5/2006	30.56	31.12	160.27	129.71	129.15	0.56	129.63	
MW-111	1/12/2006	30.53	31.12	160.27	129.74	129.15	0.59	129.66	
MW-111	1/19/2006	30.66	31.28	160.27	129.61	128.99	0.62	129.52	
MW-111	1/26/2006	30.59	31.99	160.27	129.68	128.28	1.40	129.48	
MW-111	2/2/2006	30.33	30.93	160.27	129.94	129.34	0.60	129.86	
MW-111	2/9/2006	30.16	30.69	160.27	130.11	129.58	0.53	130.04	
MW-111	2/16/2006	30.02	30.61	160.27	130.25	129.66	0.59	130.17	
MW-111	2/23/2006	29.89	30.54	160.27	130.38	129.73	0.65	130.29	
MW-111	3/2/2006	29.70	30.31	160.27	130.57	129.96	0.61	130.48	
MW-111	3/9/2006	31.58	32.04	160.27	128.69	128.23	0.46	128.63	
MW-111	3/16/2006	29.51	30.18	160.27	130.76	130.09	0.67	130.67	
MW-111	3/23/2006	29.55	29.93	160.27	130.72	130.34	0.38	130.67	
MW-111	3/31/2006	29.34	29.58	160.27	130.93	130.69	0.24	130.90	
MW-111	4/6/2006	29.52	29.66	160.27	130.75	130.61	0.14	130.73	
MW-111	4/14/2006	29.05	29.20	160.27	131.22	131.07	0.15	131.20	
MW-111	4/21/2006	29.02	29.29	160.27	131.25	130.98	0.27	131.21	
MW-111	4/28/2006	28.95	29.23	160.27	131.32	131.04	0.28	131.28	
MW-111	5/4/2006	28.94	29.15	160.27	131.33	131.12	0.21	131.30	
MW-111	5/12/2006	28.98	29.24	160.27	131.29	131.03	0.26	131.25	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	Comments
MW-111	5/18/2006	28.93	29.23	160.27	131.34	131.04	0.30	131.30	
MW-111	5/25/2006	29.15	29.50	160.27	131.12	130.77	0.35	131.07	
MW-111	6/2/2006	28.95	29.20	160.27	131.32	131.07	0.25	131.29	
MW-111	6/9/2006	29.57	29.92	160.27	130.70	130.35	0.35	130.65	
MW-111	6/16/2006	30.15	30.41	160.27	130.12	129.86	0.26	130.08	
MW-111	6/23/2006	30.53	30.76	160.27	129.74	129.51	0.23	129.71	
MW-111	6/30/2006	30.26	30.49	160.27	130.01	129.78	0.23	129.98	
MW-111	7/7/2006	30.32	30.54	160.27	129.95	129.73	0.22	129.92	
MW-111	7/13/2006	30.35	30.63	160.27	129.92	129.64	0.28	129.88	
MW-111	7/19/2006	30.60	30.85	160.27	129.67	129.42	0.25	129.64	
MW-111	7/26/2006	30.79	31.06	160.27	129.48	129.21	0.27	129.44	
MW-111	8/4/2006	31.07	31.44	160.27	129.20	128.83	0.37	129.15	
MW-111	8/11/2006	31.31	31.72	160.27	128.96	128.55	0.41	128.90	
MW-111	8/17/2006	31.56	31.76	160.27	128.71	128.51	0.20	128.68	
MW-111	8/23/2006	31.73	32.01	160.27	128.54	128.26	0.28	128.50	
MW-111	8/31/2006	32.06	32.41	160.27	128.21	127.86	0.35	128.16	
MW-111	9/8/2006	31.61	31.76	160.27	128.66	128.51	0.15	128.64	
MW-111	9/15/2006	31.45	31.65	160.27	128.82	128.62	0.20	128.79	
MW-111	9/22/2006	31.47	31.68	160.27	128.80	128.59	0.21	128.77	
MW-111	9/29/2006	31.55	31.84	160.27	128.72	128.43	0.29	128.68	
MW-111	10/6/2006	31.62	31.96	160.27	128.65	128.31	0.34	128.60	
MW-111	10/12/2006	33.43	33.65	160.27	126.84	126.62	0.22	126.81	
MW-111	10/19/2006	31.64	31.78	160.27	128.63	128.49	0.14	128.61	
MW-111	10/27/2006	31.60	31.88	160.27	128.67	128.39	0.28	128.63	
MW-111	10/31/2006	31.49	31.65	160.27	128.78	128.62	0.16	128.76	
MW-111	11/9/2006	31.03	31.22	160.27	129.24	129.05	0.19	129.21	
MW-111	11/17/2006	30.77	30.94	160.27	129.50	129.33	0.17	129.48	
MW-111	11/21/2006	30.52	30.58	160.27	129.75	129.69	0.06	129.74	
MW-111	11/30/2006	29.98	30.04	160.27	130.29	130.23	0.06	130.28	
MW-111	12/8/2006	30.09	30.22	160.27	130.18	130.05	0.13	130.16	
MW-111	12/14/2006	30.05	30.13	160.27	130.22	130.14	0.08	130.21	
MW-111	12/20/2006	30.29	30.41	160.27	129.98	129.86	0.12	129.96	
MW-111	12/28/2006	30.42	30.53	160.27	129.85	129.74	0.11	129.83	
MW-111	1/4/2007	30.36	30.41	160.27	129.91	129.86	0.05	129.90	
MW-111	1/12/2007	30.36	30.40	160.27	129.91	129.87	0.04	129.90	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	Comments
MW-111	1/19/2007	30.20	30.28	160.27	130.07	129.99	0.08	130.06	
MW-111	1/25/2007	30.29	30.37	160.27	129.98	129.90	0.08	129.97	
MW-111	2/1/2007	30.43	30.47	160.27	129.84	129.80	0.04	129.83	
MW-111	2/9/2007	30.61	30.67	160.27	129.66	129.60	0.06	129.65	
MW-111	2/16/2007	30.72	30.85	160.27	129.55	129.42	0.13	129.53	
MW-111	2/22/2007	30.64	30.67	160.27	129.63	129.60	0.03	129.63	
MW-111	3/2/2007	30.62	30.71	160.27	129.65	129.56	0.09	129.64	
MW-111	3/9/2007	NA	30.79	160.27	NA	129.48	NA	129.48	
MW-111	3/16/2007	NA	30.57	160.27	NA	129.70	NA	129.70	
MW-111	3/21/2007	30.47	30.48	160.27	129.80	129.79	0.01	129.80	
MW-111	3/30/2007	30.19	30.20	160.27	130.08	130.07	0.01	130.08	
MW-111	4/6/2007	29.99	30.03	160.27	130.28	130.24	0.04	130.27	
MW-111	4/13/2007	30.09	30.15	160.27	130.18	130.12	0.06	130.17	
MW-111	4/20/2007	NA	29.74	160.27	NA	130.53	NA	130.53	
MW-111	4/27/2007	NA	29.63	160.27	NA	130.64	NA	130.64	sheen
MW-111	5/4/2007	NA	29.68	160.27	NA	130.59	NA	130.59	
MW-111	5/10/2007	NA	29.63	160.27	NA	130.64	NA	130.64	
MW-111	5/17/2007	NA	29.85	160.27	NA	130.42	NA	130.42	
MW-111	5/25/2007	29.94	29.97	160.27	130.33	130.30	0.03	130.33	
MW-111	5/31/2007	30.10	30.13	160.27	130.17	130.14	0.03	130.17	
MW-111	6/8/2007	30.25	30.26	160.27	130.02	130.01	0.01	130.02	
MW-111	6/13/2007	30.33	30.37	160.27	129.94	129.90	0.04	129.93	
MW-111	6/22/2007	30.51	30.53	160.27	129.76	129.74	0.02	129.76	
MW-111	6/28/2007	30.65	30.69	160.27	129.62	129.58	0.04	129.61	
MW-111	7/6/2007	30.89	30.90	160.27	129.38	129.37	0.01	129.38	
MW-111	7/13/2007	31.09	31.15	160.27	129.18	129.12	0.06	129.17	
MW-111	7/20/2007	31.28	31.41	160.27	128.99	128.86	0.13	128.97	
MW-111	7/27/2007	31.44	31.57	160.27	128.83	128.70	0.13	128.81	
MW-111	8/3/2007	31.59	31.73	160.27	128.68	128.54	0.14	128.66	
MW-111	8/10/2007	31.75	31.90	160.27	128.52	128.37	0.15	128.50	
MW-111	8/17/2007	32.00	32.21	160.27	128.27	128.06	0.21	128.24	
MW-111	8/23/2007	32.11	32.15	160.27	128.16	128.12	0.04	128.15	
MW-111	8/31/2007	32.15	32.22	160.27	128.12	128.05	0.07	128.11	
MW-111	9/7/2007	32.34	32.49	160.27	127.93	127.78	0.15	127.91	
MW-111	9/14/2007	32.51	32.70	160.27	127.76	127.57	0.19	127.73	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-111	9/21/2007	32.72	32.82	160.27	127.55	127.45	0.10	127.54	
MW-111	9/28/2007	32.92	33.04	160.27	127.35	127.23	0.12	127.33	
MW-111	10/5/2007	33.12	33.19	160.27	127.15	127.08	0.07	127.14	
MW-111	10/11/2007	33.24	33.26	160.27	127.03	127.01	0.02	127.03	
MW-111	10/19/2007	33.46	33.48	160.27	126.81	126.79	0.02	126.81	
MW-111	10/24/2007	NA	33.62	160.27	NA	126.65	NA	126.65	SHEEN
MW-111	10/31/2007	NA	33.03	160.27	NA	127.24	NA	127.24	
MW-111	11/7/2007	NA	33.07	160.27	NA	127.20	NA	127.20	
MW-111	11/16/2007	NA	33.12	160.27	NA	127.15	NA	127.15	
MW-111	11/21/2007	NA	33.11	160.27	NA	127.16	NA	127.16	
MW-111	11/29/2007	NA	33.41	160.27	NA	126.86	NA	126.86	
MW-111	12/7/2007	NA	NA	160.27	NA	NA	NA	NA	
MW-111	12/14/2007	NA	33.45	160.27	NA	126.82	NA	126.82	
MW-111	12/21/2007	NA	33.36	160.27	NA	126.91	NA	126.91	
MW-111	12/27/2007	NA	33.29	160.27	NA	126.98	NA	126.98	
MW-111	1/4/2008	NA	33.29	160.27	NA	126.98	NA	126.98	
MW-111	1/11/2008	NA	33.08	160.27	NA	127.19	NA	127.19	
MW-111	1/17/2008	NA	33.21	160.27	NA	127.06	NA	127.06	
MW-111	1/25/2008	NA	33.25	160.27	NA	127.02	NA	127.02	
MW-111	1/31/2008	NA	33.36	160.27	NA	126.91	NA	126.91	
MW-111	2/7/2008	NA	32.92	160.27	NA	127.35	NA	127.35	
MW-111	2/14/2008	NA	32.78	160.27	NA	127.49	NA	127.49	
MW-111	2/21/2008	NA	33.17	160.27	NA	127.10	NA	127.10	
MW-111	2/28/2008	NA	32.89	160.27	NA	127.38	NA	127.38	
MW-111	3/6/2008	NA	32.45	160.27	NA	127.82	NA	127.82	
MW-111	3/13/2008	NA	32.22	160.27	NA	128.05	NA	128.05	
MW-111	3/20/2008	NA	32.17	160.27	NA	128.10	NA	128.10	
MW-111	3/27/2008	NA	32.25	160.27	NA	128.02	NA	128.02	Bio-sock in place
<hr/>									
MW-121	6/8/2000	NA	21.30	152.74	NA	131.44	NA	131.44	
MW-121	6/13/2000	NA	21.45	152.74	NA	131.29	NA	131.29	
MW-121	6/21/2000	NA	21.55	152.74	NA	131.19	NA	131.19	
MW-121	6/28/2000	NA	21.58	152.74	NA	131.16	NA	131.16	
MW-121	7/3/2000	NA	21.55	152.74	NA	131.19	NA	131.19	
MW-121	7/12/2000	NA	21.42	152.74	NA	131.32	NA	131.32	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-121	7/20/2000	NA	21.50	152.74	NA	131.24	NA	131.24	
MW-121	7/27/2000	NA	21.40	152.74	NA	131.34	NA	131.34	
MW-121	8/14/2000	NA	20.99	152.74	NA	131.75	NA	131.75	
MW-121	9/18/2000	NA	21.84	152.74	NA	130.90	NA	130.90	
MW-121	10/12/2000	NA	21.82	152.74	NA	130.92	NA	130.92	
MW-121	10/19/2000	NA	21.96	152.74	NA	130.78	NA	130.78	
MW-121	10/24/2000	NA	22.24	152.74	NA	130.50	NA	130.50	
MW-121	11/2/2000	NA	22.48	152.74	NA	130.26	NA	130.26	
MW-121	11/9/2000	NA	22.80	152.74	NA	129.94	NA	129.94	
MW-121	11/17/2000	NA	22.99	152.74	NA	129.75	NA	129.75	
MW-121	11/22/2000	NA	23.30	152.74	NA	129.44	NA	129.44	
MW-121	11/27/2000	NA	23.26	152.74	NA	129.48	NA	129.48	
MW-121	1/25/2001	NA	23.94	152.74	NA	128.80	NA	128.80	
MW-121	2/27/2001	NA	22.05	152.74	NA	130.69	NA	130.69	
MW-121	3/29/2001	NA	21.68	152.74	NA	131.06	NA	131.06	
MW-121	4/26/2001	NA	21.76	152.74	NA	130.98	NA	130.98	
MW-121	5/31/2001	NA	21.65	152.74	NA	131.09	NA	131.09	
MW-121	6/28/2001	NA	21.09	152.74	NA	131.65	NA	131.65	
MW-121	7/24/2001	NA	21.56	152.74	NA	131.18	NA	131.18	
MW-121	8/31/2001	NA	22.60	152.74	NA	130.14	NA	130.14	
MW-121	9/28/2001	NA	22.95	152.74	NA	129.79	NA	129.79	
MW-121	10/30/2001	NA	23.85	152.74	NA	128.89	NA	128.89	
MW-121	11/27/2001	NA	24.63	152.74	NA	128.11	NA	128.11	
MW-121	12/28/2001	NA	25.08	152.74	NA	127.66	NA	127.66	
MW-121	1/30/2002	NA	25.53	152.74	NA	127.21	NA	127.21	
MW-121	2/26/2002	NA	26.18	152.74	NA	126.56	NA	126.56	
MW-121	3/27/2002	NA	25.19	152.74	NA	127.55	NA	127.55	
MW-121	4/26/2002	NA	26.05	152.74	NA	126.69	NA	126.69	
MW-121	5/31/2002	NA	23.97	152.74	NA	128.77	NA	128.77	
MW-121	6/28/2002	NA	24.76	152.74	NA	127.98	NA	127.98	
MW-121	7/29/2002	NA	25.53	152.74	NA	127.21	NA	127.21	
MW-121	8/30/2002	NA	26.84	152.74	NA	125.90	NA	125.90	
MW-121	9/30/2002	NA	26.75	152.74	NA	125.99	NA	125.99	
MW-121	10/25/2002	NA	25.55	152.74	NA	127.19	NA	127.19	
MW-121	11/27/2002	NA	21.11	152.74	NA	131.63	NA	131.63	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-121	12/30/2002	NA	20.62	152.74	NA	132.12	NA	132.12	
MW-121	1/31/2003	NA	20.80	152.74	NA	131.94	NA	131.94	
MW-121	2/25/2003	NA	21.23	152.74	NA	131.51	NA	131.51	
MW-121	3/17/2003	NA	19.60	152.74	NA	133.14	NA	133.14	
MW-121	4/30/2003	NA	19.87	152.74	NA	132.87	NA	132.87	
MW-121	5/29/2003	NA	19.67	152.74	NA	133.07	NA	133.07	
MW-121	6/27/2003	NA	18.79	152.74	NA	133.95	NA	133.95	
MW-121	7/25/2003	NA	19.87	152.74	NA	132.87	NA	132.87	
MW-121	8/26/2003	NA	19.87	152.74	NA	132.87	NA	132.87	
MW-121	9/29/2003	NA	19.43	152.74	NA	133.31	NA	133.31	
MW-121	10/31/2003	NA	19.73	152.74	NA	133.01	NA	133.01	
MW-121	11/25/2003	NA	19.21	152.74	NA	133.53	NA	133.53	
MW-121	12/30/2003	NA	18.85	152.74	NA	133.89	NA	133.89	
MW-121	2/4/2004	NA	19.57	152.74	NA	133.17	NA	133.17	
MW-121	2/26/2004	NA	19.60	152.74	NA	133.14	NA	133.14	
MW-121	3/31/2004	NA	19.75	152.74	NA	132.99	NA	132.99	
MW-121	4/27/2004	NA	19.39	152.74	NA	133.35	NA	133.35	
MW-121	5/27/2004	NA	19.59	152.74	NA	133.15	NA	133.15	
MW-121	6/28/2004	NA	19.70	152.74	NA	133.04	NA	133.04	
MW-121	7/27/2004	NA	20.15	152.74	NA	132.59	NA	132.59	
MW-121	10/25/2004	NA	21.03	152.74	NA	131.71	NA	131.71	
MW-121	12/1/2004	NA	21.04	152.74	NA	131.70	NA	131.70	
MW-121	12/31/2004	NA	20.80	152.74	NA	131.94	NA	131.94	
MW-121	1/28/2005	NA	20.92	152.74	NA	131.82	NA	131.82	
MW-121	2/24/2005	NA	20.89	152.74	NA	131.85	NA	131.85	
MW-121	3/27/2005	NA	20.74	152.74	NA	132.00	NA	132.00	
MW-121	4/26/2005	NA	19.91	152.74	NA	132.83	NA	132.83	
MW-121	5/27/2005	NA	20.55	152.74	NA	132.19	NA	132.19	
MW-121	6/30/2005	NA	20.70	152.74	NA	132.04	NA	132.04	
MW-121	7/29/2005	NA	20.81	152.74	NA	131.93	NA	131.93	
MW-121	8/31/2005	NA	19.67	152.74	NA	133.07	NA	133.07	
MW-121	9/30/2005	NA	20.23	152.74	NA	132.51	NA	132.51	
MW-121	10/31/2005	NA	20.77	152.74	NA	131.97	NA	131.97	
MW-121	11/30/2005	NA	21.42	152.74	NA	131.32	NA	131.32	
MW-121	12/28/2005	NA	21.71	152.74	NA	131.03	NA	131.03	

TABLE 2

Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
KEMRON Assumes Control of Site 1st Quarter 2006									
MW-121	1/26/2006	NA	20.93	152.74	NA	131.81	NA	131.81	
MW-121	2/23/2006	NA	20.37	152.74	NA	132.37	NA	132.37	
MW-121	3/31/2006	NA	20.05	152.74	NA	132.69	NA	132.69	
MW-121	4/28/2006	NA	20.11	152.74	NA	132.63	NA	132.63	
MW-121	5/25/2006	NA	17.54	152.74	NA	135.20	NA	135.20	
MW-121	6/30/2006	NA	19.77	152.74	NA	132.97	NA	132.97	
MW-121	7/26/2006	NA	19.48	152.74	NA	133.26	NA	133.26	
MW-121	8/31/2006	NA	22.41	152.74	NA	130.33	NA	130.33	
MW-121	9/29/2006	NA	21.49	152.74	NA	131.25	NA	131.25	
MW-121	10/31/2006	NA	21.05	152.74	NA	131.69	NA	131.69	
MW-121	11/30/2006	NA	20.09	152.74	NA	132.65	NA	132.65	
MW-121	12/28/2006	NA	20.97	152.74	NA	131.77	NA	131.77	
MW-121	1/25/2007	NA	20.71	152.74	NA	132.03	NA	132.03	
MW-121	2/22/2007	NA	21.41	152.74	NA	131.33	NA	131.33	
MW-121	3/30/2007	NA	20.50	152.74	NA	132.24	NA	132.24	
MW-121	4/27/2007	NA	20.27	152.74	NA	132.47	NA	132.47	
MW-121	5/31/2007	NA	21.00	152.74	NA	131.74	NA	131.74	
MW-121	6/28/2007	NA	21.70	152.74	NA	131.04	NA	131.04	
MW-121	7/27/2007	NA	22.69	152.74	NA	130.05	NA	130.05	
MW-121	8/31/2007	NA	23.39	152.74	NA	129.35	NA	129.35	
MW-121	9/28/2007	NA	24.07	152.74	NA	128.67	NA	128.67	
MW-121	10/31/2007	NA	24.23	152.74	NA	128.51	NA	128.51	
MW-121	11/29/2007	NA	24.07	152.74	NA	128.67	NA	128.67	
MW-121	12/27/2007	NA	23.35	152.74	NA	129.39	NA	129.39	
MW-121	1/31/2008	NA	23.44	152.74	NA	129.30	NA	129.30	
MW-121	2/28/2008	NA	23.32	152.74	NA	129.42	NA	129.42	
MW-121	3/27/2008	NA	23.21	152.74	NA	129.53	NA	129.53	
MW-123	6/8/2000	NA	42.02	172.47	NA	130.45	NA	130.45	
MW-123	6/13/2000	NA	42.10	172.47	NA	130.37	NA	130.37	
MW-123	6/21/2000	NA	42.10	172.47	NA	130.37	NA	130.37	
MW-123	6/28/2000	NA	42.10	172.47	NA	130.37	NA	130.37	
MW-123	7/3/2000	NA	42.20	172.47	NA	130.27	NA	130.27	
MW-123	7/12/2000	NA	42.28	172.47	NA	130.19	NA	130.19	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-123	7/20/2000	NA	42.40	172.47	NA	130.07	NA	130.07	
MW-123	7/27/2000	NA	42.35	172.47	NA	130.12	NA	130.12	
MW-123	8/14/2000	NA	42.21	172.47	NA	130.26	NA	130.26	
MW-123	9/18/2000	NA	42.69	172.47	NA	129.78	NA	129.78	
MW-123	10/12/2000	NA	42.78	172.47	NA	129.69	NA	129.69	
MW-123	10/19/2000	NA	42.85	172.47	NA	129.62	NA	129.62	
MW-123	10/24/2000	NA	42.94	172.47	NA	129.53	NA	129.53	
MW-123	11/2/2000	NA	43.11	172.47	NA	129.36	NA	129.36	
MW-123	11/9/2000	NA	43.22	172.47	NA	129.25	NA	129.25	
MW-123	11/17/2000	NA	43.66	172.47	NA	128.81	NA	128.81	
MW-123	11/22/2000	NA	43.51	172.47	NA	128.96	NA	128.96	
MW-123	11/27/2000	NA	43.55	172.47	NA	128.92	NA	128.92	
MW-123	1/24/2001	NA	44.20	172.47	NA	128.27	NA	128.27	
MW-123	2/27/2001	NA	44.09	172.47	NA	128.38	NA	128.38	
MW-123	3/29/2001	NA	43.80	172.47	NA	128.67	NA	128.67	
MW-123	4/26/2001	NA	43.02	172.47	NA	129.45	NA	129.45	
MW-123	5/31/2001	NA	43.12	172.47	NA	129.35	NA	129.35	
MW-123	6/28/2001	NA	42.52	172.47	NA	129.95	NA	129.95	
MW-123	7/24/2001	NA	42.73	172.47	NA	129.74	NA	129.74	
MW-123	8/31/2001	NA	43.40	172.47	NA	129.07	NA	129.07	
MW-123	9/28/2001	NA	43.77	172.47	NA	128.70	NA	128.70	
MW-123	10/30/2001	NA	44.50	172.47	NA	127.97	NA	127.97	
MW-123	11/27/2001	NA	45.12	172.47	NA	127.35	NA	127.35	
MW-123	12/28/2001	NA	45.66	172.47	NA	126.81	NA	126.81	
MW-123	1/30/2002	NA	46.16	172.47	NA	126.31	NA	126.31	
MW-123	2/26/2002	NA	46.61	172.47	NA	125.86	NA	125.86	
MW-123	3/27/2002	NA	46.72	172.47	NA	125.75	NA	125.75	
MW-123	4/26/2002	NA	46.71	172.47	NA	125.76	NA	125.76	
MW-123	5/31/2002	NA	46.06	172.47	NA	126.41	NA	126.41	
MW-123	6/28/2002	NA	46.37	172.47	NA	126.10	NA	126.10	
MW-123	7/29/2002	NA	46.76	172.47	NA	125.71	NA	125.71	
MW-123	8/30/2002	NA	47.25	172.47	NA	125.22	NA	125.22	
MW-123	9/30/2002	NA	47.46	172.47	NA	125.01	NA	125.01	
MW-123	10/25/2002	NA	46.92	172.47	NA	125.55	NA	125.55	
MW-123	11/27/2002	NA	45.11	172.47	NA	127.36	NA	127.36	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-123	12/30/2002	NA	44.01	172.47	NA	128.46	NA	128.46	
MW-123	1/31/2003	NA	42.78	172.47	NA	129.69	NA	129.69	
MW-123	2/25/2003	NA	42.79	172.47	NA	129.68	NA	129.68	
MW-123	3/17/2003	NA	41.02	172.47	NA	131.45	NA	131.45	
MW-123	4/30/2003	NA	40.32	172.47	NA	132.15	NA	132.15	
MW-123	5/29/2003	NA	40.15	172.47	NA	132.32	NA	132.32	
MW-123	6/27/2003	NA	32.12	172.47	NA	140.35	NA	140.35	
MW-123	7/25/2003	NA	40.32	172.47	NA	132.15	NA	132.15	
MW-123	8/26/2003	NA	39.23	172.47	NA	133.24	NA	133.24	
MW-123	9/29/2003	NA	39.31	172.47	NA	133.16	NA	133.16	
MW-123	10/31/2003	NA	39.45	172.47	NA	133.02	NA	133.02	
MW-123	11/25/2003	NA	39.02	172.47	NA	133.45	NA	133.45	
MW-123	12/30/2003	NA	38.35	172.47	NA	134.12	NA	134.12	
MW-123	2/4/2004	NA	38.70	172.47	NA	133.77	NA	133.77	
MW-123	2/26/2004	NA	38.76	172.47	NA	133.71	NA	133.71	
MW-123	3/31/2004	NA	39.14	172.47	NA	133.33	NA	133.33	
MW-123	4/27/2004	NA	39.09	172.47	NA	133.38	NA	133.38	
MW-123	5/27/2004	NA	39.28	172.47	NA	133.19	NA	133.19	
MW-123	6/28/2004	NA	39.48	172.47	NA	132.99	NA	132.99	
MW-123	7/27/2004	NA	39.90	172.47	NA	132.57	NA	132.57	
MW-123	10/25/2004	NA	40.84	172.47	NA	131.63	NA	131.63	
MW-123	12/1/2004	NA	41.26	172.47	NA	131.21	NA	131.21	
MW-123	12/31/2004	NA	41.38	172.47	NA	131.09	NA	131.09	
MW-123	1/28/2005	NA	41.36	172.47	NA	131.11	NA	131.11	
MW-123	2/24/2005	NA	41.50	172.47	NA	130.97	NA	130.97	
MW-123	3/27/2005	NA	41.52	172.47	NA	130.95	NA	130.95	
MW-123	4/26/2005	NA	40.33	172.47	NA	132.14	NA	132.14	
MW-123	5/27/2005	NA	40.65	172.47	NA	131.82	NA	131.82	
MW-123	6/30/2005	NA	40.91	172.47	NA	131.56	NA	131.56	
MW-123	7/29/2005	NA	41.37	172.47	NA	131.10	NA	131.10	
MW-123	8/31/2005	NA	41.43	172.47	NA	131.04	NA	131.04	
MW-123	9/30/2005	NA	41.81	172.47	NA	130.66	NA	130.66	
MW-123	10/31/2005	NA	42.02	172.47	NA	130.45	NA	130.45	
MW-123	11/30/2005	NA	42.25	172.47	NA	130.22	NA	130.22	
MW-123	12/28/2005	NA	42.17	172.47	NA	130.30	NA	130.30	

TABLE 2

Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
KEMRON Assumes Control of Site 1st Quarter 2006									
MW-123	1/26/2006	NA	35.72	172.47	NA	136.75	NA	136.75	
MW-123	2/23/2006	NA	35.82	172.47	NA	136.65	NA	136.65	
MW-123	3/31/2006	NA	35.72	172.47	NA	136.75	NA	136.75	
MW-123	4/28/2006	NA	36.73	172.47	NA	135.74	NA	135.74	
MW-123	5/25/2006	NA	35.09	172.47	NA	137.38	NA	137.38	
MW-123	6/30/2006	NA	36.42	172.47	NA	136.05	NA	136.05	
MW-123	7/26/2006	NA	36.38	172.47	NA	136.09	NA	136.09	
MW-123	8/31/2006	NA	43.48	172.47	NA	128.99	NA	128.99	
MW-123	9/29/2006	NA	43.11	172.47	NA	129.36	NA	129.36	
MW-123	10/31/2006	NA	43.01	172.47	NA	129.46	NA	129.46	
MW-123	11/30/2006	NA	41.78	172.47	NA	130.69	NA	130.69	
MW-123	12/28/2006	NA	41.79	172.47	NA	130.68	NA	130.68	
MW-123	1/25/2007	NA	41.63	172.47	NA	130.84	NA	130.84	
MW-123	2/22/2007	NA	41.99	172.47	NA	130.48	NA	130.48	
MW-123	3/30/2007	NA	41.50	172.47	NA	130.97	NA	130.97	
MW-123	4/27/2007	NA	41.08	172.47	NA	131.39	NA	131.39	
MW-123	5/31/2007	NA	41.83	172.47	NA	130.64	NA	130.64	
MW-123	6/28/2007	NA	41.98	172.47	NA	130.49	NA	130.49	
MW-123	7/27/2007	NA	42.79	172.47	NA	129.68	NA	129.68	
MW-123	8/31/2007	NA	43.58	172.47	NA	128.89	NA	128.89	
MW-123	9/28/2007	NA	44.33	172.47	NA	128.14	NA	128.14	
MW-123	10/31/2007	NA	44.71	172.47	NA	127.76	NA	127.76	
MW-123	11/29/2007	NA	44.86	172.47	NA	127.61	NA	127.61	
MW-123	12/27/2007	NA	44.85	172.47	NA	127.62	NA	127.62	
MW-123	1/31/2008	NA	44.83	172.47	NA	127.64	NA	127.64	
MW-123	2/28/2008	NA	43.11	172.47	NA	129.36	NA	129.36	
MW-123	3/27/2008	NA	43.79	172.47	NA	128.68	NA	128.68	
MW-124	6/8/2000	NA	35.20	165.20	NA	130.00	NA	130.00	Sheen. 1 new sock.
MW-124	6/13/2000	NA	35.30	165.20	NA	129.90	NA	129.90	Sock 1/4 full
MW-124	6/21/2000	NA	35.30	165.20	NA	129.90	NA	129.90	Sock 1/4 full
MW-124	6/28/2000	NA	35.40	165.20	NA	129.80	NA	129.80	Sock 1/2 full, 0.05gal
MW-124	7/3/2000	NA	35.60	165.20	NA	129.60	NA	129.60	Sock 1/2 full
MW-124	7/12/2000	NA	35.50	165.20	NA	129.70	NA	129.70	1 full socks, 1 new sock

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-124	7/20/2000	NA	35.61	165.20	NA	129.59	NA	129.59	2 full socks, 2 new socks
MW-124	7/27/2000	NA	35.50	165.20	NA	129.70	NA	129.70	
MW-124	8/14/2000	NA	35.41	165.20	NA	129.79	NA	129.79	
MW-124	9/18/2000	NA	35.92	165.20	NA	129.28	NA	129.28	
MW-124	10/12/2000	NA	35.98	165.20	NA	129.22	NA	129.22	
MW-124	10/19/2000	NA	36.09	165.20	NA	129.11	NA	129.11	1 full socks, 1 new sock
MW-124	10/24/2000	36.18	36.19	165.20	129.02	129.01	0.01	129.02	2 new socks
MW-124	11/2/2000	36.35	36.36	165.20	128.85	128.84	0.01	128.85	2 new socks
MW-124	11/9/2000	NA	36.47	165.20	NA	128.73	NA	128.73	
MW-124	11/17/2000	NA	36.58	165.20	NA	128.62	NA	128.62	
MW-124	11/22/2000	NA	36.72	165.20	NA	128.48	NA	128.48	
MW-124	11/27/2000	NA	36.75	165.20	NA	128.45	NA	128.45	
MW-124	12/6/2000	NA	36.93	165.20	NA	128.27	NA	128.27	0.075 gallons removed, 1 new sock
MW-124	12/14/2000	NA	37.01	165.20	NA	128.19	NA	128.19	0.05 gallons removed, 1 new sock
MW-124	12/21/2000	37.04	37.05	165.20	128.16	128.15	0.01	128.16	0.0125 gallons removed, 1 new sock
MW-124	12/28/2000	NA	37.07	165.20	NA	128.13	NA	128.13	0.0125 gallons removed, 1 new sock
MW-124	1/5/2001	NA	36.97	165.20	NA	128.23	NA	128.23	0.025 gallons removed, 1 new sock
MW-124	1/10/2001	37.14	37.16	165.20	128.06	128.04	0.02	128.06	0.0125 gallons removed, 1 new sock
MW-124	1/16/2001	NA	37.25	165.20	NA	127.95	NA	127.95	0.05 gallons removed, 1 new sock
MW-124	1/24/2001	NA	37.15	165.20	NA	128.05	NA	128.05	0.05 gallons removed, 1 new sock
MW-124	2/1/2001	NA	37.16	165.20	NA	128.04	NA	128.04	
MW-124	2/9/2001	NA	37.09	165.20	NA	128.11	NA	128.11	
MW-124	2/15/2001	NA	37.08	165.20	NA	128.12	NA	128.12	
MW-124	2/22/2001	37.04	37.05	165.20	128.16	128.15	0.01	128.16	
MW-124	2/27/2001	36.98	36.99	165.20	128.22	128.21	0.01	128.22	.00625 gallons removed
MW-124	3/8/2001	NA	36.96	165.20	NA	128.24	NA	128.24	.00625 gallons removed
MW-124	3/16/2001	NA	36.95	165.20	NA	128.25	NA	128.25	
MW-124	3/23/2001	NA	36.80	165.20	NA	128.40	NA	128.40	
MW-124	3/29/2001	NA	36.65	165.20	NA	128.55	NA	128.55	.00625 gallons removed
MW-124	4/6/2001	NA	36.26	165.20	NA	128.94	NA	128.94	.00625 gallons removed
MW-124	4/13/2001	NA	36.06	165.20	NA	129.14	NA	129.14	.00625 gallons removed
MW-124	4/20/2001	NA	35.99	165.20	NA	129.21	NA	129.21	
MW-124	4/26/2001	NA	35.96	165.20	NA	129.24	NA	129.24	
MW-124	5/31/2001	NA	36.11	165.20	NA	129.09	NA	129.09	
MW-124	6/28/2001	NA	37.15	165.20	NA	128.05	NA	128.05	

TABLE 2**Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data****Building 8481****Fort George G. Meade**

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-124	7/24/2001	NA	35.88	165.20	NA	129.32	NA	129.32	
MW-124	8/31/2001	36.56	36.56	165.20	128.64	128.64	0.00	128.64	sheen
MW-124	9/4/2001	NA	36.59	165.20	NA	128.61	NA	128.61	.0125 gallons removed
MW-124	9/28/2001	NA	36.94	165.20	NA	128.26	NA	128.26	.0333 gallons removed
MW-124	10/2/2001	NA	37.01	165.20	NA	128.19	NA	128.19	
MW-124	10/9/2001	NA	37.20	165.20	NA	128.00	NA	128.00	
MW-124	10/18/2001	NA	37.36	165.20	NA	127.84	NA	127.84	.00625 gallons removed
MW-124	10/26/2001	NA	37.51	165.20	NA	127.69	NA	127.69	.025 gallons removed
MW-124	10/30/2001	NA	37.65	165.20	NA	127.55	NA	127.55	.1 gallons removed
MW-124	11/2/2001	NA	37.01	165.20	NA	128.19	NA	128.19	
MW-124	11/5/2001	37.64	37.65	165.20	127.56	127.55	0.01	127.56	
MW-124	11/13/2001	37.91	37.95	165.20	127.29	127.25	0.04	127.28	
MW-124	11/20/2001	38.05	38.11	165.20	127.15	127.09	0.06	127.14	
MW-124	11/27/2001	38.20	38.28	165.20	127.00	126.92	0.08	126.99	
MW-124	12/5/2001	38.35	38.44	165.20	126.85	126.76	0.09	126.84	
MW-124	12/14/2001	38.37	38.46	165.20	126.83	126.74	0.09	126.82	
MW-124	12/19/2001	38.46	38.55	165.20	126.74	126.65	0.09	126.73	
MW-124	12/28/2001	38.61	38.78	165.20	126.59	126.42	0.17	126.57	
MW-124	1/3/2002	38.73	38.91	165.20	126.47	126.29	0.18	126.44	
MW-124	1/11/2002	38.84	39.03	165.20	126.36	126.17	0.19	126.33	
MW-124	1/17/2002	38.85	39.06	165.20	126.35	126.14	0.21	126.32	
MW-124	1/24/2002	38.45	39.02	165.20	126.75	126.18	0.57	126.67	
MW-124	1/30/2002	39.02	39.25	165.20	126.18	125.95	0.23	126.15	
MW-124	2/7/2002	39.12	39.35	165.20	126.08	125.85	0.23	126.05	
MW-124	2/12/2002	39.25	39.50	165.20	125.95	125.70	0.25	125.92	
MW-124	2/22/2002	39.28	39.51	165.20	125.92	125.69	0.23	125.89	
MW-124	2/26/2002	39.43	39.67	165.20	125.77	125.53	0.24	125.74	
MW-124	3/7/2002	39.55	39.77	165.20	125.65	125.43	0.22	125.62	
MW-124	3/13/2002	39.37	39.58	165.20	125.83	125.62	0.21	125.80	
MW-124	3/21/2002	39.59	39.82	165.20	125.61	125.38	0.23	125.58	
MW-124	3/27/2002	39.58	39.78	165.20	125.62	125.42	0.20	125.59	
MW-124	4/5/2002	39.52	39.71	165.20	125.68	125.49	0.19	125.65	
MW-124	4/9/2002	39.50	39.68	165.20	125.70	125.52	0.18	125.67	
MW-124	4/16/2002	39.57	39.76	165.20	125.63	125.44	0.19	125.60	
MW-124	4/26/2002	39.42	39.58	165.20	125.78	125.62	0.16	125.76	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-124	4/30/2002	39.31	39.47	165.20	125.89	125.73	0.16	125.87	
MW-124	5/6/2002	39.01	39.08	165.20	126.19	126.12	0.07	126.18	
MW-124	5/17/2002	38.73	38.81	165.20	126.47	126.39	0.08	126.46	
MW-124	5/24/2002	37.75	37.85	165.20	127.45	127.35	0.10	127.44	
MW-124	5/31/2002	38.81	38.90	165.20	126.39	126.30	0.09	126.38	
MW-124	6/7/2002	38.70	38.79	165.20	126.50	126.41	0.09	126.49	
MW-124	6/11/2002	38.99	39.10	165.20	126.21	126.10	0.11	126.19	
MW-124	6/21/2002	39.08	39.18	165.20	126.12	126.02	0.10	126.11	
MW-124	6/28/2002	39.15	39.27	165.20	126.05	125.93	0.12	126.03	
MW-124	7/3/2002	39.25	39.38	165.20	125.95	125.82	0.13	125.93	
MW-124	7/9/2002	39.20	39.35	165.20	126.00	125.85	0.15	125.98	
MW-124	7/17/2002	39.45	39.60	165.20	125.75	125.60	0.15	125.73	
MW-124	7/23/2002	39.60	39.73	165.20	125.60	125.47	0.13	125.58	
MW-124	7/29/2002	39.60	39.74	165.20	125.60	125.46	0.14	125.58	
MW-124	8/7/2002	39.75	39.90	165.20	125.45	125.30	0.15	125.43	
MW-124	8/16/2002	39.90	40.04	165.20	125.30	125.16	0.14	125.28	
MW-124	8/23/2002	40.05	40.15	165.20	125.15	125.05	0.10	125.14	
MW-124	8/30/2002	40.11	40.24	165.20	125.09	124.96	0.13	125.07	
MW-124	9/6/2002	40.07	40.22	165.20	125.13	124.98	0.15	125.11	
MW-124	9/11/2002	40.11	40.25	165.20	125.09	124.95	0.14	125.07	
MW-124	9/17/2002	40.19	40.32	165.20	125.01	124.88	0.13	124.99	
MW-124	9/25/2002	40.30	40.42	165.20	124.90	124.78	0.12	124.88	
MW-124	9/30/2002	40.30	40.42	165.20	124.90	124.78	0.12	124.88	
MW-124	10/10/2002	40.33	40.45	165.20	124.87	124.75	0.12	124.85	
MW-124	10/15/2002	40.30	40.43	165.20	124.90	124.77	0.13	124.88	
MW-124	10/25/2002	NA	39.61	165.20	NA	125.59	NA	125.59	
MW-124	11/27/2002	37.85	37.85	165.20	127.35	127.35	0.00	127.35	Sheen
MW-124	12/2/2002	37.72	37.72	165.20	127.48	127.48	0.00	127.48	Sheen
MW-124	12/13/2002	37.67	37.67	165.20	127.53	127.53	0.00	127.53	Sheen
MW-124	12/20/2002	36.95	36.95	165.20	128.25	128.25	0.00	128.25	Sheen
MW-124	12/27/2002	36.92	36.92	165.20	128.28	128.28	0.00	128.28	Sheen
MW-124	12/30/2002	36.80	36.80	165.20	128.40	128.40	0.00	128.40	Sheen
MW-124	1/10/2003	NA	35.95	165.20	NA	129.25	NA	129.25	
MW-124	1/17/2003	NA	35.71	165.20	NA	129.49	NA	129.49	
MW-124	1/22/2003	NA	35.70	165.20	NA	129.50	NA	129.50	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-124	1/31/2003	NA	35.73	165.20	NA	129.47	NA	129.47	
MW-124	2/5/2003	NA	35.87	165.20	NA	129.33	NA	129.33	
MW-124	2/25/2003	NA	35.58	165.20	NA	129.62	NA	129.62	
MW-124	3/17/2003	NA	33.76	165.20	NA	131.44	NA	131.44	
MW-124	4/30/2003	NA	33.40	165.20	NA	131.80	NA	131.80	
MW-124	5/29/2003	NA	33.11	165.20	NA	132.09	NA	132.09	
MW-124	6/27/2003	NA	32.15	165.20	NA	133.05	NA	133.05	
MW-124	7/25/2003	NA	33.40	165.20	NA	131.80	NA	131.80	
MW-124	8/26/2003	32.72	32.73	165.20	132.48	132.47	0.01	132.48	
MW-124	9/4/2003	32.73	32.74	165.20	132.47	132.46	0.01	132.47	
MW-124	9/9/2003	32.71	32.72	165.20	132.49	132.48	0.01	132.49	
MW-124	9/18/2003	32.70	32.71	165.20	132.50	132.49	0.01	132.50	
MW-124	9/26/2003	NA	32.67	165.20	NA	132.53	NA	132.53	
MW-124	9/29/2003	NA	32.59	165.20	NA	132.61	NA	132.61	
MW-124	10/31/2003	NA	32.77	165.20	NA	132.43	NA	132.43	
MW-124	11/25/2003	NA	32.33	165.20	NA	132.87	NA	132.87	
MW-124	12/30/2003	31.70	31.74	165.20	133.50	133.46	0.04	133.49	
MW-124	1/5/2004	31.68	31.71	165.20	133.52	133.49	0.03	133.52	
MW-124	1/16/2004	31.67	31.68	165.20	133.53	133.52	0.01	133.53	
MW-124	1/23/2004	31.69	31.70	165.20	133.51	133.50	0.01	133.51	
MW-124	2/4/2004	32.18	32.27	165.20	133.02	132.93	0.09	133.01	
MW-124	2/11/2004	32.06	32.11	165.20	133.14	133.09	0.05	133.13	
MW-124	2/19/2004	32.05	32.10	165.20	133.15	133.10	0.05	133.14	
MW-124	2/26/2004	32.15	32.20	165.20	133.05	133.00	0.05	133.04	
MW-124	3/4/2004	31.85	31.98	165.20	133.35	133.22	0.13	133.33	
MW-124	3/10/2004	31.84	31.96	165.20	133.36	133.24	0.12	133.34	
MW-124	3/18/2004	32.35	32.38	165.20	132.85	132.82	0.03	132.85	
MW-124	3/23/2004	32.22	32.32	165.20	132.98	132.88	0.10	132.97	
MW-124	3/31/2004	32.47	32.52	165.20	132.73	132.68	0.05	132.72	
MW-124	4/7/2004	32.55	32.58	165.20	132.65	132.62	0.03	132.65	
MW-124	4/14/2004	32.60	32.62	165.20	132.60	132.58	0.02	132.60	
MW-124	4/23/2004	32.42	32.44	165.20	132.78	132.76	0.02	132.78	
MW-124	4/27/2004	NA	32.37	165.20	NA	132.83	NA	132.83	
MW-124	5/6/2004	NA	32.33	165.20	NA	132.87	NA	132.87	
MW-124	5/13/2004	NA	32.55	165.20	NA	132.65	NA	132.65	

TABLE 2**Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data****Building 8481****Fort George G. Meade**

Monitoring Well	Water and Fuel Elevation Measurements								
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	Comments
MW-124	5/18/2004	NA	32.58	165.20	NA	132.62	NA	132.62	
MW-124	5/27/2004	32.57	32.64	165.20	132.63	132.56	0.07	132.62	
MW-124	6/2/2004	32.54	32.60	165.20	132.66	132.60	0.06	132.65	
MW-124	6/17/2004	32.69	32.85	165.20	132.51	132.35	0.16	132.49	
MW-124	6/25/2004	32.68	32.83	165.20	132.52	132.37	0.15	132.50	
MW-124	6/28/2004	32.83	32.96	165.20	132.37	132.24	0.13	132.35	
MW-124	7/8/2004	32.91	33.07	165.20	132.29	132.13	0.16	132.27	
MW-124	7/14/2004	33.00	33.10	165.20	132.20	132.10	0.10	132.19	
MW-124	7/20/2004	33.12	33.23	165.20	132.08	131.97	0.11	132.06	
MW-124	7/27/2004	33.24	33.38	165.20	131.96	131.82	0.14	131.94	
MW-124	8/3/2004	33.06	33.17	165.20	132.14	132.03	0.11	132.12	
MW-124	8/19/2004	33.05	33.13	165.20	132.15	132.07	0.08	132.14	
MW-124	9/15/2004	33.52	33.70	165.20	131.68	131.50	0.18	131.65	
MW-124	10/7/2004	33.84	34.03	165.20	131.36	131.17	0.19	131.33	
MW-124	10/14/2004	33.94	34.12	165.20	131.26	131.08	0.18	131.23	
MW-124	10/25/2004	34.16	34.35	165.20	131.04	130.85	0.19	131.01	
MW-124	10/29/2004	34.20	34.36	165.20	131.00	130.84	0.16	130.98	
MW-124	11/3/2004	34.36	34.53	165.20	130.84	130.67	0.17	130.82	
MW-124	11/22/2004	34.38	34.48	165.20	130.82	130.72	0.10	130.81	
MW-124	12/1/2004	34.45	34.57	165.20	130.75	130.63	0.12	130.73	
MW-124	12/6/2004	34.45	34.60	165.20	130.75	130.60	0.15	130.73	
MW-124	12/14/2004	34.49	34.67	165.20	130.71	130.53	0.18	130.68	
MW-124	12/23/2004	34.44	34.56	165.20	130.76	130.64	0.12	130.74	
MW-124	12/31/2004	34.50	34.65	165.20	130.70	130.55	0.15	130.68	
MW-124	1/7/2005	34.61	34.81	165.20	130.59	130.39	0.20	130.56	
MW-124	1/13/2005	34.61	34.82	165.20	130.59	130.38	0.21	130.56	
MW-124	1/20/2005	34.30	34.33	165.20	130.90	130.87	0.03	130.90	
MW-124	1/28/2005	34.39	34.51	165.20	130.81	130.69	0.12	130.79	
MW-124	2/4/2005	34.38	34.50	165.20	130.82	130.70	0.12	130.80	
MW-124	2/12/2005	34.37	34.48	165.20	130.83	130.72	0.11	130.81	
MW-124	2/18/2005	34.52	34.74	165.20	130.68	130.46	0.22	130.65	
MW-124	2/24/2005	34.56	34.78	165.20	130.64	130.42	0.22	130.61	
MW-124	3/3/2005	34.57	34.79	165.20	130.63	130.41	0.22	130.60	
MW-124	3/10/2005	34.55	34.72	165.20	130.65	130.48	0.17	130.63	
MW-124	3/16/2005	34.52	34.66	165.20	130.68	130.54	0.14	130.66	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-124	3/22/2005	34.51	34.62	165.20	130.69	130.58	0.11	130.67	
MW-124	3/27/2005	34.49	34.56	165.20	130.71	130.64	0.07	130.70	
MW-124	4/5/2005	33.72	33.73	165.20	131.48	131.47	0.01	131.48	
MW-124	4/13/2005	33.38	33.41	165.20	131.82	131.79	0.03	131.82	
MW-124	4/21/2005	33.38	33.45	165.20	131.82	131.75	0.07	131.81	
MW-124	4/26/2005	33.36	33.41	165.20	131.84	131.79	0.05	131.83	
MW-124	5/5/2005	33.50	33.68	165.20	131.70	131.52	0.18	131.67	
MW-124	5/13/2005	33.61	33.79	165.20	131.59	131.41	0.18	131.56	
MW-124	5/20/2005	33.72	33.91	165.20	131.48	131.29	0.19	131.45	
MW-124	5/27/2005	33.79	33.98	165.20	131.41	131.22	0.19	131.38	
MW-124	6/3/2005	33.82	34.02	165.20	131.38	131.18	0.20	131.35	
MW-124	6/10/2005	33.86	34.08	165.20	131.34	131.12	0.22	131.31	
MW-124	6/17/2005	33.88	34.13	165.20	131.32	131.07	0.25	131.29	
MW-124	6/23/2005	33.99	34.24	165.20	131.21	130.96	0.25	131.18	
MW-124	6/30/2005	34.15	34.41	165.20	131.05	130.79	0.26	131.01	
MW-124	7/8/2005	34.29	34.50	165.20	130.91	130.70	0.21	130.88	
MW-124	7/15/2005	34.36	34.65	165.20	130.84	130.55	0.29	130.80	
MW-124	7/22/2005	34.35	34.61	165.20	130.85	130.59	0.26	130.81	
MW-124	7/29/2005	35.54	35.92	165.20	129.66	129.28	0.38	129.61	
MW-124	8/8/2005	35.21	35.55	165.20	129.99	129.65	0.34	129.94	
MW-124	8/15/2005	34.91	35.22	165.20	130.29	129.98	0.31	130.25	
MW-124	8/25/2005	34.58	34.87	165.20	130.62	130.33	0.29	130.58	
MW-124	8/31/2005	34.55	34.86	165.20	130.65	130.34	0.31	130.61	
MW-124	9/9/2005	34.85	35.28	165.20	130.35	129.92	0.43	130.29	
MW-124	9/16/2005	35.05	35.48	165.20	130.15	129.72	0.43	130.09	
MW-124	9/23/2005	35.29	35.72	165.20	129.91	129.48	0.43	129.85	
MW-124	9/30/2005	34.79	35.12	165.20	130.41	130.08	0.33	130.36	
MW-124	10/7/2005	34.82	35.18	165.20	130.38	130.02	0.36	130.33	
MW-124	10/14/2005	34.94	35.25	165.20	130.26	129.95	0.31	130.22	
MW-124	10/24/2005	35.05	35.34	165.20	130.15	129.86	0.29	130.11	
MW-124	10/31/2005	35.10	35.45	165.20	130.10	129.75	0.35	130.05	
MW-124	11/8/2005	35.13	35.49	165.20	130.07	129.71	0.36	130.02	
MW-124	11/14/2005	35.09	35.45	165.20	130.11	129.75	0.36	130.06	
MW-124	11/21/2005	35.10	35.46	165.20	130.10	129.74	0.36	130.05	
MW-124	11/30/2005	35.35	35.74	165.20	129.85	129.46	0.39	129.80	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-124	12/5/2005	35.27	35.64	165.20	129.93	129.56	0.37	129.88	
MW-124	12/9/2005	35.26	35.61	165.20	129.94	129.59	0.35	129.89	
MW-124	12/16/2005	35.17	35.53	165.20	130.03	129.67	0.36	129.98	
MW-124	12/22/2005	35.17	35.51	165.20	130.03	129.69	0.34	129.98	
MW-124	12/28/2005	35.15	35.47	165.20	130.05	129.73	0.32	130.01	
KEMRON Assumes Control of Site 1st Quarter 2006									
MW-124	1/5/2006	35.11	35.40	165.20	130.09	129.80	0.29	130.05	
MW-124	1/12/2006	35.07	35.41	165.20	130.13	129.79	0.34	130.08	
MW-124	1/19/2006	35.09	35.48	165.20	130.11	129.72	0.39	130.06	
MW-124	1/26/2006	35.15	35.50	165.20	130.05	129.70	0.35	130.00	
MW-124	2/2/2006	34.85	35.27	165.20	130.35	129.93	0.42	130.29	
MW-124	2/9/2006	34.70	35.01	165.20	130.50	130.19	0.31	130.46	
MW-124	2/16/2006	34.58	34.73	165.20	130.62	130.47	0.15	130.60	
MW-124	2/23/2006	35.12	35.46	165.20	130.08	129.74	0.34	130.03	
MW-124	3/2/2006	34.39	34.79	165.20	130.81	130.41	0.40	130.75	
MW-124	3/9/2006	35.62	35.93	165.20	129.58	129.27	0.31	129.54	
MW-124	3/16/2006	34.59	35.03	165.20	130.61	130.17	0.44	130.55	
MW-124	3/23/2006	34.68	35.01	165.20	130.52	130.19	0.33	130.47	
MW-124	3/31/2006	35.20	35.50	165.20	130.00	129.70	0.30	129.96	
MW-124	4/6/2006	35.05	35.35	165.20	130.15	129.85	0.30	130.11	
MW-124	4/14/2006	34.48	34.60	165.20	130.72	130.60	0.12	130.70	
MW-124	4/21/2006	34.65	34.89	165.20	130.55	130.31	0.24	130.52	
MW-124	4/28/2006	34.74	35.08	165.20	130.46	130.12	0.34	130.41	
MW-124	5/4/2006	34.97	35.13	165.20	130.23	130.07	0.16	130.21	
MW-124	5/12/2006	34.84	35.10	165.20	130.36	130.10	0.26	130.32	
MW-124	5/18/2006	34.80	34.95	165.20	130.40	130.25	0.15	130.38	
MW-124	5/25/2006	34.95	35.13	165.20	130.25	130.07	0.18	130.22	
MW-124	6/2/2006	34.83	35.07	165.20	130.37	130.13	0.24	130.34	
MW-124	6/9/2006	35.19	35.41	165.20	130.01	129.79	0.22	129.98	
MW-124	6/16/2006	35.36	35.68	165.20	129.84	129.52	0.32	129.80	
MW-124	6/23/2006	35.51	35.80	165.20	129.69	129.40	0.29	129.65	
MW-124	6/30/2006	35.10	35.26	165.20	130.10	129.94	0.16	130.08	
MW-124	7/7/2006	35.03	35.17	165.20	130.17	130.03	0.14	130.15	
MW-124	7/13/2006	35.04	35.26	165.20	130.16	129.94	0.22	130.13	
MW-124	7/19/2006	35.27	35.53	165.20	129.93	129.67	0.26	129.89	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-124	7/26/2006	35.43	35.70	165.20	129.77	129.50	0.27	129.73	
MW-124	8/4/2006	35.72	36.04	165.20	129.48	129.16	0.32	129.44	
MW-124	8/11/2006	35.92	36.32	165.20	129.28	128.88	0.40	129.22	
MW-124	8/17/2006	36.17	36.51	165.20	129.03	128.69	0.34	128.98	
MW-124	8/23/2006	36.39	36.80	165.20	128.81	128.40	0.41	128.75	
MW-124	8/31/2006	36.87	37.03	165.20	128.33	128.17	0.16	128.31	
MW-124	9/8/2006	33.84	34.06	165.20	131.36	131.14	0.22	131.33	
MW-124	9/15/2006	36.05	36.12	165.20	129.15	129.08	0.07	129.14	
MW-124	9/22/2006	35.18	35.30	165.20	130.02	129.90	0.12	130.00	
MW-124	9/29/2006	36.20	36.46	165.20	129.00	128.74	0.26	128.96	
MW-124	10/6/2006	36.29	36.59	165.20	128.91	128.61	0.30	128.87	
MW-124	10/12/2006	35.01	35.15	165.20	130.19	130.05	0.14	130.17	
MW-124	10/19/2006	36.09	36.26	165.20	129.11	128.94	0.17	129.09	
MW-124	10/27/2006	36.10	36.28	165.20	129.10	128.92	0.18	129.07	
MW-124	10/31/2006	35.96	36.02	165.20	129.24	129.18	0.06	129.23	
MW-124	11/9/2006	35.65	35.75	165.20	129.55	129.45	0.10	129.54	
MW-124	11/17/2006	35.40	35.50	165.20	129.80	129.70	0.10	129.79	
MW-124	11/21/2006	35.09	35.16	165.20	130.11	130.04	0.07	130.10	
MW-124	11/30/2006	34.68	34.72	165.20	130.52	130.48	0.04	130.51	
MW-124	12/8/2006	24.90	24.95	165.20	140.30	140.25	0.05	140.29	
MW-124	12/14/2006	24.70	24.73	165.20	140.50	140.47	0.03	140.50	
MW-124	12/20/2006	34.83	34.95	165.20	130.37	130.25	0.12	130.35	
MW-124	12/28/2006	34.87	34.99	165.20	130.33	130.21	0.12	130.31	
MW-124	1/4/2007	34.84	34.88	165.20	130.36	130.32	0.04	130.35	
MW-124	1/12/2007	34.76	34.80	165.20	130.44	130.40	0.04	130.43	
MW-124	1/19/2007	36.66	36.73	165.20	128.54	128.47	0.07	128.53	
MW-124	1/25/2007	34.75	34.82	165.20	130.45	130.38	0.07	130.44	
MW-124	2/1/2007	34.87	34.94	165.20	130.33	130.26	0.07	130.32	
MW-124	2/9/2007	35.10	35.15	165.20	130.10	130.05	0.05	130.09	
MW-124	2/16/2007	35.15	35.30	165.20	130.05	129.90	0.15	130.03	
MW-124	2/22/2007	35.09	35.19	165.20	130.11	130.01	0.10	130.10	
MW-124	3/2/2007	35.05	35.10	165.20	130.15	130.10	0.05	130.14	
MW-124	3/9/2007	NA	35.09	165.20	NA	130.11	NA	130.11	
MW-124	3/16/2007	NA	34.91	165.20	NA	130.29	NA	130.29	
MW-124	3/21/2007	34.68	34.69	165.20	130.52	130.51	0.01	130.52	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	Comments
MW-124	3/30/2007	34.57	34.58	165.20	130.63	130.62	0.01	130.63	
MW-124	4/6/2007	34.37	34.42	165.20	130.83	130.78	0.05	130.82	
MW-124	4/13/2007	34.46	34.53	165.20	130.74	130.67	0.07	130.73	
MW-124	4/20/2007	34.09	34.11	165.20	131.11	131.09	0.02	131.11	
MW-124	4/27/2007	33.03	33.04	165.20	132.17	132.16	0.01	132.17	
MW-124	5/4/2007	NA	36.94	165.20	NA	128.26	NA	128.26	
MW-124	5/10/2007	NA	36.90	165.20	NA	128.30	NA	128.30	
MW-124	5/17/2007	34.30	34.33	165.20	130.90	130.87	0.03	130.90	
MW-124	5/25/2007	34.43	34.52	165.20	130.77	130.68	0.09	130.76	
MW-124	5/31/2007	34.43	34.52	165.20	130.77	130.68	0.09	130.76	
MW-124	6/8/2007	34.77	34.79	165.20	130.43	130.41	0.02	130.43	
MW-124	6/13/2007	34.84	34.91	165.20	130.36	130.29	0.07	130.35	
MW-124	6/22/2007	35.09	35.14	165.20	130.11	130.06	0.05	130.10	
MW-124	6/28/2007	35.23	35.30	165.20	129.97	129.90	0.07	129.96	
MW-124	7/6/2007	35.47	35.51	165.20	129.73	129.69	0.04	129.72	
MW-124	7/13/2007	35.67	35.70	165.20	129.53	129.50	0.03	129.53	
MW-124	7/20/2007	35.84	35.92	165.20	129.36	129.28	0.08	129.35	
MW-124	7/27/2007	36.06	36.15	165.20	129.14	129.05	0.09	129.13	
MW-124	8/3/2007	32.22	32.27	165.20	132.98	132.93	0.05	132.97	
MW-124	8/10/2007	36.40	36.50	165.20	128.80	128.70	0.10	128.79	
MW-124	8/17/2007	36.61	36.83	165.20	128.59	128.37	0.22	128.56	
MW-124	8/23/2007	36.70	36.81	165.20	128.50	128.39	0.11	128.48	
MW-124	8/31/2007	36.73	36.75	165.20	128.47	128.45	0.02	128.47	
MW-124	9/7/2007	36.90	37.04	165.20	128.30	128.16	0.14	128.28	
MW-124	9/14/2007	37.07	37.35	165.20	128.13	127.85	0.28	128.09	
MW-124	9/21/2007	37.24	37.44	165.20	127.96	127.76	0.20	127.93	
MW-124	9/28/2007	37.45	37.67	165.20	127.75	127.53	0.22	127.72	
MW-124	10/5/2007	37.64	37.65	165.20	127.56	127.55	0.01	127.56	
MW-124	10/11/2007	37.80	37.85	165.20	127.40	127.35	0.05	127.39	
MW-124	10/19/2007	38.01	38.05	165.20	127.19	127.15	0.04	127.18	
MW-124	10/24/2007	38.15	38.17	165.20	127.05	127.03	0.02	127.05	
MW-124	10/31/2007	NA	37.59	165.20	NA	127.61	NA	127.61	
MW-124	11/7/2007	37.53	37.54	165.20	127.67	127.66	0.01	127.67	
MW-124	11/16/2007	37.61	37.62	165.20	127.59	127.58	0.01	127.59	
MW-124	11/21/2007	NA	37.60	165.20	NA	127.60	NA	127.60	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-124	11/29/2007	NA	37.83	165.20	NA	127.37	NA	127.37	
MW-124	12/7/2007	37.92	37.95	165.20	127.28	127.25	0.03	127.28	
MW-124	12/14/2007	37.90	37.94	165.20	127.30	127.26	0.04	127.29	
MW-124	12/21/2007	NA	37.77	165.20	NA	127.43	NA	127.43	
MW-124	12/27/2007	NA	37.73	165.20	NA	127.47	NA	127.47	
MW-124	1/4/2008	NA	37.64	165.20	NA	127.56	NA	127.56	
MW-124	1/11/2008	NA	37.55	165.20	NA	127.65	NA	127.65	
MW-124	1/17/2008	NA	37.68	165.20	NA	127.52	NA	127.52	
MW-124	1/25/2008	NA	37.64	165.20	NA	127.56	NA	127.56	
MW-124	1/31/2008	37.71	37.74	165.20	127.49	127.46	0.03	127.49	
MW-124	2/7/2008	NA	37.34	165.20	NA	127.86	NA	127.86	
MW-124	2/14/2008	37.24	37.25	165.20	127.96	127.95	0.01	127.96	
MW-124	2/21/2008	NA	37.09	165.20	NA	128.11	NA	128.11	
MW-124	2/28/2008	36.97	36.98	165.20	128.23	128.22	0.01	128.23	
MW-124	3/6/2008	37.97	37.98	165.20	127.23	127.22	0.01	127.23	
MW-124	3/13/2008	36.78	36.79	165.20	128.42	128.41	0.01	128.42	
MW-124	3/20/2008	NA	36.35	165.20	NA	128.85	NA	128.85	
MW-124	3/27/2008	NA	36.68	165.20	NA	128.52	NA	128.52	Bio-sock in place
MW-125	6/8/2000	NA	19.12	148.39	NA	129.27	NA	129.27	
MW-125	6/13/2000	NA	19.20	148.39	NA	129.19	NA	129.19	
MW-125	6/21/2000	NA	19.20	148.39	NA	129.19	NA	129.19	
MW-125	6/28/2000	NA	19.24	148.39	NA	129.15	NA	129.15	
MW-125	7/3/2000	NA	19.20	148.39	NA	129.19	NA	129.19	
MW-125	7/12/2000	NA	19.36	148.39	NA	129.03	NA	129.03	
MW-125	7/20/2000	NA	19.26	148.39	NA	129.13	NA	129.13	
MW-125	7/27/2000	NA	19.35	148.39	NA	129.04	NA	129.04	
MW-125	8/14/2000	NA	19.25	148.39	NA	129.14	NA	129.14	
MW-125	9/18/2000	NA	19.87	148.39	NA	128.52	NA	128.52	
MW-125	10/12/2000	NA	19.89	148.39	NA	128.50	NA	128.50	
MW-125	10/19/2000	NA	20.02	148.39	NA	128.37	NA	128.37	
MW-125	10/24/2000	NA	20.15	148.39	NA	128.24	NA	128.24	
MW-125	11/2/2000	NA	20.33	148.39	NA	128.06	NA	128.06	
MW-125	11/9/2000	NA	20.45	148.39	NA	127.94	NA	127.94	
MW-125	11/17/2000	NA	20.56	148.39	NA	127.83	NA	127.83	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-125	11/22/2000	NA	20.67	148.39	NA	127.72	NA	127.72	
MW-125	11/27/2000	NA	20.69	148.39	NA	127.70	NA	127.70	
MW-125	1/25/2001	NA	20.80	148.39	NA	127.59	NA	127.59	
MW-125	2/27/2001	20.49	20.50	148.39	127.90	127.89	0.01	127.90	sock installed
MW-125	3/8/2001	NA	20.56	148.39	NA	127.83	NA	127.83	
MW-125	3/16/2001	NA	20.52	148.39	NA	127.87	NA	127.87	
MW-125	3/23/2001	NA	20.32	148.39	NA	128.07	NA	128.07	
MW-125	3/29/2001	NA	21.29	148.39	NA	127.10	NA	127.10	
MW-125	4/26/2001	NA	19.56	148.39	NA	128.83	NA	128.83	
MW-125	5/31/2001	NA	19.72	148.39	NA	128.67	NA	128.67	
MW-125	6/28/2001	NA	19.31	148.39	NA	129.08	NA	129.08	
MW-125	7/24/2001	NA	19.76	148.39	NA	128.63	NA	128.63	
MW-125	8/31/2001	NA	20.48	148.39	NA	127.91	NA	127.91	
MW-125	9/28/2001	NA	20.81	148.39	NA	127.58	NA	127.58	
MW-125	10/30/2001	NA	31.51	148.39	NA	116.88	NA	116.88	
MW-125	11/27/2001	NA	32.07	148.39	NA	116.32	NA	116.32	
MW-125	12/28/2001	NA	22.35	148.39	NA	126.04	NA	126.04	
MW-125	1/30/2002	NA	22.67	148.39	NA	125.72	NA	125.72	
MW-125	2/26/2002	NA	23.07	148.39	NA	125.32	NA	125.32	
MW-125	3/27/2002	NA	22.95	148.39	NA	125.44	NA	125.44	
MW-125	4/26/2002	NA	22.75	148.39	NA	125.64	NA	125.64	
MW-125	5/31/2002	NA	22.19	148.39	NA	126.20	NA	126.20	
MW-125	6/28/2002	NA	22.63	148.39	NA	125.76	NA	125.76	
MW-125	7/29/2002	NA	23.17	148.39	NA	125.22	NA	125.22	
MW-125	8/30/2002	NA	23.73	148.39	NA	124.66	NA	124.66	
MW-125	9/30/2002	NA	23.83	148.39	NA	124.56	NA	124.56	
MW-125	10/25/2002	NA	22.68	148.39	NA	125.71	NA	125.71	
MW-125	11/27/2002	NA	20.85	148.39	NA	127.54	NA	127.54	
MW-125	12/30/2002	NA	20.11	148.39	NA	128.28	NA	128.28	
MW-125	1/31/2003	NA	19.38	148.39	NA	129.01	NA	129.01	
MW-125	2/25/2003	NA	18.88	148.39	NA	129.51	NA	129.51	
MW-125	3/17/2003	NA	17.20	148.39	NA	131.19	NA	131.19	
MW-125	4/30/2003	NA	17.08	148.39	NA	131.31	NA	131.31	
MW-125	5/29/2003	NA	16.76	148.39	NA	131.63	NA	131.63	
MW-125	6/27/2003	NA	15.77	148.39	NA	132.62	NA	132.62	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-125	7/25/2003	NA	17.08	148.39	NA	131.31	NA	131.31	
MW-125	8/26/2003	NA	16.93	148.39	NA	131.46	NA	131.46	
MW-125	9/29/2003	NA	16.43	148.39	NA	131.96	NA	131.96	
MW-125	10/31/2003	NA	16.71	148.39	NA	131.68	NA	131.68	
MW-125	11/25/2003	NA	16.30	148.39	NA	132.09	NA	132.09	
MW-125	12/30/2003	NA	15.72	148.39	NA	132.67	NA	132.67	
MW-125	2/4/2004	NA	16.38	148.39	NA	132.01	NA	132.01	
MW-125	2/26/2004	NA	16.28	148.39	NA	132.11	NA	132.11	
MW-125	3/31/2004	NA	16.60	148.39	NA	131.79	NA	131.79	
MW-125	4/27/2004	NA	16.35	148.39	NA	132.04	NA	132.04	
MW-125	5/27/2004	NA	16.46	148.39	NA	131.93	NA	131.93	
MW-125	6/28/2004	NA	16.86	148.39	NA	131.53	NA	131.53	
MW-125	7/27/2004	NA	17.35	148.39	NA	131.04	NA	131.04	
MW-125	10/25/2004	NA	18.29	148.39	NA	130.10	NA	130.10	
MW-125	12/1/2004	NA	18.31	148.39	NA	130.08	NA	130.08	
MW-125	12/31/2004	NA	18.33	148.39	NA	130.06	NA	130.06	
MW-125	1/28/2005	NA	18.16	148.39	NA	130.23	NA	130.23	
MW-125	2/24/2005	NA	18.38	148.39	NA	130.01	NA	130.01	
MW-125	3/27/2005	NA	18.10	148.39	NA	130.29	NA	130.29	
MW-125	4/26/2005	NA	17.20	148.39	NA	131.19	NA	131.19	
MW-125	5/27/2005	NA	17.69	148.39	NA	130.70	NA	130.70	
MW-125	6/30/2005	NA	18.21	148.39	NA	130.18	NA	130.18	
MW-125	7/29/2005	NA	18.53	148.39	NA	129.86	NA	129.86	
MW-125	8/31/2005	NA	18.35	148.39	NA	130.04	NA	130.04	
MW-125	9/30/2005	NA	18.72	148.39	NA	129.67	NA	129.67	
MW-125	10/31/2005	NA	19.05	148.39	NA	129.34	NA	129.34	
MW-125	11/30/2005	NA	19.31	148.39	NA	129.08	NA	129.08	
MW-125	12/28/2005	NA	18.87	148.39	NA	129.52	NA	129.52	
KEMRON Assumes Control of Site 1st Quarter 2006									
MW-125	1/26/2006	NA	19.31	148.39	NA	129.08	NA	129.08	
MW-125	2/23/2006	NA	18.87	148.39	NA	129.52	NA	129.52	
MW-125	3/31/2006	NA	18.71	148.39	NA	129.68	NA	129.68	
MW-125	4/28/2006	NA	18.58	148.39	NA	129.81	NA	129.81	
MW-125	5/25/2006	NA	18.81	148.39	NA	129.58	NA	129.58	
MW-125	6/30/2006	NA	19.44	148.39	NA	128.95	NA	128.95	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-125	7/26/2006	NA	18.25	148.39	NA	130.14	NA	130.14	
MW-125	8/31/2006	NA	20.63	148.39	NA	127.76	NA	127.76	
MW-125	9/29/2006	NA	19.95	148.39	NA	128.44	NA	128.44	
MW-125	10/31/2006	NA	19.39	148.39	NA	129.00	NA	129.00	
MW-125	11/30/2006	NA	18.21	148.39	NA	130.18	NA	130.18	
MW-125	12/28/2006	NA	18.73	148.39	NA	129.66	NA	129.66	
MW-125	1/25/2007	NA	18.58	148.39	NA	129.81	NA	129.81	
MW-125	2/22/2007	NA	18.96	148.39	NA	129.43	NA	129.43	
MW-125	3/30/2007	NA	15.24	148.39	NA	133.15	NA	133.15	
MW-125	4/27/2007	NA	17.63	148.39	NA	130.76	NA	130.76	
MW-125	5/31/2007	NA	18.54	148.39	NA	129.85	NA	129.85	
MW-125	6/28/2007	NA	19.24	148.39	NA	129.15	NA	129.15	
MW-125	7/27/2007	NA	20.19	148.39	NA	128.20	NA	128.20	
MW-125	8/31/2007	NA	20.63	148.39	NA	127.76	NA	127.76	
MW-125	9/28/2007	NA	21.39	148.39	NA	127.00	NA	127.00	
MW-125	10/31/2007	NA	20.69	148.39	NA	127.70	NA	127.70	
MW-125	11/29/2007	NA	21.90	148.39	NA	126.49	NA	126.49	
MW-125	12/27/2007	NA	21.23	148.39	NA	127.16	NA	127.16	
MW-125	1/31/2008	NA	21.15	148.39	NA	127.24	NA	127.24	
MW-125	2/28/2008	NA	22.42	148.39	NA	125.97	NA	125.97	
MW-125	3/27/2008	NA	20.21	148.39	NA	128.18	NA	128.18	
<hr/>									
MW-126	6/8/2000	NA	20.33	149.42	NA	129.09	NA	129.09	
MW-126	6/13/2000	NA	20.50	149.42	NA	128.92	NA	128.92	
MW-126	6/21/2000	NA	20.40	149.42	NA	129.02	NA	129.02	
MW-126	6/28/2000	NA	20.31	149.42	NA	129.11	NA	129.11	
MW-126	7/3/2000	NA	20.40	149.42	NA	129.02	NA	129.02	
MW-126	7/12/2000	NA	20.41	149.42	NA	129.01	NA	129.01	
MW-126	7/20/2000	NA	20.46	149.42	NA	128.96	NA	128.96	
MW-126	7/27/2000	NA	20.40	149.42	NA	129.02	NA	129.02	
MW-126	8/14/2000	NA	20.34	149.42	NA	129.08	NA	129.08	
MW-126	9/18/2000	NA	21.09	149.42	NA	128.33	NA	128.33	
MW-126	10/12/2000	NA	21.07	149.42	NA	128.35	NA	128.35	
MW-126	10/19/2000	NA	21.27	149.42	NA	128.15	NA	128.15	
MW-126	10/24/2000	NA	21.41	149.42	NA	128.01	NA	128.01	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-126	11/2/2000	NA	21.69	149.42	NA	127.73	NA	127.73	
MW-126	11/9/2000	NA	21.81	149.42	NA	127.61	NA	127.61	
MW-126	11/17/2000	NA	21.91	149.42	NA	127.51	NA	127.51	
MW-126	11/22/2000	NA	22.10	149.42	NA	127.32	NA	127.32	
MW-126	11/27/2000	NA	22.05	149.42	NA	127.37	NA	127.37	
MW-126	1/25/2001	NA	21.94	149.42	NA	127.48	NA	127.48	
MW-126	2/27/2001	NA	21.76	149.42	NA	127.66	NA	127.66	
MW-126	3/29/2001	NA	21.29	149.42	NA	128.13	NA	128.13	
MW-126	4/26/2001	NA	20.52	149.42	NA	128.90	NA	128.90	
MW-126	5/31/2001	NA	20.70	149.42	NA	128.72	NA	128.72	
MW-126	6/28/2001	NA	19.75	149.42	NA	129.67	NA	129.67	
MW-126	7/24/2001	NA	20.87	149.42	NA	128.55	NA	128.55	
MW-126	8/31/2001	NA	26.20	149.42	NA	123.22	NA	123.22	
MW-126	9/28/2001	NA	22.09	149.42	NA	127.33	NA	127.33	
MW-126	10/30/2001	NA	22.87	149.42	NA	126.55	NA	126.55	
MW-126	11/27/2001	NA	23.52	149.42	NA	125.90	NA	125.90	
MW-126	12/28/2001	NA	23.86	149.42	NA	125.56	NA	125.56	
MW-126	1/30/2002	NA	24.26	149.42	NA	125.16	NA	125.16	
MW-126	2/26/2002	NA	24.79	149.42	NA	124.63	NA	124.63	
MW-126	3/27/2002	NA	24.28	149.42	NA	125.14	NA	125.14	
MW-126	4/26/2002	NA	23.90	149.42	NA	125.52	NA	125.52	
MW-126	5/31/2002	NA	23.55	149.42	NA	125.87	NA	125.87	
MW-126	6/28/2002	NA	24.15	149.42	NA	125.27	NA	125.27	
MW-126	7/29/2002	NA	24.71	149.42	NA	124.71	NA	124.71	
MW-126	8/30/2002	NA	25.28	149.42	NA	124.14	NA	124.14	
MW-126	9/30/2002	NA	25.21	149.42	NA	124.21	NA	124.21	
MW-126	10/25/2002	NA	23.96	149.42	NA	125.46	NA	125.46	
MW-126	11/27/2002	NA	21.35	149.42	NA	128.07	NA	128.07	
MW-126	12/30/2002	NA	19.75	149.42	NA	129.67	NA	129.67	
MW-126	1/31/2003	NA	19.50	149.42	NA	129.92	NA	129.92	
MW-126	2/25/2003	NA	18.21	149.42	NA	131.21	NA	131.21	
MW-126	3/17/2003	NA	17.11	149.42	NA	132.31	NA	132.31	
MW-126	4/30/2003	NA	17.41	149.42	NA	132.01	NA	132.01	
MW-126	5/29/2003	NA	16.81	149.42	NA	132.61	NA	132.61	
MW-126	6/27/2003	NA	15.89	149.42	NA	133.53	NA	133.53	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-126	7/25/2003	NA	17.41	149.42	NA	132.01	NA	132.01	
MW-126	8/26/2003	NA	17.43	149.42	NA	131.99	NA	131.99	
MW-126	9/29/2003	NA	16.57	149.42	NA	132.85	NA	132.85	
MW-126	10/31/2003	NA	16.87	149.42	NA	132.55	NA	132.55	
MW-126	11/25/2003	NA	16.63	149.42	NA	132.79	NA	132.79	
MW-126	12/30/2003	NA	16.22	149.42	NA	133.20	NA	133.20	
MW-126	2/4/2004	NA	16.99	149.42	NA	132.43	NA	132.43	
MW-126	2/26/2004	NA	16.95	149.42	NA	132.47	NA	132.47	
MW-126	3/31/2004	NA	17.27	149.42	NA	132.15	NA	132.15	
MW-126	4/27/2004	NA	16.86	149.42	NA	132.56	NA	132.56	
MW-126	5/27/2004	NA	17.03	149.42	NA	132.39	NA	132.39	
MW-126	6/28/2004	NA	17.31	149.42	NA	132.11	NA	132.11	
MW-126	7/27/2004	NA	17.79	149.42	NA	131.63	NA	131.63	
MW-126	10/25/2004	NA	18.90	149.42	NA	130.52	NA	130.52	
MW-126	12/1/2004	NA	18.71	149.42	NA	130.71	NA	130.71	
MW-126	12/31/2004	NA	18.70	149.42	NA	130.72	NA	130.72	
MW-126	1/28/2005	NA	18.51	149.42	NA	130.91	NA	130.91	
MW-126	2/24/2005	NA	18.94	149.42	NA	130.48	NA	130.48	
MW-126	3/27/2005	NA	18.32	149.42	NA	131.10	NA	131.10	
MW-126	4/26/2005	NA	17.63	149.42	NA	131.79	NA	131.79	
MW-126	5/27/2005	NA	18.12	149.42	NA	131.30	NA	131.30	
MW-126	6/30/2005	NA	18.71	149.42	NA	130.71	NA	130.71	
MW-126	7/29/2005	NA	18.92	149.42	NA	130.50	NA	130.50	
MW-126	8/31/2005	NA	18.43	149.42	NA	130.99	NA	130.99	
MW-126	9/30/2005	NA	18.85	149.42	NA	130.57	NA	130.57	
MW-126	10/31/2005	NA	19.17	149.42	NA	130.25	NA	130.25	
MW-126	11/30/2005	NA	20.27	149.42	NA	129.15	NA	129.15	
MW-126	12/28/2005	NA	19.29	149.42	NA	130.13	NA	130.13	
KEMRON Assumes Control of Site 1st Quarter 2006									
MW-126	1/26/2006	NA	18.88	149.42	NA	130.54	NA	130.54	
MW-126	2/23/2006	NA	18.52	149.42	NA	130.90	NA	130.90	
MW-126	3/31/2006	NA	19.01	149.42	NA	130.41	NA	130.41	
MW-126	4/28/2006	NA	18.87	149.42	NA	130.55	NA	130.55	
MW-126	5/25/2006	NA	18.40	149.42	NA	131.02	NA	131.02	
MW-126	6/30/2006	NA	17.81	149.42	NA	131.61	NA	131.61	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-126	7/26/2006	NA	17.42	149.42	NA	132.00	NA	132.00	
MW-126	8/31/2006	NA	21.79	149.42	NA	127.63	NA	127.63	
MW-126	9/29/2006	NA	20.88	149.42	NA	128.54	NA	128.54	
MW-126	10/31/2006	NA	19.29	149.42	NA	130.13	NA	130.13	
MW-126	11/30/2006	NA	18.19	149.42	NA	131.23	NA	131.23	
MW-126	12/28/2006	NA	19.35	149.42	NA	130.07	NA	130.07	
MW-126	1/25/2007	NA	19.01	149.42	NA	130.41	NA	130.41	
MW-126	2/22/2007	NA	19.91	149.42	NA	129.51	NA	129.51	
MW-126	3/30/2007	NA	18.43	149.42	NA	130.99	NA	130.99	
MW-126	4/27/2007	NA	17.79	149.42	NA	131.63	NA	131.63	
MW-126	5/31/2007	NA	19.26	149.42	NA	130.16	NA	130.16	
MW-126	6/28/2007	NA	20.18	149.42	NA	129.24	NA	129.24	
MW-126	7/27/2007	NA	21.22	149.42	NA	128.20	NA	128.20	
MW-126	8/31/2007	NA	21.74	149.42	NA	127.68	NA	127.68	
MW-126	9/28/2007	NA	22.65	149.42	NA	126.77	NA	126.77	
MW-126	10/31/2007	NA	20.73	149.42	NA	128.69	NA	128.69	
MW-126	11/29/2007	NA	22.65	149.42	NA	126.77	NA	126.77	
MW-126	12/27/2007	NA	22.18	149.42	NA	127.24	NA	127.24	
MW-126	1/31/2008	NA	22.31	149.42	NA	127.11	NA	127.11	
MW-126	2/28/2008	NA	21.41	149.42	NA	128.01	NA	128.01	
MW-126	3/27/2008	NA	21.26	149.42	NA	128.16	NA	128.16	
<hr/>									
MW-127	6/8/2000	23.65	31.70	153.50	129.85	121.80	8.05	128.72	16 gal pumped
MW-127	6/13/2000	23.66	31.80	153.50	129.84	121.70	8.14	128.70	10 gal pumped
MW-127	6/21/2000	23.70	31.71	153.50	129.80	121.79	8.01	128.68	12 gal pumped
MW-127	6/28/2000	23.78	31.74	153.50	129.72	121.76	7.96	128.61	8 gal pumped
MW-127	7/3/2000	23.67	31.82	153.50	129.83	121.68	8.15	128.69	2 gal pumped (pump broke)
MW-127	7/12/2000	23.68	31.30	153.50	129.82	122.20	7.62	128.75	12 gal pumped
MW-127	7/20/2000	23.78	31.29	153.50	129.72	122.21	7.51	128.67	12 gal pumped
MW-127	7/27/2000	23.75	31.30	153.50	129.75	122.20	7.55	128.69	
MW-127	8/14/2000	23.65	31.28	153.50	129.85	122.22	7.63	128.78	
MW-127	9/18/2000	24.29	31.33	153.50	129.21	122.17	7.04	128.22	
MW-127	10/12/2000	24.35	31.26	153.50	129.15	122.24	6.91	128.18	5.5 gal pumped
MW-127	10/19/2000	24.46	31.35	153.50	129.04	122.15	6.89	128.08	7.5 gal pumped
MW-127	10/24/2000	21.64	30.40	153.50	131.86	123.10	8.76	130.63	7 gal pumped

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-127	11/2/2000	24.81	31.40	153.50	128.69	122.10	6.59	127.77	7 gallons removed
MW-127	11/9/2000	24.94	31.47	153.50	128.56	122.03	6.53	127.65	7 gallons removed
MW-127	11/17/2000	25.07	31.41	153.50	128.43	122.09	6.34	127.54	6.5 gallons removed
MW-127	11/22/2000	25.27	31.39	153.50	128.23	122.11	6.12	127.37	7 gallons removed
MW-127	11/27/2000	25.28	31.35	153.50	128.22	122.15	6.07	127.37	7 gallons removed
MW-127	12/6/2000	25.53	31.40	153.50	127.97	122.10	5.87	127.15	10 gallons removed
MW-127	12/14/2000	25.61	31.38	153.50	127.89	122.12	5.77	127.08	9 gallons removed
MW-127	12/21/2000	25.53	31.40	153.50	127.97	122.10	5.87	127.15	10 gallons removed
MW-127	12/28/2000	25.60	31.60	153.50	127.90	121.90	6.00	127.06	8.5 gallons removed
MW-127	1/5/2001	25.57	31.39	153.50	127.93	122.11	5.82	127.12	8.5 gallons removed
MW-127	1/10/2001	25.84	32.15	153.50	127.66	121.35	6.31	126.78	8 gallons removed
MW-127	1/16/2001	25.98	31.90	153.50	127.52	121.60	5.92	126.69	9 gallons removed
MW-127	1/24/2001	25.67	31.55	153.50	127.83	121.95	5.88	127.01	12 gallons removed
MW-127	2/1/2001	25.78	31.70	153.50	127.72	121.80	5.92	126.89	16 gallons removed
MW-127	2/9/2001	25.62	31.15	153.50	127.88	122.35	5.53	127.11	14.75 gallons removed
MW-127	2/15/2001	25.67	31.71	153.50	127.83	121.79	6.04	126.98	8 gallons removed
MW-127	2/22/2001	25.63	31.70	153.50	127.87	121.80	6.07	127.02	8 gallons removed
MW-127	2/27/2001	25.46	31.33	153.50	128.04	122.17	5.87	127.22	8 gallons removed
MW-127	3/8/2001	25.55	31.39	153.50	127.95	122.11	5.84	127.13	8 gallons removed
MW-127	3/16/2001	25.54	31.38	153.50	127.96	122.12	5.84	127.14	8 gallons removed
MW-127	3/23/2001	25.21	31.10	153.50	128.29	122.40	5.89	127.47	8 gallons removed
MW-127	3/29/2001	25.13	31.18	153.50	128.37	122.32	6.05	127.52	8 gallons removed
MW-127	4/6/2001	24.66	31.25	153.50	128.84	122.25	6.59	127.92	8 gallons removed
MW-127	4/13/2001	24.50	31.29	153.50	129.00	122.21	6.79	128.05	8 gallons removed
MW-127	4/20/2001	24.44	31.25	153.50	129.06	122.25	6.81	128.11	8 gallons removed
MW-127	4/26/2001	24.42	31.21	153.50	129.08	122.29	6.79	128.13	8 gallons removed
MW-127	5/2/2001	24.47	31.22	153.50	129.03	122.28	6.75	128.09	8 gallons removed
MW-127	5/11/2001	24.50	31.29	153.50	129.00	122.21	6.79	128.05	8 gallons removed
MW-127	5/18/2001	24.77	31.16	153.50	128.73	122.34	6.39	127.84	8 gallons removed
MW-127	5/24/2001	24.76	31.10	153.50	128.74	122.40	6.34	127.85	8 gallons removed
MW-127	5/31/2001	24.44	30.90	153.50	129.06	122.60	6.46	128.16	8 gallons removed
MW-127	6/6/2001	24.36	31.16	153.50	129.14	122.34	6.80	128.19	8 gallons removed
MW-127	6/13/2001	24.02	30.87	153.50	129.48	122.63	6.85	128.52	8 gallons removed
MW-127	6/21/2001	24.01	30.88	153.50	129.49	122.62	6.87	128.53	8 gallons removed
MW-127	6/28/2001	23.90	31.10	153.50	129.60	122.40	7.20	128.59	8 gallons removed

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-127	7/3/2001	23.91	31.05	153.50	129.59	122.45	7.14	128.59	8 gallons removed
MW-127	7/11/2001	23.92	31.00	153.50	129.58	122.50	7.08	128.59	8 gallons removed
MW-127	7/19/2001	24.18	30.90	153.50	129.32	122.60	6.72	128.38	8 gallons removed
MW-127	7/24/2001	24.22	31.91	153.50	129.28	121.59	7.69	128.20	8 gallons removed
MW-127	8/1/2001	24.63	30.88	153.50	128.87	122.62	6.25	128.00	8 gallons removed
MW-127	8/10/2001	24.62	30.86	153.50	128.88	122.64	6.24	128.01	8 gallons removed
MW-127	8/16/2001	24.71	30.85	153.50	128.79	122.65	6.14	127.93	8 gallons removed
MW-127	8/22/2001	24.84	30.95	153.50	128.66	122.55	6.11	127.80	13.8 gallons removed
MW-127	8/31/2001	NA	NA	153.50	NA	NA	NA	NA	37.6 gallons removed
MW-127	9/4/2001	NA	NA	153.50	NA	NA	NA	NA	Fuel recovery system installed
MW-127	9/28/2001	NA	NA	153.50	NA	NA	NA	NA	
MW-127	10/26/2001	26.63	27.75	153.50	126.87	125.75	1.12	126.71	Automatic fuel recovery
MW-127	11/13/2001	27.12	28.35	153.50	126.38	125.15	1.23	126.21	Automatic fuel recovery
MW-127	11/27/2001	27.43	28.54	153.50	126.07	124.96	1.11	125.91	Automatic fuel recovery
MW-127	12/5/2001	27.32	30.68	153.50	126.18	122.82	3.36	125.71	Automatic fuel recovery
MW-127	12/19/2001	27.35	30.41	153.50	126.15	123.09	3.06	125.72	Automatic fuel recovery
MW-127	12/28/2001	27.92	29.08	153.50	125.58	124.42	1.16	125.42	Automatic fuel recovery
MW-127	1/3/2002	28.00	30.60	153.50	125.50	122.90	2.60	125.14	Automatic fuel recovery
MW-127	1/11/2002	28.10	29.80	153.50	125.40	123.70	1.70	125.16	Automatic fuel recovery
MW-127	1/17/2002	27.90	29.50	153.50	125.60	124.00	1.60	125.38	Automatic fuel recovery
MW-127	1/24/2002	28.02	30.80	153.50	125.48	122.70	2.78	125.09	Automatic fuel recovery
MW-127	1/30/2002	28.15	30.80	153.50	125.35	122.70	2.65	124.98	Automatic fuel recovery
MW-127	2/7/2002	28.22	30.80	153.50	125.28	122.70	2.58	124.92	Automatic fuel recovery
MW-127	2/12/2002	28.65	30.04	153.50	124.85	123.46	1.39	124.66	Automatic fuel recovery
MW-127	2/22/2002	28.66	30.05	153.50	124.84	123.45	1.39	124.65	Automatic fuel recovery
MW-127	2/26/2002	28.67	30.70	153.50	124.83	122.80	2.03	124.55	Automatic fuel recovery
MW-127	3/7/2002	28.71	31.11	153.50	124.79	122.39	2.40	124.45	Automatic fuel recovery
MW-127	3/13/2002	28.85	30.52	153.50	124.65	122.98	1.67	124.42	Automatic fuel recovery
MW-127	3/21/2002	28.71	31.05	153.50	124.79	122.45	2.34	124.46	Automatic fuel recovery
MW-127	3/27/2002	28.76	31.02	153.50	124.74	122.48	2.26	124.42	Automatic fuel recovery
MW-127	4/5/2002	28.81	30.02	153.50	124.69	123.48	1.21	124.52	Automatic fuel recovery
MW-127	4/9/2002	28.72	30.77	153.50	124.78	122.73	2.05	124.49	Automatic fuel recovery
MW-127	4/16/2002	28.83	30.14	153.50	124.67	123.36	1.31	124.49	Automatic fuel recovery
MW-127	4/22/2002	28.65	29.95	153.50	124.85	123.55	1.30	124.67	Automatic fuel recovery
MW-127	4/30/2002	28.60	29.90	153.50	124.90	123.60	1.30	124.72	Automatic fuel recovery

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-127	5/6/2002	27.91	29.60	153.50	125.59	123.90	1.69	125.35	Automatic fuel recovery
MW-127	5/17/2002	27.87	29.11	153.50	125.63	124.39	1.24	125.46	Automatic fuel recovery
MW-127	5/24/2002	27.68	30.24	153.50	125.82	123.26	2.56	125.46	Automatic fuel recovery
MW-127	5/31/2002	27.98	28.70	153.50	125.52	124.80	0.72	125.42	Automatic fuel recovery
MW-127	6/7/2002	27.88	28.60	153.50	125.62	124.90	0.72	125.52	Automatic fuel recovery
MW-127	6/11/2002	28.21	28.38	153.50	125.29	125.12	0.17	125.27	Automatic fuel recovery
MW-127	6/21/2002	28.10	30.33	153.50	125.40	123.17	2.23	125.09	Automatic fuel recovery
MW-127	6/28/2002	28.38	29.18	153.50	125.12	124.32	0.80	125.01	Automatic fuel recovery
MW-127	7/3/2002	28.56	29.60	153.50	124.94	123.90	1.04	124.79	Automatic fuel recovery
MW-127	7/9/2002	28.63	29.48	153.50	124.87	124.02	0.85	124.75	Automatic fuel recovery
MW-127	7/17/2002	28.65	29.30	153.50	124.85	124.20	0.65	124.76	Automatic fuel recovery
MW-127	7/23/2002	28.83	29.20	153.50	124.67	124.30	0.37	124.62	Automatic fuel recovery
MW-127	7/29/2002	28.94	29.24	153.50	124.56	124.26	0.30	124.52	Automatic fuel recovery
MW-127	8/7/2002	29.00	30.15	153.50	124.50	123.35	1.15	124.34	Automatic fuel recovery
MW-127	8/16/2002	29.14	30.80	153.50	124.36	122.70	1.66	124.13	Automatic fuel recovery
MW-127	8/23/2002	29.37	30.18	153.50	124.13	123.32	0.81	124.02	Automatic fuel recovery
MW-127	8/30/2002	29.32	30.20	153.50	124.18	123.30	0.88	124.06	Automatic fuel recovery
MW-127	9/6/2002	29.29	30.01	153.50	124.21	123.49	0.72	124.11	Automatic fuel recovery
MW-127	9/11/2002	29.35	29.90	153.50	124.15	123.60	0.55	124.07	Automatic fuel recovery
MW-127	9/17/2002	29.50	30.17	153.50	124.00	123.33	0.67	123.91	Automatic fuel recovery
MW-127	9/25/2002	29.66	30.63	153.50	123.84	122.87	0.97	123.70	Automatic fuel recovery
MW-127	9/30/2002	29.51	29.97	153.50	123.99	123.53	0.46	123.93	Automatic fuel recovery
MW-127	10/10/2002	29.52	29.98	153.50	123.98	123.52	0.46	123.92	Automatic fuel recovery
MW-127	10/15/2002	29.50	29.97	153.50	124.00	123.53	0.47	123.93	Automatic fuel recovery
MW-127	10/25/2002	28.70	28.73	153.50	124.80	124.77	0.03	124.80	Automatic fuel recovery
MW-127	10/31/2002	28.34	28.54	153.50	125.16	124.96	0.20	125.13	Automatic fuel recovery
MW-127	11/4/2002	28.07	28.10	153.50	125.43	125.40	0.03	125.43	Automatic fuel recovery
MW-127	11/12/2002	27.75	27.76	153.50	125.75	125.74	0.01	125.75	Automatic fuel recovery
MW-127	11/21/2002	27.07	27.08	153.50	126.43	126.42	0.01	126.43	Automatic fuel recovery
MW-127	11/27/2002	26.90	26.90	153.50	126.60	126.60	0.00	126.60	Automatic fuel recovery
MW-127	12/2/2002	26.91	27.01	153.50	126.59	126.49	0.10	126.58	Automatic fuel recovery
MW-127	12/13/2002	26.76	26.85	153.50	126.74	126.65	0.09	126.73	Automatic fuel recovery
MW-127	12/20/2002	26.13	26.14	153.50	127.37	127.36	0.01	127.37	Automatic fuel recovery
MW-127	12/27/2002	NA	26.12	153.50	NA	127.38	NA	127.38	Automatic fuel recovery
MW-127	12/30/2002	NA	25.95	153.50	NA	127.55	NA	127.55	Automatic fuel recovery

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-127	1/10/2003	NA	25.35	153.50	NA	128.15	NA	128.15	Automatic fuel recovery
MW-127	1/17/2003	NA	25.20	153.50	NA	128.30	NA	128.30	Automatic fuel recovery
MW-127	1/22/2003	25.14	25.35	153.50	128.36	128.15	0.21	128.33	Automatic fuel recovery
MW-127	1/31/2003	25.17	25.44	153.50	128.33	128.06	0.27	128.29	Automatic fuel recovery
MW-127	2/5/2003	25.36	25.72	153.50	128.14	127.78	0.36	128.09	Automatic fuel recovery
MW-127	2/13/2003	25.35	25.71	153.50	128.15	127.79	0.36	128.10	Automatic fuel recovery
MW-127	2/25/2003	24.87	25.02	153.50	128.63	128.48	0.15	128.61	Automatic fuel recovery
MW-127	3/4/2003	24.23	24.27	153.50	129.27	129.23	0.04	129.26	Automatic fuel recovery
MW-127	3/14/2003	23.59	23.60	153.50	129.91	129.90	0.01	129.91	Automatic fuel recovery
MW-127	3/17/2003	23.29	23.31	153.50	130.21	130.19	0.02	130.21	Automatic fuel recovery
MW-127	3/28/2003	23.28	23.29	153.50	130.22	130.21	0.01	130.22	Automatic fuel recovery
MW-127	4/3/2003	23.12	23.15	153.50	130.38	130.35	0.03	130.38	
MW-127	4/10/2003	23.02	23.03	153.50	130.48	130.47	0.01	130.48	
MW-127	4/18/2003	23.04	23.06	153.50	130.46	130.44	0.02	130.46	
MW-127	4/25/2003	23.04	23.06	153.50	130.46	130.44	0.02	130.46	
MW-127	4/30/2003	23.05	23.08	153.50	130.45	130.42	0.03	130.45	
MW-127	5/9/2003	23.10	23.15	153.50	130.40	130.35	0.05	130.39	
MW-127	5/13/2003	23.09	23.14	153.50	130.41	130.36	0.05	130.40	
MW-127	5/20/2003	22.67	22.68	153.50	130.83	130.82	0.01	130.83	
MW-127	5/29/2003	22.68	22.69	153.50	130.82	130.81	0.01	130.82	
MW-127	6/6/2003	22.60	22.61	153.50	130.90	130.89	0.01	130.90	
MW-127	6/13/2003	22.50	22.51	153.50	131.00	130.99	0.01	131.00	
MW-127	6/18/2003	22.10	22.11	153.50	131.40	131.39	0.01	131.40	
MW-127	6/27/2003	21.64	21.65	153.50	131.86	131.85	0.01	131.86	
MW-127	7/2/2003	21.63	21.64	153.50	131.87	131.86	0.01	131.87	
MW-127	7/7/2003	21.63	21.65	153.50	131.87	131.85	0.02	131.87	
MW-127	7/14/2003	21.52	21.53	153.50	131.98	131.97	0.01	131.98	
MW-127	7/25/2003	21.52	21.53	153.50	131.98	131.97	0.01	131.98	
MW-127	7/29/2003	21.51	21.53	153.50	131.99	131.97	0.02	131.99	
MW-127	8/8/2003	21.51	21.53	153.50	131.99	131.97	0.02	131.99	
MW-127	8/15/2003	22.03	22.05	153.50	131.47	131.45	0.02	131.47	
MW-127	8/19/2003	22.04	22.05	153.50	131.46	131.45	0.01	131.46	
MW-127	8/26/2003	22.29	22.30	153.50	131.21	131.20	0.01	131.21	
MW-127	9/4/2003	22.28	22.29	153.50	131.22	131.21	0.01	131.22	
MW-127	9/9/2003	22.27	22.28	153.50	131.23	131.22	0.01	131.23	

TABLE 2**Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data****Building 8481****Fort George G. Meade**

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-127	9/18/2003	22.26	22.27	153.50	131.24	131.23	0.01	131.24	
MW-127	9/26/2003	22.03	22.07	153.50	131.47	131.43	0.04	131.46	
MW-127	9/29/2003	22.01	22.04	153.50	131.49	131.46	0.03	131.49	
MW-127	10/3/2003	22.04	22.06	153.50	131.46	131.44	0.02	131.46	
MW-127	10/10/2003	22.15	22.41	153.50	131.35	131.09	0.26	131.31	
MW-127	10/15/2003	22.14	22.50	153.50	131.36	131.00	0.36	131.31	
MW-127	10/21/2003	22.13	22.40	153.50	131.37	131.10	0.27	131.33	
MW-127	10/31/2003	22.22	22.27	153.50	131.28	131.23	0.05	131.27	
MW-127	11/4/2003	22.16	22.21	153.50	131.34	131.29	0.05	131.33	
MW-127	11/10/2003	22.15	22.20	153.50	131.35	131.30	0.05	131.34	
MW-127	11/17/2003	22.15	22.20	153.50	131.35	131.30	0.05	131.34	
MW-127	11/25/2003	21.88	21.92	153.50	131.62	131.58	0.04	131.61	
MW-127	12/4/2003	21.75	21.80	153.50	131.75	131.70	0.05	131.74	
MW-127	12/8/2003	21.74	21.79	153.50	131.76	131.71	0.05	131.75	
MW-127	12/18/2003	21.72	21.75	153.50	131.78	131.75	0.03	131.78	
MW-127	12/23/2003	21.31	21.35	153.50	132.19	132.15	0.04	132.18	
MW-127	12/30/2003	21.30	21.34	153.50	132.20	132.16	0.04	132.19	
MW-127	1/5/2004	21.27	21.31	153.50	132.23	132.19	0.04	132.22	
MW-127	1/16/2004	21.26	21.29	153.50	132.24	132.21	0.03	132.24	
MW-127	1/23/2004	21.25	21.29	153.50	132.25	132.21	0.04	132.24	
MW-127	2/4/2004	21.95	21.99	153.50	131.55	131.51	0.04	131.54	
MW-127	2/11/2004	21.96	21.97	153.50	131.54	131.53	0.01	131.54	
MW-127	2/19/2004	21.94	21.96	153.50	131.56	131.54	0.02	131.56	
MW-127	2/26/2004	21.90	21.95	153.50	131.60	131.55	0.05	131.59	
MW-127	3/4/2004	22.23	22.28	153.50	131.27	131.22	0.05	131.26	
MW-127	3/10/2004	22.25	22.30	153.50	131.25	131.20	0.05	131.24	
MW-127	3/18/2004	22.28	22.32	153.50	131.22	131.18	0.04	131.21	
MW-127	3/23/2004	22.30	22.36	153.50	131.20	131.14	0.06	131.19	
MW-127	3/31/2004	22.16	22.22	153.50	131.34	131.28	0.06	131.33	
MW-127	4/7/2004	22.18	22.25	153.50	131.32	131.25	0.07	131.31	
MW-127	4/14/2004	22.24	22.29	153.50	131.26	131.21	0.05	131.25	
MW-127	4/23/2004	22.10	22.17	153.50	131.40	131.33	0.07	131.39	
MW-127	4/27/2004	22.00	22.10	153.50	131.50	131.40	0.10	131.49	
MW-127	5/6/2004	21.98	22.05	153.50	131.52	131.45	0.07	131.51	
MW-127	5/13/2004	22.05	22.11	153.50	131.45	131.39	0.06	131.44	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-127	5/18/2004	22.10	22.15	153.50	131.40	131.35	0.05	131.39	
MW-127	5/27/2004	22.23	22.30	153.50	131.27	131.20	0.07	131.26	
MW-127	6/2/2004	22.20	22.32	153.50	131.30	131.18	0.12	131.28	
MW-127	6/17/2004	22.20	22.28	153.50	131.30	131.22	0.08	131.29	
MW-127	6/25/2004	20.17	20.24	153.50	133.33	133.26	0.07	133.32	
MW-127	6/28/2004	22.38	22.40	153.50	131.12	131.10	0.02	131.12	
MW-127	7/8/2004	22.44	22.46	153.50	131.06	131.04	0.02	131.06	
MW-127	7/14/2004	22.48	22.53	153.50	131.02	130.97	0.05	131.01	
MW-127	7/20/2004	22.56	22.58	153.50	130.94	130.92	0.02	130.94	
MW-127	7/27/2004	22.70	22.80	153.50	130.80	130.70	0.10	130.79	
MW-127	8/3/2004	22.65	22.74	153.50	130.85	130.76	0.09	130.84	
MW-127	8/19/2004	22.54	22.54	153.50	130.96	130.96	0.00	130.96	
MW-127	10/7/2004	23.24	23.34	153.50	130.26	130.16	0.10	130.25	
MW-127	10/14/2004	23.28	23.40	153.50	130.22	130.10	0.12	130.20	
MW-127	10/25/2004	23.53	23.62	153.50	129.97	129.88	0.09	129.96	
MW-127	10/29/2004	23.53	23.55	153.50	129.97	129.95	0.02	129.97	
MW-127	11/22/2004	23.72	23.73	153.50	129.78	129.77	0.01	129.78	
MW-127	12/1/2004	NA	23.78	153.50	NA	129.72	NA	129.72	
MW-127	12/6/2004	NA	23.83	153.50	NA	129.67	NA	129.67	
MW-127	12/14/2004	NA	23.85	153.50	NA	129.65	NA	129.65	
MW-127	12/23/2004	NA	23.79	153.50	NA	129.71	NA	129.71	
MW-127	12/31/2004	NA	23.86	153.50	NA	129.64	NA	129.64	
MW-127	1/7/2005	NA	24.64	153.50	NA	128.86	NA	128.86	
MW-127	1/13/2005	NA	24.04	153.50	NA	129.46	NA	129.46	
MW-127	1/20/2005	NA	23.44	153.50	NA	130.06	NA	130.06	
MW-127	1/28/2005	NA	23.91	153.50	NA	129.59	NA	129.59	
MW-127	2/4/2005	NA	23.88	153.50	NA	129.62	NA	129.62	
MW-127	2/12/2005	NA	23.86	153.50	NA	129.64	NA	129.64	
MW-127	2/18/2005	24.02	24.03	153.50	129.48	129.47	0.01	129.48	
MW-127	2/24/2005	NA	24.01	153.50	NA	129.49	NA	129.49	
MW-127	3/3/2005	NA	24.05	153.50	NA	129.45	NA	129.45	
MW-127	3/10/2005	NA	24.03	153.50	NA	129.47	NA	129.47	
MW-127	3/16/2005	NA	24.00	153.50	NA	129.50	NA	129.50	
MW-127	3/22/2005	NA	23.97	153.50	NA	129.53	NA	129.53	
MW-127	3/27/2005	NA	23.96	153.50	NA	129.54	NA	129.54	

TABLE 2**Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data****Building 8481****Fort George G. Meade**

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-127	4/5/2005	23.32	23.33	153.50	130.18	130.17	0.01	130.18	
MW-127	4/13/2005	NA	22.99	153.50	NA	130.51	NA	130.51	
MW-127	4/21/2005	23.05	23.06	153.50	130.45	130.44	0.01	130.45	
MW-127	4/26/2005	NA	22.94	153.50	NA	130.56	NA	130.56	
MW-127	5/5/2005	23.16	23.17	153.50	130.34	130.33	0.01	130.34	
MW-127	5/13/2005	NA	23.20	153.50	NA	130.30	NA	130.30	
MW-127	5/20/2005	NA	23.25	153.50	NA	130.25	NA	130.25	
MW-127	5/27/2005	NA	23.33	153.50	NA	130.17	NA	130.17	
MW-127	6/3/2005	NA	23.38	153.50	NA	130.12	NA	130.12	
MW-127	6/10/2005	NA	23.48	153.50	NA	130.02	NA	130.02	
MW-127	6/17/2005	NA	23.55	153.50	NA	129.95	NA	129.95	
MW-127	6/23/2005	NA	23.53	153.50	NA	129.97	NA	129.97	
MW-127	6/30/2005	NA	23.60	153.50	NA	129.90	NA	129.90	
MW-127	7/8/2005	NA	23.62	153.50	NA	129.88	NA	129.88	
MW-127	7/15/2005	NA	23.67	153.50	NA	129.83	NA	129.83	
MW-127	7/22/2005	23.77	23.78	153.50	129.73	129.72	0.01	129.73	
MW-127	7/29/2005	23.93	23.94	153.50	129.57	129.56	0.01	129.57	
MW-127	8/8/2005	23.78	23.79	153.50	129.72	129.71	0.01	129.72	
MW-127	8/15/2005	NA	23.68	153.50	NA	129.82	NA	129.82	
MW-127	8/25/2005	23.71	23.72	153.50	129.79	129.78	0.01	129.79	
MW-127	8/31/2005	23.61	23.68	153.50	129.89	129.82	0.07	129.88	
MW-127	9/9/2005	24.13	24.14	153.50	129.37	129.36	0.01	129.37	
MW-127	9/16/2005	24.33	24.34	153.50	129.17	129.16	0.01	129.17	
MW-127	9/23/2005	24.57	24.59	153.50	128.93	128.91	0.02	128.93	
MW-127	9/30/2005	24.09	24.11	153.50	129.41	129.39	0.02	129.41	
MW-127	10/7/2005	24.11	24.12	153.50	129.39	129.38	0.01	129.39	
MW-127	10/14/2005	NA	24.31	153.50	NA	129.19	NA	129.19	
MW-127	10/24/2005	24.41	24.42	153.50	129.09	129.08	0.01	129.09	
MW-127	10/31/2005	24.43	24.46	153.50	129.07	129.04	0.03	129.07	
MW-127	11/8/2005	24.40	24.42	153.50	129.10	129.08	0.02	129.10	
MW-127	11/14/2005	24.37	24.40	153.50	129.13	129.10	0.03	129.13	
MW-127	11/21/2005	24.36	24.37	153.50	129.14	129.13	0.01	129.14	
MW-127	11/30/2005	24.74	27.78	153.50	128.76	125.72	3.04	128.33	
MW-127	12/5/2005	24.74	24.76	153.50	128.76	128.74	0.02	128.76	
MW-127	12/9/2005	24.71	24.73	153.50	128.79	128.77	0.02	128.79	

TABLE 2**Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data****Building 8481****Fort George G. Meade**

Monitoring Well	Water and Fuel Elevation Measurements								
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	Comments
MW-127	12/16/2005	24.65	24.68	153.50	128.85	128.82	0.03	128.85	
MW-127	12/22/2005	24.62	24.65	153.50	128.88	128.85	0.03	128.88	
MW-127	12/28/2005	24.56	24.61	153.50	128.94	128.89	0.05	128.93	
KEMRON Assumes Control of Site 1st Quarter 2006									
MW-127	1/5/2006	24.50	24.53	153.50	129.00	128.97	0.03	129.00	
MW-127	1/12/2006	24.46	24.53	153.50	129.04	128.97	0.07	129.03	
MW-127	1/19/2006	24.55	24.61	153.50	128.95	128.89	0.06	128.94	
MW-127	1/26/2006	24.60	24.67	153.50	128.90	128.83	0.07	128.89	
MW-127	2/2/2006	24.31	24.36	153.50	129.19	129.14	0.05	129.18	
MW-127	2/9/2006	24.12	24.14	153.50	129.38	129.36	0.02	129.38	
MW-127	2/16/2006	24.10	24.11	153.50	129.40	129.39	0.01	129.40	
MW-127	2/23/2006	24.49	24.60	153.50	129.01	128.90	0.11	128.99	
MW-127	3/2/2006	23.90	23.91	153.50	129.60	129.59	0.01	129.60	
MW-127	3/9/2006	25.13	25.21	153.50	128.37	128.29	0.08	128.36	
MW-127	3/16/2006	23.67	23.72	153.50	129.83	129.78	0.05	129.82	
MW-127	3/23/2006	23.43	23.44	153.50	130.07	130.06	0.01	130.07	
MW-127	3/31/2006	24.69	24.75	153.50	128.81	128.75	0.06	128.80	
MW-127	4/6/2006	24.68	24.76	153.50	128.82	128.74	0.08	128.81	
MW-127	4/14/2006	24.36	24.40	153.50	129.14	129.10	0.04	129.13	
MW-127	4/21/2006	24.51	24.56	153.50	128.99	128.94	0.05	128.98	
MW-127	4/28/2006	24.56	24.60	153.50	128.94	128.90	0.04	128.93	
MW-127	5/4/2006	23.27	23.28	153.50	130.23	130.22	0.01	130.23	
MW-127	5/12/2006	24.61	24.64	153.50	128.89	128.86	0.03	128.89	
MW-127	5/18/2006	24.62	24.64	153.50	128.88	128.86	0.02	128.88	
MW-127	5/25/2006	NA	21.98	153.50	NA	131.52	NA	131.52	
MW-127	6/2/2006	24.52	24.54	153.50	128.98	128.96	0.02	128.98	
MW-127	6/9/2006	24.71	24.72	153.50	128.79	128.78	0.01	128.79	
MW-127	6/16/2006	NA	23.39	153.50	NA	130.11	NA	130.11	SHEEN
MW-127	6/23/2006	24.01	24.02	153.50	129.49	129.48	0.01	129.49	
MW-127	6/30/2006	NA	23.01	153.50	NA	130.49	NA	130.49	
MW-127	7/7/2006	NA	26.04	153.50	NA	127.46	NA	127.46	
MW-127	7/13/2006	23.98	24.01	153.50	129.52	129.49	0.03	129.52	
MW-127	7/19/2006	NA	24.33	153.50	NA	129.17	NA	129.17	SHEEN
MW-127	7/26/2006	NA	22.91	153.50	NA	130.59	NA	130.59	
MW-127	8/4/2006	24.89	24.90	153.50	128.61	128.60	0.01	128.61	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-127	8/11/2006	25.11	25.12	153.50	128.39	128.38	0.01	128.39	
MW-127	8/17/2006	NA	25.27	153.50	NA	128.23	NA	128.23	
MW-127	8/23/2006	NA	25.49	153.50	NA	128.01	NA	128.01	
MW-127	8/31/2006	NA	27.01	153.50	NA	126.49	NA	126.49	
MW-127	9/8/2006	NA	26.24	153.50	NA	127.26	NA	127.26	
MW-127	9/15/2006	NA	25.11	153.50	NA	128.39	NA	128.39	
MW-127	9/22/2006	NA	25.18	153.50	NA	128.32	NA	128.32	
MW-127	9/29/2006	NA	25.28	153.50	NA	128.22	NA	128.22	
MW-127	10/6/2006	NA	25.42	153.50	NA	128.08	NA	128.08	
MW-127	10/12/2006	NA	25.02	153.50	NA	128.48	NA	128.48	
MW-127	10/19/2006	25.14	25.15	153.50	128.36	128.35	0.01	128.36	
MW-127	10/27/2006	25.21	25.23	153.50	128.29	128.27	0.02	128.29	
MW-127	10/31/2006	24.90	24.91	153.50	128.60	128.59	0.01	128.60	
MW-127	11/9/2006	24.60	24.62	153.50	128.90	128.88	0.02	128.90	
MW-127	11/17/2006	NA	24.31	153.50	NA	129.19	NA	129.19	SHEEN
MW-127	11/21/2006	NA	24.12	153.50	NA	129.38	NA	129.38	
MW-127	11/30/2006	NA	23.78	153.50	NA	129.72	NA	129.72	
MW-127	12/8/2006	NA	23.92	153.50	NA	129.58	NA	129.58	SHEEN
MW-127	12/14/2006	23.68	23.69	153.50	129.82	129.81	0.01	129.82	
MW-127	12/20/2006	NA	24.08	153.50	NA	129.42	NA	129.42	SHEEN
MW-127	12/28/2006	NA	24.13	153.50	NA	129.37	NA	129.37	
MW-127	1/4/2007	NA	24.27	153.50	NA	129.23	NA	129.23	
MW-127	1/12/2007	NA	23.91	153.50	NA	129.59	NA	129.59	
MW-127	1/19/2007	NA	23.81	153.50	NA	129.69	NA	129.69	
MW-127	1/25/2007	NA	23.94	153.50	NA	129.56	NA	129.56	
MW-127	2/1/2007	NA	24.09	153.50	NA	129.41	NA	129.41	
MW-127	2/9/2007	NA	24.26	153.50	NA	129.24	NA	129.24	
MW-127	2/16/2007	NA	24.29	153.50	NA	129.21	NA	129.21	
MW-127	2/22/2007	NA	24.13	153.50	NA	129.37	NA	129.37	
MW-127	3/2/2007	NA	24.21	153.50	NA	129.29	NA	129.29	
MW-127	3/9/2007	NA	24.28	153.50	NA	129.22	NA	129.22	
MW-127	3/16/2007	NA	24.10	153.50	NA	129.40	NA	129.40	
MW-127	3/21/2007	NA	23.84	153.50	NA	129.66	NA	129.66	
MW-127	3/30/2007	NA	24.21	153.50	NA	129.29	NA	129.29	
MW-127	4/6/2007	NA	23.60	153.50	NA	129.90	NA	129.90	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-127	4/13/2007	NA	23.68	153.50	NA	129.82	NA	129.82	
MW-127	4/20/2007	NA	23.16	153.50	NA	130.34	NA	130.34	
MW-127	4/27/2007	NA	23.20	153.50	NA	130.30	NA	130.30	
MW-127	5/4/2007	NA	23.61	153.50	NA	129.89	NA	129.89	
MW-127	5/10/2007	NA	23.63	153.50	NA	129.87	NA	129.87	
MW-127	5/17/2007	NA	23.49	153.50	NA	130.01	NA	130.01	
MW-127	5/25/2007	NA	23.60	153.50	NA	129.90	NA	129.90	
MW-127	5/31/2007	NA	23.32	153.50	NA	130.18	NA	130.18	
MW-127	6/13/2007	NA	23.99	153.50	NA	129.51	NA	129.51	
MW-127	6/28/2007	NA	24.29	153.50	NA	129.21	NA	129.21	SHEEN
MW-127	7/6/2007	NA	24.53	153.50	NA	128.97	NA	128.97	
MW-127	7/13/2007	NA	24.73	153.50	NA	128.77	NA	128.77	
MW-127	7/20/2007	NA	24.92	153.50	NA	128.58	NA	128.58	
MW-127	7/27/2007	NA	25.11	153.50	NA	128.39	NA	128.39	
MW-127	8/3/2007	NA	25.29	153.50	NA	128.21	NA	128.21	
MW-127	8/10/2007	NA	25.44	153.50	NA	128.06	NA	128.06	
MW-127	8/17/2007	NA	25.67	153.50	NA	127.83	NA	127.83	
MW-127	8/23/2007	NA	25.71	153.50	NA	127.79	NA	127.79	
MW-127	8/31/2007	NA	25.80	153.50	NA	127.70	NA	127.70	
MW-127	9/7/2007	NA	25.98	153.50	NA	127.52	NA	127.52	
MW-127	9/14/2007	NA	26.19	153.50	NA	127.31	NA	127.31	
MW-127	9/21/2007	NA	27.39	153.50	NA	126.11	NA	126.11	
MW-127	9/28/2007	NA	26.60	153.50	NA	126.90	NA	126.90	SHEEN
MW-127	10/5/2007	26.80	26.81	153.50	126.70	126.69	0.01	126.70	
MW-127	10/11/2007	NA	26.94	153.50	NA	126.56	NA	126.56	SHEEN
MW-127	10/19/2007	NA	27.14	153.50	NA	126.36	NA	126.36	SHEEN
MW-127	10/24/2007	NA	27.29	153.50	NA	126.21	NA	126.21	
MW-127	10/31/2007	NA	26.35	153.50	NA	127.15	NA	127.15	
MW-127	11/7/2007	NA	26.43	153.50	NA	127.07	NA	127.07	
MW-127	11/16/2007	NA	26.57	153.50	NA	126.93	NA	126.93	
MW-127	11/21/2007	NA	26.56	153.50	NA	126.94	NA	126.94	
MW-127	11/29/2007	NA	26.69	153.50	NA	126.81	NA	126.81	
MW-127	12/7/2007	26.94	26.95	153.50	126.56	126.55	0.01	126.56	
MW-127	12/14/2007	NA	26.79	153.50	NA	126.71	NA	126.71	
MW-127	12/21/2007	NA	26.77	153.50	NA	126.73	NA	126.73	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-127	12/27/2007	NA	26.67	153.50	NA	126.83	NA	126.83	
MW-127	1/4/2008	NA	26.56	153.50	NA	126.94	NA	126.94	
MW-127	1/11/2008	NA	26.42	153.50	NA	127.08	NA	127.08	
MW-127	1/17/2008	NA	26.49	153.50	NA	127.01	NA	127.01	
MW-127	1/25/2008	NA	27.09	153.50	NA	126.41	NA	126.41	
MW-127	1/31/2008	NA	26.66	153.50	NA	126.84	NA	126.84	
MW-127	2/28/2008	NA	27.05	153.50	NA	126.45	NA	126.45	
MW-127	3/27/2008	NA	25.63	153.50	NA	127.87	NA	127.87	
MW-200	6/8/2000	NA	24.75	154.08	NA	129.33	NA	129.33	
MW-200	6/13/2000	NA	24.85	154.08	NA	129.23	NA	129.23	
MW-200	6/21/2000	NA	24.85	154.08	NA	129.23	NA	129.23	
MW-200	6/28/2000	NA	24.86	154.08	NA	129.22	NA	129.22	
MW-200	7/3/2000	NA	24.80	154.08	NA	129.28	NA	129.28	
MW-200	7/12/2000	NA	25.20	154.08	NA	128.88	NA	128.88	
MW-200	7/20/2000	NA	25.10	154.08	NA	128.98	NA	128.98	
MW-200	7/27/2000	NA	25.00	154.08	NA	129.08	NA	129.08	
MW-200	8/14/2000	NA	24.92	154.08	NA	129.16	NA	129.16	
MW-200	9/18/2000	NA	25.54	154.08	NA	128.54	NA	128.54	
MW-200	10/12/2000	NA	25.57	154.08	NA	128.51	NA	128.51	
MW-200	10/19/2000	NA	25.70	154.08	NA	128.38	NA	128.38	
MW-200	10/24/2000	NA	25.82	154.08	NA	128.26	NA	128.26	
MW-200	11/2/2000	NA	25.99	154.08	NA	128.09	NA	128.09	
MW-200	11/9/2000	NA	26.11	154.08	NA	127.97	NA	127.97	
MW-200	11/17/2000	NA	28.20	154.08	NA	125.88	NA	125.88	
MW-200	11/22/2000	NA	26.32	154.08	NA	127.76	NA	127.76	
MW-200	11/27/2000	NA	26.35	154.08	NA	127.73	NA	127.73	
MW-200	1/24/2001	NA	26.47	154.08	NA	127.61	NA	127.61	
MW-200	2/27/2001	NA	26.16	154.08	NA	127.92	NA	127.92	
MW-200	3/29/2001	NA	25.75	154.08	NA	128.33	NA	128.33	
MW-200	4/26/2001	NA	25.21	154.08	NA	128.87	NA	128.87	
MW-200	5/31/2001	NA	25.40	154.08	NA	128.68	NA	128.68	
MW-200	6/28/2001	NA	24.96	154.08	NA	129.12	NA	129.12	
MW-200	7/24/2001	NA	25.41	154.08	NA	128.67	NA	128.67	
MW-200	8/31/2001	NA	26.15	154.08	NA	127.93	NA	127.93	

TABLE 2

Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-200	9/28/2001	NA	26.47	154.08	NA	127.61	NA	127.61	
MW-200	10/30/2001	NA	27.16	154.08	NA	126.92	NA	126.92	
MW-200	11/27/2001	NA	27.74	154.08	NA	126.34	NA	126.34	
MW-200	12/28/2001	NA	28.01	154.08	NA	126.07	NA	126.07	
MW-200	1/30/2002	NA	28.31	154.08	NA	125.77	NA	125.77	
MW-200	2/26/2002	NA	28.71	154.08	NA	125.37	NA	125.37	
MW-200	3/27/2002	NA	28.61	154.08	NA	125.47	NA	125.47	
MW-200	4/26/2002	NA	28.43	154.08	NA	125.65	NA	125.65	
MW-200	5/31/2002	NA	27.85	154.08	NA	126.23	NA	126.23	
MW-200	6/28/2002	28.28	28.31	154.08	125.80	125.77	0.03	125.80	
MW-200	7/3/2002	28.39	28.43	154.08	125.69	125.65	0.04	125.68	
MW-200	7/9/2002	28.34	28.38	154.08	125.74	125.70	0.04	125.73	
MW-200	7/17/2002	28.64	28.68	154.08	125.44	125.40	0.04	125.43	
MW-200	7/23/2002	28.62	28.66	154.08	125.46	125.42	0.04	125.45	
MW-200	7/29/2002	28.81	28.86	154.08	125.27	125.22	0.05	125.26	
MW-200	8/7/2002	28.96	29.00	154.08	125.12	125.08	0.04	125.11	
MW-200	8/16/2002	29.10	29.14	154.08	124.98	124.94	0.04	124.97	
MW-200	8/23/2002	29.26	29.29	154.08	124.82	124.79	0.03	124.82	
MW-200	8/30/2002	29.37	29.40	154.08	124.71	124.68	0.03	124.71	
MW-200	9/6/2002	29.25	29.28	154.08	124.83	124.80	0.03	124.83	
MW-200	9/11/2002	29.30	29.34	154.08	124.78	124.74	0.04	124.77	
MW-200	9/17/2002	29.40	29.43	154.08	124.68	124.65	0.03	124.68	
MW-200	9/25/2002	29.51	29.53	154.08	124.57	124.55	0.02	124.57	
MW-200	9/30/2002	29.49	29.52	154.08	124.59	124.56	0.03	124.59	
MW-200	10/10/2002	29.52	29.55	154.08	124.56	124.53	0.03	124.56	
MW-200	10/15/2002	29.51	29.54	154.08	124.57	124.54	0.03	124.57	
MW-200	10/25/2002	NA	28.45	154.08	NA	125.63	NA	125.63	
MW-200	11/27/2002	26.70	26.73	154.08	127.38	127.35	0.03	127.38	
MW-200	12/2/2002	NA	26.66	154.08	NA	127.42	NA	127.42	
MW-200	12/13/2002	NA	26.60	154.08	NA	127.48	NA	127.48	
MW-200	12/20/2002	NA	25.98	154.08	NA	128.10	NA	128.10	
MW-200	12/27/2002	NA	25.96	154.08	NA	128.12	NA	128.12	
MW-200	12/30/2002	25.87	25.92	154.08	128.21	128.16	0.05	128.20	
MW-200	1/10/2003	24.93	24.93	154.08	129.15	129.15	0.00	129.15	
MW-200	1/17/2003	NA	24.83	154.08	NA	129.25	NA	129.25	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-200	1/22/2003	NA	24.85	154.08	NA	129.23	NA	129.23	
MW-200	1/31/2003	NA	25.04	154.08	NA	129.04	NA	129.04	
MW-200	2/5/2003	NA	25.21	154.08	NA	128.87	NA	128.87	
MW-200	2/13/2003	NA	26.04	154.08	NA	128.04	NA	128.04	
MW-200	2/25/2003	NA	24.48	154.08	NA	129.60	NA	129.60	
MW-200	3/4/2003	NA	22.67	154.08	NA	131.41	NA	131.41	
MW-200	3/14/2003	NA	22.82	154.08	NA	131.26	NA	131.26	
MW-200	3/17/2003	NA	22.71	154.08	NA	131.37	NA	131.37	
MW-200	4/30/2003	NA	22.73	154.08	NA	131.35	NA	131.35	
MW-200	5/29/2003	NA	22.28	154.08	NA	131.80	NA	131.80	
MW-200	6/27/2003	NA	21.20	154.08	NA	132.88	NA	132.88	
MW-200	7/25/2003	NA	22.73	154.08	NA	131.35	NA	131.35	
MW-200	8/26/2003	22.47	22.48	154.08	131.61	131.60	0.01	131.61	
MW-200	9/4/2003	22.46	22.47	154.08	131.62	131.61	0.01	131.62	
MW-200	9/9/2003	22.43	22.44	154.08	131.65	131.64	0.01	131.65	
MW-200	9/18/2003	22.42	22.43	154.08	131.66	131.65	0.01	131.66	
MW-200	9/26/2003	NA	22.05	154.08	NA	132.03	NA	132.03	
MW-200	9/29/2003	NA	21.98	154.08	NA	132.10	NA	132.10	
MW-200	10/31/2003	NA	22.31	154.08	NA	131.77	NA	131.77	
MW-200	11/25/2003	NA	21.79	154.08	NA	132.29	NA	132.29	
MW-200	12/30/2003	NA	21.10	154.08	NA	132.98	NA	132.98	
MW-200	2/4/2004	NA	21.83	154.08	NA	132.25	NA	132.25	
MW-200	2/26/2004	NA	21.70	154.08	NA	132.38	NA	132.38	
MW-200	3/31/2004	NA	22.01	154.08	NA	132.07	NA	132.07	
MW-200	4/27/2004	NA	21.79	154.08	NA	132.29	NA	132.29	
MW-200	5/27/2004	NA	21.99	154.08	NA	132.09	NA	132.09	
MW-200	6/28/2004	NA	22.40	154.08	NA	131.68	NA	131.68	
MW-200	7/27/2004	22.85	22.89	154.08	131.23	131.19	0.04	131.22	
MW-200	8/3/2004	22.81	22.84	154.08	131.27	131.24	0.03	131.27	
MW-200	8/19/2004	22.54	22.54	154.08	131.54	131.54	0.00	131.54	
MW-200	9/15/2004	23.18	23.21	154.08	130.90	130.87	0.03	130.90	
MW-200	10/7/2004	23.44	23.50	154.08	130.64	130.58	0.06	130.63	
MW-200	10/14/2004	23.54	23.60	154.08	130.54	130.48	0.06	130.53	
MW-200	10/25/2004	23.77	23.84	154.08	130.31	130.24	0.07	130.30	
MW-200	10/29/2004	23.79	23.85	154.08	130.29	130.23	0.06	130.28	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-200	11/3/2004	23.96	24.03	154.08	130.12	130.05	0.07	130.11	
MW-200	11/22/2004	23.83	23.85	154.08	130.25	130.23	0.02	130.25	
MW-200	12/1/2004	23.86	23.87	154.08	130.22	130.21	0.01	130.22	
MW-200	12/6/2004	23.86	23.87	154.08	130.22	130.21	0.01	130.22	
MW-200	12/14/2004	23.83	23.84	154.08	130.25	130.24	0.01	130.25	
MW-200	12/23/2004	NA	23.80	154.08	NA	130.28	NA	130.28	
MW-200	12/31/2004	23.87	23.90	154.08	130.21	130.18	0.03	130.21	
MW-200	1/7/2005	24.00	24.06	154.08	130.08	130.02	0.06	130.07	
MW-200	1/13/2005	23.99	24.07	154.08	130.09	130.01	0.08	130.08	
MW-200	1/20/2005	NA	23.47	154.08	NA	130.61	NA	130.61	
MW-200	1/28/2005	NA	23.67	154.08	NA	130.41	NA	130.41	
MW-200	2/4/2005	NA	23.71	154.08	NA	130.37	NA	130.37	
MW-200	2/12/2005	23.72	23.73	154.08	130.36	130.35	0.01	130.36	
MW-200	2/18/2005	23.86	23.87	154.08	130.22	130.21	0.01	130.22	
MW-200	2/24/2005	NA	23.91	154.08	NA	130.17	NA	130.17	
MW-200	3/3/2005	NA	23.93	154.08	NA	130.15	NA	130.15	
MW-200	3/10/2005	NA	23.86	154.08	NA	130.22	NA	130.22	
MW-200	3/16/2005	NA	23.80	154.08	NA	130.28	NA	130.28	
MW-200	3/22/2005	NA	23.71	154.08	NA	130.37	NA	130.37	
MW-200	3/27/2005	NA	23.65	154.08	NA	130.43	NA	130.43	
MW-200	4/5/2005	22.49	22.50	154.08	131.59	131.58	0.01	131.59	
MW-200	4/13/2005	22.25	22.26	154.08	131.83	131.82	0.01	131.83	
MW-200	4/21/2005	22.50	22.51	154.08	131.58	131.57	0.01	131.58	
MW-200	4/26/2005	NA	22.62	154.08	NA	131.46	NA	131.46	
MW-200	5/5/2005	NA	22.83	154.08	NA	131.25	NA	131.25	
MW-200	5/13/2005	NA	22.95	154.08	NA	131.13	NA	131.13	
MW-200	5/20/2005	NA	23.09	154.08	NA	130.99	NA	130.99	
MW-200	5/27/2005	NA	23.21	154.08	NA	130.87	NA	130.87	
MW-200	6/3/2005	NA	23.25	154.08	NA	130.83	NA	130.83	
MW-200	6/10/2005	NA	23.28	154.08	NA	130.80	NA	130.80	
MW-200	6/17/2005	NA	23.32	154.08	NA	130.76	NA	130.76	
MW-200	6/23/2005	NA	23.45	154.08	NA	130.63	NA	130.63	
MW-200	6/30/2005	23.67	23.68	154.08	130.41	130.40	0.01	130.41	
MW-200	7/8/2005	23.82	23.83	154.08	130.26	130.25	0.01	130.26	
MW-200	7/15/2005	NA	23.86	154.08	NA	130.22	NA	130.22	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-200	7/22/2005	NA	23.80	154.08	NA	130.28	NA	130.28	
MW-200	7/29/2005	24.03	24.06	154.08	130.05	130.02	0.03	130.05	
MW-200	8/8/2005	NA	24.05	154.08	NA	130.03	NA	130.03	
MW-200	8/15/2005	NA	24.02	154.08	NA	130.06	NA	130.06	
MW-200	8/25/2005	24.01	24.02	154.08	130.07	130.06	0.01	130.07	
MW-200	8/31/2005	24.00	24.01	154.08	130.08	130.07	0.01	130.08	
MW-200	9/9/2005	24.36	24.45	154.08	129.72	129.63	0.09	129.71	
MW-200	9/16/2005	24.65	24.77	154.08	129.43	129.31	0.12	129.41	
MW-200	9/23/2005	24.98	25.13	154.08	129.10	128.95	0.15	129.08	
MW-200	9/30/2005	NA	24.28	154.08	NA	129.80	NA	129.80	
MW-200	10/7/2005	NA	24.33	154.08	NA	129.75	NA	129.75	
MW-200	10/14/2005	NA	24.47	154.08	NA	129.61	NA	129.61	
MW-200	10/24/2005	NA	24.62	154.08	NA	129.46	NA	129.46	
MW-200	10/31/2005	NA	24.64	154.08	NA	129.44	NA	129.44	
MW-200	11/8/2005	NA	24.68	154.08	NA	129.40	NA	129.40	
MW-200	11/14/2005	NA	24.67	154.08	NA	129.41	NA	129.41	
MW-200	11/21/2005	NA	24.65	154.08	NA	129.43	NA	129.43	
MW-200	11/30/2005	NA	24.91	154.08	NA	129.17	NA	129.17	
MW-200	12/5/2005	NA	24.87	154.08	NA	129.21	NA	129.21	
MW-200	12/9/2005	24.80	24.81	154.08	129.28	129.27	0.01	129.28	
MW-200	12/16/2005	NA	24.73	154.08	NA	129.35	NA	129.35	
MW-200	12/22/2005	NA	24.57	154.08	NA	129.51	NA	129.51	
MW-200	12/28/2005	NA	24.48	154.08	NA	129.60	NA	129.60	
KEMRON Assumes Control of Site 1st Quarter 2006									
MW-200	1/5/2006	NA	24.39	154.08	NA	129.69	NA	129.69	
MW-200	1/12/2006	NA	25.42	154.08	NA	128.66	NA	128.66	
MW-200	1/19/2006	NA	24.38	154.08	NA	129.70	NA	129.70	
MW-200	1/26/2006	NA	24.50	154.08	NA	129.58	NA	129.58	
MW-200	2/2/2006	NA	24.08	154.08	NA	130.00	NA	130.00	
MW-200	2/9/2006	NA	23.88	154.08	NA	130.20	NA	130.20	
MW-200	2/16/2006	NA	23.67	154.08	NA	130.41	NA	130.41	
MW-200	2/23/2006	NA	24.46	154.08	NA	129.62	NA	129.62	
MW-200	3/2/2006	NA	23.51	154.08	NA	130.57	NA	130.57	
MW-200	3/9/2006	NA	25.40	154.08	NA	128.68	NA	128.68	
MW-200	3/16/2006	NA	24.01	154.08	NA	130.07	NA	130.07	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-200	3/23/2006	NA	24.12	154.08	NA	129.96	NA	129.96	
MW-200	3/31/2006	NA	24.11	154.08	NA	129.97	NA	129.97	
MW-200	4/6/2006	NA	24.11	154.08	NA	129.97	NA	129.97	
MW-200	4/14/2006	NA	24.45	154.08	NA	129.63	NA	129.63	
MW-200	4/21/2006	NA	24.45	154.08	NA	129.63	NA	129.63	
MW-200	4/28/2006	NA	24.12	154.08	NA	129.96	NA	129.96	
MW-200	5/4/2006	NA	24.22	154.08	NA	129.86	NA	129.86	
MW-200	5/12/2006	NA	23.89	154.08	NA	130.19	NA	130.19	
MW-200	5/18/2006	NA	24.22	154.08	NA	129.86	NA	129.86	
MW-200	5/25/2006	NA	24.46	154.08	NA	129.62	NA	129.62	
MW-200	6/2/2006	NA	24.36	154.08	NA	129.72	NA	129.72	
MW-200	6/9/2006	NA	24.78	154.08	NA	129.30	NA	129.30	
MW-200	6/16/2006	NA	24.97	154.08	NA	129.11	NA	129.11	
MW-200	6/23/2006	NA	25.07	154.08	NA	129.01	NA	129.01	SHEEN
MW-200	6/30/2006	NA	24.34	154.08	NA	129.74	NA	129.74	
MW-200	7/7/2006	NA	24.20	154.08	NA	129.88	NA	129.88	
MW-200	7/13/2006	NA	24.30	154.08	NA	129.78	NA	129.78	
MW-200	7/19/2006	NA	24.64	154.08	NA	129.44	NA	129.44	
MW-200	7/26/2006	NA	24.89	154.08	NA	129.19	NA	129.19	
MW-200	8/4/2006	25.25	25.26	154.08	128.83	128.82	0.01	128.83	
MW-200	8/11/2006	25.49	25.54	154.08	128.59	128.54	0.05	128.58	
MW-200	8/17/2006	25.76	25.80	154.08	128.32	128.28	0.04	128.31	
MW-200	8/23/2006	25.95	26.00	154.08	128.13	128.08	0.05	128.12	
MW-200	8/31/2006	26.30	26.38	154.08	127.78	127.70	0.08	127.77	
MW-200	9/8/2006	NA	25.41	154.08	NA	128.67	NA	128.67	
MW-200	9/15/2006	NA	25.41	154.08	NA	128.67	NA	128.67	
MW-200	9/22/2006	NA	25.50	154.08	NA	128.58	NA	128.58	
MW-200	9/29/2006	NA	25.71	154.08	NA	128.37	NA	128.37	
MW-200	10/6/2006	NA	26.33	154.08	NA	127.75	NA	127.75	
MW-200	10/12/2006	NA	25.37	154.08	NA	128.71	NA	128.71	
MW-200	10/19/2006	NA	25.97	154.08	NA	128.11	NA	128.11	
MW-200	10/27/2006	NA	25.49	154.08	NA	128.59	NA	128.59	
MW-200	10/31/2006	NA	25.27	154.08	NA	128.81	NA	128.81	
MW-200	11/9/2006	NA	24.95	154.08	NA	129.13	NA	129.13	
MW-200	11/17/2006	NA	24.67	154.08	NA	129.41	NA	129.41	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-200	11/21/2006	NA	24.16	154.08	NA	129.92	NA	129.92	
MW-200	11/30/2006	NA	24.81	154.08	NA	129.27	NA	129.27	
MW-200	12/8/2006	NA	24.00	154.08	NA	130.08	NA	130.08	
MW-200	12/14/2006	NA	24.09	154.08	NA	129.99	NA	129.99	
MW-200	12/20/2006	NA	24.23	154.08	NA	129.85	NA	129.85	
MW-200	12/28/2006	NA	24.29	154.08	NA	129.79	NA	129.79	
MW-200	1/4/2007	NA	25.63	154.08	NA	128.45	NA	128.45	
MW-200	1/12/2007	NA	24.03	154.08	NA	130.05	NA	130.05	
MW-200	1/19/2007	NA	23.97	154.08	NA	130.11	NA	130.11	
MW-200	1/25/2007	NA	24.10	154.08	NA	129.98	NA	129.98	
MW-200	2/1/2007	NA	24.26	154.08	NA	129.82	NA	129.82	
MW-200	2/9/2007	NA	24.40	154.08	NA	129.68	NA	129.68	
MW-200	2/16/2007	NA	24.60	154.08	NA	129.48	NA	129.48	
MW-200	2/22/2007	NA	24.53	154.08	NA	129.55	NA	129.55	
MW-200	3/2/2007	NA	24.39	154.08	NA	129.69	NA	129.69	
MW-200	3/9/2007	NA	24.63	154.08	NA	129.45	NA	129.45	
MW-200	3/16/2007	NA	24.49	155.08	NA	130.59	NA	130.59	
MW-200	3/21/2007	NA	23.72	156.08	NA	132.36	NA	132.36	
MW-200	3/30/2007	NA	24.32	154.08	NA	129.76	NA	129.76	
MW-200	4/6/2007	NA	23.57	154.08	NA	130.51	NA	130.51	
MW-200	4/13/2007	NA	23.69	154.08	NA	130.39	NA	130.39	
MW-200	4/20/2007	NA	23.10	154.08	NA	130.98	NA	130.98	
MW-200	4/27/2007	NA	23.15	154.08	NA	130.93	NA	130.93	
MW-200	5/4/2007	NA	23.30	154.08	NA	130.78	NA	130.78	
MW-200	5/10/2007	NA	23.29	154.08	NA	130.79	NA	130.79	
MW-200	5/17/2007	NA	23.61	154.08	NA	130.47	NA	130.47	
MW-200	5/25/2007	NA	23.83	154.08	NA	130.25	NA	130.25	
MW-200	5/31/2007	NA	23.97	154.08	NA	130.11	NA	130.11	
MW-200	6/8/2007	NA	24.17	154.08	NA	129.91	NA	129.91	
MW-200	6/13/2007	NA	24.29	154.08	NA	129.79	NA	129.79	
MW-200	6/22/2007	NA	24.57	154.08	NA	129.51	NA	129.51	
MW-200	6/28/2007	NA	24.81	154.08	NA	129.27	NA	129.27	
MW-200	7/6/2007	NA	24.56	154.08	NA	129.52	NA	129.52	
MW-200	7/13/2007	NA	25.27	154.08	NA	128.81	NA	128.81	
MW-200	7/20/2007	NA	25.50	154.08	NA	128.58	NA	128.58	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-200	7/27/2007	NA	25.72	154.08	NA	128.36	NA	128.36	
MW-200	8/3/2007	NA	25.86	154.08	NA	128.22	NA	128.22	
MW-200	8/10/2007	NA	26.01	154.08	NA	128.07	NA	128.07	
MW-200	8/17/2007	25.27	25.33	154.08	128.81	128.75	0.06	128.80	
MW-200	8/23/2007	NA	26.23	154.08	NA	127.85	NA	127.85	
MW-200	8/31/2007	NA	26.30	154.08	NA	127.78	NA	127.78	
MW-200	9/7/2007	NA	26.45	154.08	NA	127.63	NA	127.63	
MW-200	9/14/2007	26.64	26.73	154.08	127.44	127.35	0.09	127.43	
MW-200	9/21/2007	26.84	26.86	154.08	127.24	127.22	0.02	127.24	
MW-200	9/28/2007	NA	27.00	154.08	NA	127.08	NA	127.08	SHEEN
MW-200	10/5/2007	NA	27.17	154.08	NA	126.91	NA	126.91	
MW-200	10/11/2007	NA	27.32	154.08	NA	126.76	NA	126.76	
MW-200	10/19/2007	NA	27.52	154.08	NA	126.56	NA	126.56	
MW-200	10/24/2007	NA	27.63	154.08	NA	126.45	NA	126.45	
MW-200	10/31/2007	NA	26.86	154.08	NA	127.22	NA	127.22	
MW-200	11/7/2007	NA	26.82	154.08	NA	127.26	NA	127.26	
MW-200	11/16/2007	NA	26.97	154.08	NA	127.11	NA	127.11	
MW-200	11/21/2007	NA	26.56	154.08	NA	127.52	NA	127.52	
MW-200	11/29/2007	NA	26.99	154.08	NA	127.09	NA	127.09	
MW-200	12/7/2007	NA	27.22	154.08	NA	126.86	NA	126.86	
MW-200	12/14/2007	NA	27.18	154.08	NA	126.90	NA	126.90	
MW-200	12/21/2007	NA	27.04	154.08	NA	127.04	NA	127.04	
MW-200	12/27/2007	NA	26.96	154.08	NA	127.12	NA	127.12	
MW-200	1/4/2008	NA	26.86	154.08	NA	127.22	NA	127.22	
MW-200	1/11/2008	NA	26.79	154.08	NA	127.29	NA	127.29	
MW-200	1/17/2008	NA	26.85	154.08	NA	127.23	NA	127.23	
MW-200	1/25/2008	NA	26.81	154.08	NA	127.27	NA	127.27	
MW-200	1/31/2008	NA	26.91	154.08	NA	127.17	NA	127.17	
MW-200	2/28/2008	NA	26.84	154.08	NA	127.24	NA	127.24	
MW-200	3/27/2008	NA	25.90	154.08	NA	128.18	NA	128.18	
<hr/>									
MW-201	6/8/2000	NA	21.25	150.26	NA	129.01	NA	129.01	
MW-201	6/13/2000	NA	21.40	150.26	NA	128.86	NA	128.86	
MW-201	6/21/2000	NA	21.30	150.26	NA	128.96	NA	128.96	
MW-201	6/28/2000	NA	21.40	150.26	NA	128.86	NA	128.86	

TABLE 2**Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data****Building 8481****Fort George G. Meade**

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-201	7/3/2000	NA	21.25	150.26	NA	129.01	NA	129.01	
MW-201	7/12/2000	NA	21.22	150.26	NA	129.04	NA	129.04	
MW-201	7/20/2000	NA	21.34	150.26	NA	128.92	NA	128.92	
MW-201	7/27/2000	NA	21.25	150.26	NA	129.01	NA	129.01	
MW-201	8/14/2000	NA	21.10	150.26	NA	129.16	NA	129.16	
MW-201	9/18/2000	NA	21.86	150.26	NA	128.40	NA	128.40	
MW-201	10/12/2000	NA	21.87	150.26	NA	128.39	NA	128.39	
MW-201	10/19/2000	NA	22.03	150.26	NA	128.23	NA	128.23	
MW-201	10/24/2000	NA	22.19	150.26	129.44	128.07	1.37	128.07	
MW-201	11/2/2000	NA	22.42	150.26	NA	127.84	NA	127.84	
MW-201	11/9/2000	NA	22.55	150.26	NA	127.71	NA	127.71	
MW-201	11/17/2000	NA	22.68	150.26	NA	127.58	NA	127.58	
MW-201	11/22/2000	NA	22.87	150.26	NA	127.39	NA	127.39	
MW-201	11/27/2000	NA	22.88	150.26	NA	127.38	NA	127.38	
MW-201	1/25/2001	NA	23.09	150.26	NA	127.17	NA	127.17	
MW-201	2/27/2001	NA	22.61	150.26	NA	127.65	NA	127.65	
MW-201	3/29/2001	NA	21.99	150.26	NA	128.27	NA	128.27	
MW-201	4/26/2001	NA	21.60	150.26	NA	128.66	NA	128.66	
MW-201	5/31/2001	NA	21.51	150.26	NA	128.75	NA	128.75	
MW-201	6/28/2001	21.24	21.25	150.26	129.02	129.01	0.01	129.02	
MW-201	7/24/2001	NA	21.75	150.26	NA	128.51	NA	128.51	
MW-201	8/31/2001	NA	22.42	150.26	NA	127.84	NA	127.84	
MW-201	9/28/2001	NA	22.81	150.26	NA	127.45	NA	127.45	
MW-201	10/30/2001	NA	23.64	150.26	NA	126.62	NA	126.62	
MW-201	11/27/2001	NA	24.28	150.26	NA	125.98	NA	125.98	
MW-201	12/28/2001	NA	24.72	150.26	NA	125.54	NA	125.54	
MW-201	1/30/2002	NA	25.18	150.26	NA	125.08	NA	125.08	
MW-201	2/26/2002	NA	25.70	150.26	NA	124.56	NA	124.56	
MW-201	3/27/2002	NA	25.50	150.26	NA	124.76	NA	124.76	
MW-201	4/26/2002	NA	25.08	150.26	NA	125.18	NA	125.18	
MW-201	5/31/2002	NA	24.45	150.26	NA	125.81	NA	125.81	
MW-201	6/28/2002	NA	25.02	150.26	NA	125.24	NA	125.24	
MW-201	7/29/2002	NA	25.55	150.26	NA	124.71	NA	124.71	
MW-201	8/30/2002	NA	26.16	150.26	NA	124.10	NA	124.10	
MW-201	9/30/2002	NA	26.25	150.26	NA	124.01	NA	124.01	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-201	10/25/2002	NA	25.25	150.26	NA	125.01	NA	125.01	
MW-201	11/27/2002	NA	22.92	150.26	NA	127.34	NA	127.34	
MW-201	12/30/2002	NA	21.93	150.26	NA	128.33	NA	128.33	
MW-201	1/31/2003	NA	21.38	150.26	NA	128.88	NA	128.88	
MW-201	2/25/2003	NA	20.38	150.26	NA	129.88	NA	129.88	
MW-201	3/17/2003	NA	19.21	150.26	NA	131.05	NA	131.05	
MW-201	4/30/2003	NA	19.15	150.26	NA	131.11	NA	131.11	
MW-201	5/29/2003	NA	18.65	150.26	NA	131.61	NA	131.61	
MW-201	6/27/2003	NA	17.73	150.26	NA	132.53	NA	132.53	
MW-201	7/25/2003	NA	19.15	150.26	NA	131.11	NA	131.11	
MW-201	8/26/2003	NA	18.61	150.26	NA	131.65	NA	131.65	
MW-201	9/29/2003	NA	18.13	150.26	NA	132.13	NA	132.13	
MW-201	10/31/2003	NA	18.30	150.26	NA	131.96	NA	131.96	
MW-201	11/25/2003	NA	18.10	150.26	NA	132.16	NA	132.16	
MW-201	12/30/2003	NA	17.68	150.26	NA	132.58	NA	132.58	
MW-201	2/4/2004	NA	18.27	150.26	NA	131.99	NA	131.99	
MW-201	2/26/2004	NA	18.25	150.26	NA	132.01	NA	132.01	
MW-201	3/31/2004	NA	18.50	150.26	NA	131.76	NA	131.76	
MW-201	4/27/2004	NA	18.29	150.26	NA	131.97	NA	131.97	
MW-201	5/27/2004	NA	18.52	150.26	NA	131.74	NA	131.74	
MW-201	6/28/2004	NA	18.71	150.26	NA	131.55	NA	131.55	
MW-201	7/27/2004	NA	19.12	150.26	NA	131.14	NA	131.14	
MW-201	10/25/2004	NA	20.14	150.26	NA	130.12	NA	130.12	
MW-201	12/1/2004	NA	20.21	150.26	NA	130.05	NA	130.05	
MW-201	12/31/2004	NA	20.21	150.26	NA	130.05	NA	130.05	
MW-201	1/28/2005	NA	20.19	150.26	NA	130.07	NA	130.07	
MW-201	2/24/2005	NA	20.40	150.26	NA	129.86	NA	129.86	
MW-201	3/27/2005	NA	20.30	150.26	NA	129.96	NA	129.96	
MW-201	4/26/2005	NA	19.26	150.26	NA	131.00	NA	131.00	
MW-201	5/27/2005	NA	19.78	150.26	NA	130.48	NA	130.48	
MW-201	6/30/2005	NA	20.10	150.26	NA	130.16	NA	130.16	
MW-201	7/29/2005	NA	20.36	150.26	NA	129.90	NA	129.90	
MW-201	8/31/2005	NA	19.45	150.26	NA	130.81	NA	130.81	
MW-201	9/30/2005	NA	20.08	150.26	NA	130.18	NA	130.18	
MW-201	10/31/2005	NA	20.67	150.26	NA	129.59	NA	129.59	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-201	11/30/2005	NA	21.17	150.26	NA	129.09	NA	129.09	
MW-201	12/28/2005	NA	20.86	150.26	NA	129.40	NA	129.40	
KEMRON Assumes Control of Site 1st Quarter 2006									
MW-201	1/26/2006	NA	20.72	150.26	NA	129.54	NA	129.54	
MW-201	2/23/2006	NA	20.21	150.26	NA	130.05	NA	130.05	
MW-201	3/31/2006	NA	17.76	150.26	NA	132.50	NA	132.50	
MW-201	4/28/2006	NA	19.65	150.26	NA	130.61	NA	130.61	
MW-201	5/25/2006	NA	18.29	150.26	NA	131.97	NA	131.97	
MW-201	6/30/2006	NA	19.77	150.26	NA	130.49	NA	130.49	
MW-201	7/26/2006	NA	19.39	150.26	NA	130.87	NA	130.87	
MW-201	8/31/2006	NA	22.72	150.26	NA	127.54	NA	127.54	
MW-201	9/29/2006	NA	22.01	150.26	NA	128.25	NA	128.25	
MW-201	10/31/2006	NA	21.31	150.26	NA	128.95	NA	128.95	
MW-201	11/30/2006	NA	20.14	150.26	NA	130.12	NA	130.12	
MW-201	12/28/2006	NA	20.78	150.26	NA	129.48	NA	129.48	
MW-201	1/25/2007	NA	20.56	150.26	NA	129.70	NA	129.70	
MW-201	2/22/2007	NA	20.96	150.26	NA	129.30	NA	129.30	
MW-201	4/27/2007	NA	19.74	150.26	NA	130.52	NA	130.52	
MW-201	5/31/2007	NA	20.60	150.26	NA	129.66	NA	129.66	
MW-201	6/28/2007	NA	21.20	150.26	NA	129.06	NA	129.06	
MW-201	7/27/2007	NA	22.15	150.26	NA	128.11	NA	128.11	
MW-201	8/31/2007	NA	22.86	150.26	NA	127.40	NA	127.40	
MW-201	9/28/2007	NA	23.65	150.26	NA	126.61	NA	126.61	
MW-201	10/31/2007	NA	23.21	150.26	NA	127.05	NA	127.05	
MW-201	11/29/2007	NA	23.89	150.26	NA	126.37	NA	126.37	
MW-201	12/27/2007	NA	23.58	150.26	NA	126.68	NA	126.68	
MW-201	1/31/2008	NA	23.50	150.26	NA	126.76	NA	126.76	
MW-201	2/28/2008	NA	22.57	150.26	NA	127.69	NA	127.69	
MW-201	3/27/2008	NA	22.33	150.26	NA	127.93	NA	127.93	
 									
MW-301	1/26/2006	NA	22.76	152.23	NA	129.47	NA	129.47	
MW-301	2/23/2006	NA	22.23	152.23	NA	130.00	NA	130.00	
MW-301	3/31/2006	NA	22.82	152.23	NA	129.41	NA	129.41	
MW-301	4/28/2006	NA	22.73	152.23	NA	129.50	NA	129.50	
MW-301	5/25/2006	NA	21.34	152.23	NA	130.89	NA	130.89	
MW-301	6/30/2006	NA	23.05	152.23	NA	129.18	NA	129.18	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-301	7/26/2006	NA	22.81	152.23	NA	129.42	NA	129.42	
MW-301	8/31/2006	NA	23.82	152.23	NA	128.41	NA	128.41	
MW-301	9/29/2006	NA	21.69	152.23	NA	130.54	NA	130.54	
MW-301	10/31/2006	NA	23.31	152.23	NA	128.92	NA	128.92	
MW-301	11/30/2006	NA	22.28	152.23	NA	129.95	NA	129.95	
MW-301	12/28/2006	NA	22.58	152.23	NA	129.65	NA	129.65	
MW-301	1/25/2007	NA	22.38	152.23	NA	129.85	NA	129.85	
MW-301	2/22/2007	NA	22.76	152.23	NA	129.47	NA	129.47	
MW-301	4/27/2007	NA	21.67	152.23	NA	130.56	NA	130.56	
MW-301	5/31/2007	NA	23.23	152.23	NA	129.00	NA	129.00	
MW-301	6/28/2007	NA	22.75	152.23	NA	129.48	NA	129.48	
MW-301	7/27/2007	NA	23.66	152.23	NA	128.57	NA	128.57	
MW-301	8/31/2007	NA	24.30	152.23	NA	127.93	NA	127.93	
MW-301	9/28/2007	NA	25.14	152.23	NA	127.09	NA	127.09	
MW-301	10/31/2007	NA	24.80	152.23	NA	127.43	NA	127.43	
MW-301	11/29/2007	NA	22.41	152.23	NA	129.82	NA	129.82	
MW-301	12/27/2007	NA	25.23	152.23	NA	127.00	NA	127.00	
MW-301	1/31/2008	NA	25.28	152.23	NA	126.95	NA	126.95	
MW-301	2/28/2008	NA	24.66	152.23	NA	127.57	NA	127.57	
MW-301	3/27/2008	NA	24.14	152.23	NA	128.09	NA	128.09	
<hr/>									
MW-302	1/26/2006	NA	24.49	154.32	NA	129.83	NA	129.83	
MW-302	2/23/2006	NA	23.89	154.32	NA	130.43	NA	130.43	
MW-302	3/31/2006	NA	24.47	154.32	NA	129.85	NA	129.85	
MW-302	4/28/2006	NA	24.50	154.32	NA	129.82	NA	129.82	
MW-302	5/25/2006	NA	23.28	154.32	NA	131.04	NA	131.04	
MW-302	6/30/2006	NA	23.77	154.32	NA	130.55	NA	130.55	
MW-302	7/26/2006	NA	23.12	154.32	NA	131.20	NA	131.20	
MW-302	8/31/2006	NA	24.18	154.32	NA	130.14	NA	130.14	
MW-302	9/29/2006	NA	23.83	154.32	NA	130.49	NA	130.49	
MW-302	10/31/2006	NA	24.73	154.32	NA	129.59	NA	129.59	
MW-302	11/30/2006	NA	23.42	154.32	NA	130.90	NA	130.90	
MW-302	12/28/2006	NA	23.91	154.32	NA	130.41	NA	130.41	
MW-302	1/25/2007	NA	22.73	154.32	NA	131.59	NA	131.59	
MW-302	2/22/2007	NA	22.76	154.32	NA	131.56	NA	131.56	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-302	4/27/2007	NA	23.21	154.32	NA	131.11	NA	131.11	
MW-302	5/31/2007	NA	23.46	154.32	NA	130.86	NA	130.86	
MW-302	6/28/2007	NA	23.98	154.32	NA	130.34	NA	130.34	
MW-302	7/27/2007	NA	24.86	154.32	NA	129.46	NA	129.46	
MW-302	8/31/2007	NA	25.55	154.32	NA	128.77	NA	128.77	
MW-302	9/28/2007	NA	27.06	154.32	NA	127.26	NA	127.26	
MW-302	10/31/2007	NA	26.75	154.32	NA	127.57	NA	127.57	
MW-302	11/29/2007	NA	27.39	154.32	NA	126.93	NA	126.93	
MW-302	12/27/2007	NA	27.17	154.32	NA	127.15	NA	127.15	
MW-302	1/31/2008	NA	27.23	154.32	NA	127.09	NA	127.09	
MW-302	2/28/2008	NA	26.01	154.32	NA	128.31	NA	128.31	
MW-302	3/27/2008	NA	25.89	154.32	NA	128.43	NA	128.43	
MW-303	1/26/2006	NA	29.47	153.91	NA	124.44	NA	124.44	
MW-303	2/23/2006	NA	29.55	153.91	NA	124.36	NA	124.36	
MW-303	3/31/2006	NA	29.55	153.91	NA	124.36	NA	124.36	
MW-303	4/28/2006	NA	29.48	153.91	NA	124.43	NA	124.43	
MW-303	5/25/2006	NA	24.66	153.91	NA	129.25	NA	129.25	
MW-303	6/30/2006	NA	24.67	153.91	NA	129.24	NA	129.24	
MW-303	7/26/2006	NA	24.19	153.91	NA	129.72	NA	129.72	
MW-303	8/31/2006	NA	25.03	153.91	NA	128.88	NA	128.88	
MW-303	9/29/2006	NA	25.10	153.91	NA	128.81	NA	128.81	
MW-303	10/31/2006	NA	25.77	153.91	NA	128.14	NA	128.14	
MW-303	11/30/2006	NA	23.51	153.91	NA	130.40	NA	130.40	
MW-303	12/28/2006	NA	23.94	153.91	NA	129.97	NA	129.97	
MW-303	1/25/2007	NA	24.70	153.91	NA	129.21	NA	129.21	
MW-303	2/22/2007	NA	24.06	153.91	NA	129.85	NA	129.85	
MW-303	4/27/2007	NA	22.81	153.91	NA	131.10	NA	131.10	
MW-303	5/31/2007	NA	23.44	153.91	NA	130.47	NA	130.47	
MW-303	6/28/2007	NA	24.28	153.91	NA	129.63	NA	129.63	
MW-303	7/27/2007	NA	25.12	153.91	NA	128.79	NA	128.79	
MW-303	8/31/2007	NA	25.82	153.91	NA	128.09	NA	128.09	
MW-303	9/28/2007	NA	25.41	153.91	NA	128.50	NA	128.50	
MW-303	10/31/2007	NA	26.51	153.91	NA	127.40	NA	127.40	
MW-303	11/29/2007	NA	25.66	153.91	NA	128.25	NA	128.25	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-303	12/27/2007	NA	26.54	153.91	NA	127.37	NA	127.37	
MW-303	1/31/2008	NA	26.51	153.91	NA	127.40	NA	127.40	
MW-303	2/28/2008	NA	24.85	153.91	NA	129.06	NA	129.06	
MW-303	3/27/2008	NA	25.51	153.91	NA	128.40	NA	128.40	
MW-304	1/26/2006	NA	24.11	145.41	NA	121.30	NA	121.30	
MW-304	2/23/2006	NA	24.17	145.41	NA	121.24	NA	121.24	
MW-304	3/31/2006	NA	24.20	145.41	NA	121.21	NA	121.21	
MW-304	4/28/2006	NA	24.14	145.41	NA	121.27	NA	121.27	
MW-304	5/25/2006	NA	16.14	145.41	NA	129.27	NA	129.27	
MW-304	6/30/2006	NA	16.93	145.41	NA	128.48	NA	128.48	
MW-304	7/26/2006	NA	16.46	145.41	NA	128.95	NA	128.95	
MW-304	8/31/2006	NA	17.47	145.41	NA	127.94	NA	127.94	
MW-304	9/29/2006	NA	17.61	145.41	NA	127.80	NA	127.80	
MW-304	10/31/2006	NA	16.89	145.41	NA	128.52	NA	128.52	
MW-304	11/30/2006	NA	15.42	145.41	NA	129.99	NA	129.99	
MW-304	12/28/2006	NA	15.91	145.41	NA	129.50	NA	129.50	
MW-304	1/25/2007	NA	15.78	145.41	NA	129.63	NA	129.63	
MW-304	2/22/2007	NA	16.01	145.41	NA	129.40	NA	129.40	
MW-304	4/27/2007	NA	14.79	145.41	NA	130.62	NA	130.62	
MW-304	5/31/2007	NA	15.80	145.41	NA	129.61	NA	129.61	
MW-304	6/28/2007	NA	16.49	145.41	NA	128.92	NA	128.92	
MW-304	7/27/2007	NA	17.44	145.41	NA	127.97	NA	127.97	
MW-304	8/31/2007	NA	17.93	145.41	NA	127.48	NA	127.48	
MW-304	9/28/2007	NA	18.69	145.41	NA	126.72	NA	126.72	
MW-304	10/31/2007	NA	18.22	145.41	NA	127.19	NA	127.19	
MW-304	11/29/2007	NA	18.91	145.41	NA	126.50	NA	126.50	
MW-304	12/27/2007	NA	18.39	145.41	NA	127.02	NA	127.02	
MW-304	1/31/2008	NA	18.29	145.41	NA	127.12	NA	127.12	
MW-304	2/28/2008	NA	17.92	145.41	NA	127.49	NA	127.49	
MW-304	3/27/2008	NA	17.34	145.41	NA	128.07	NA	128.07	
MW-305	1/26/2006	NA	24.69	146.18	NA	121.49	NA	121.49	
MW-305	2/23/2006	NA	24.68	146.18	NA	121.50	NA	121.50	
MW-305	3/31/2006	NA	24.71	146.18	NA	121.47	NA	121.47	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-305	4/28/2006	NA	24.59	146.18	NA	121.59	NA	121.59	
MW-305	5/25/2006	NA	17.29	146.18	NA	128.89	NA	128.89	
MW-305	6/30/2006	NA	17.35	146.18	NA	128.83	NA	128.83	
MW-305	7/26/2006	NA	17.04	146.18	NA	129.14	NA	129.14	
MW-305	8/31/2006	NA	17.60	146.18	NA	128.58	NA	128.58	
MW-305	9/29/2006	NA	17.97	146.18	NA	128.21	NA	128.21	
MW-305	10/31/2006	NA	17.82	146.18	NA	128.36	NA	128.36	
MW-305	11/30/2006	NA	16.51	146.18	NA	129.67	NA	129.67	
MW-305	12/28/2006	NA	16.99	146.18	NA	129.19	NA	129.19	
MW-305	1/25/2007	NA	16.79	146.18	NA	129.39	NA	129.39	
MW-305	2/22/2007	NA	17.09	146.18	NA	129.09	NA	129.09	
MW-305	3/30/2007	NA	16.15	146.18	NA	130.03	NA	130.03	
MW-305	4/27/2007	NA	15.74	146.18	NA	130.44	NA	130.44	
MW-305	5/31/2007	NA	16.81	146.18	NA	129.37	NA	129.37	
MW-305	6/28/2007	NA	17.53	146.18	NA	128.65	NA	128.65	
MW-305	7/27/2007	NA	18.46	146.18	NA	127.72	NA	127.72	
MW-305	8/31/2007	NA	18.96	146.18	NA	127.22	NA	127.22	
MW-305	9/28/2007	NA	19.64	146.18	NA	126.54	NA	126.54	
MW-305	10/31/2007	NA	19.53	146.18	NA	126.65	NA	126.65	
MW-305	11/29/2007	NA	19.83	146.18	NA	126.35	NA	126.35	
MW-305	12/27/2007	NA	19.32	146.18	NA	126.86	NA	126.86	
MW-305	1/31/2008	NA	19.17	146.18	NA	127.01	NA	127.01	
MW-305	2/28/2008	NA	18.83	146.18	NA	127.35	NA	127.35	
MW-305	3/27/2008	NA	18.24	146.18	NA	127.94	NA	127.94	
<hr/>									
MW-306	1/26/2006	NA	20.20	149.67	NA	129.47	NA	129.47	
MW-306	2/23/2006	NA	19.63	149.67	NA	130.04	NA	130.04	
MW-306	3/31/2006	NA	20.25	149.67	NA	129.42	NA	129.42	
MW-306	4/28/2006	NA	19.96	149.67	NA	129.71	NA	129.71	
MW-306	5/25/2006	NA	18.80	149.67	NA	130.87	NA	130.87	
MW-306	6/30/2006	NA	19.11	149.67	NA	130.56	NA	130.56	
MW-306	7/26/2006	NA	18.94	149.67	NA	130.73	NA	130.73	
MW-306	8/31/2006	NA	20.20	149.67	NA	129.47	NA	129.47	
MW-306	9/29/2006	NA	19.87	149.67	NA	129.80	NA	129.80	
MW-306	10/31/2006	NA	20.76	149.67	NA	128.91	NA	128.91	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-306	11/30/2006	NA	19.63	149.67	NA	130.04	NA	130.04	
MW-306	12/28/2006	NA	20.12	149.67	NA	129.55	NA	129.55	
MW-306	1/25/2007	NA	19.95	149.67	NA	129.72	NA	129.72	
MW-306	2/22/2007	NA	20.33	149.67	NA	129.34	NA	129.34	
MW-306	4/27/2007	NA	19.16	149.67	NA	130.51	NA	130.51	
MW-306	5/31/2007	NA	19.87	149.67	NA	129.80	NA	129.80	
MW-306	6/28/2007	NA	20.32	149.67	NA	129.35	NA	129.35	
MW-306	7/27/2007	NA	21.19	149.67	NA	128.48	NA	128.48	
MW-306	8/31/2007	NA	21.85	149.67	NA	127.82	NA	127.82	
MW-306	9/28/2007	NA	22.65	149.67	NA	127.02	NA	127.02	
MW-306	10/31/2007	NA	22.26	149.67	NA	127.41	NA	127.41	
MW-306	11/29/2007	NA	22.94	149.67	NA	126.73	NA	126.73	
MW-306	12/27/2007	NA	22.71	149.67	NA	126.96	NA	126.96	
MW-306	1/31/2008	NA	22.78	149.67	NA	126.89	NA	126.89	
MW-306	2/28/2008	NA	21.97	149.67	NA	127.70	NA	127.70	
MW-306	3/27/2008	NA	21.69	149.67	NA	127.98	NA	127.98	
MW-307	1/26/2006	NA	26.16	156.64	NA	130.48	NA	130.48	
MW-307	2/23/2006	NA	25.72	156.64	NA	130.92	NA	130.92	
MW-307	3/31/2006	NA	26.15	156.64	NA	130.49	NA	130.49	
MW-307	4/28/2006	NA	26.10	156.64	NA	130.54	NA	130.54	
MW-307	5/25/2006	NA	25.79	156.64	NA	130.85	NA	130.85	
MW-307	6/30/2006	NA	28.04	156.64	NA	128.60	NA	128.60	
MW-307	7/26/2006	NA	27.79	156.64	NA	128.85	NA	128.85	
MW-307	8/31/2006	NA	28.47	156.64	NA	128.17	NA	128.17	
MW-307	9/29/2006	NA	25.44	156.64	NA	131.20	NA	131.20	
MW-307	10/31/2006	NA	26.68	156.64	NA	129.96	NA	129.96	
MW-307	11/30/2006	NA	25.44	156.64	NA	131.20	NA	131.20	
MW-307	12/28/2006	NA	26.18	156.64	NA	130.46	NA	130.46	
MW-307	1/25/2007	NA	26.20	156.64	NA	130.44	NA	130.44	
MW-307	2/22/2007	NA	26.91	156.64	NA	129.73	NA	129.73	
MW-307	3/30/2007	NA	25.65	156.64	NA	130.99	NA	130.99	
MW-307	4/27/2007	NA	25.03	156.64	NA	131.61	NA	131.61	
MW-307	5/31/2007	NA	26.87	156.64	NA	129.77	NA	129.77	
MW-307	6/28/2007	NA	27.02	156.64	NA	129.62	NA	129.62	

TABLE 2

Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
MW-307	7/27/2007	NA	28.07	156.64	NA	128.57	NA	128.57	
MW-307	8/31/2007	NA	28.71	156.64	NA	127.93	NA	127.93	
MW-307	9/28/2007	NA	29.52	156.64	NA	127.12	NA	127.12	
MW-307	10/31/2007	NA	27.56	156.64	NA	129.08	NA	129.08	
MW-307	11/29/2007	NA	29.67	156.64	NA	126.97	NA	126.97	
MW-307	12/27/2007	NA	29.32	156.64	NA	127.32	NA	127.32	
MW-307	1/31/2008	NA	29.25	156.64	NA	127.39	NA	127.39	
MW-307	2/28/2008	NA	28.08	156.64	NA	128.56	NA	128.56	
MW-307	3/27/2008	NA	28.10	156.64	NA	128.54	NA	128.54	
RW-1	3/1/2000	31.51	31.53	161.37	129.86	129.84	0.02	129.86	
RW-1	4/26/2000	NA	26.38	161.37	NA	134.99	NA	134.99	
RW-1	5/23/2000	NA	30.01	161.37	NA	131.36	NA	131.36	
RW-1	6/28/2000	NA	30.23	161.37	NA	131.14	NA	131.14	
RW-1	7/27/2000	NA	26.35	161.37	NA	135.02	NA	135.02	
RW-1	10/24/00	35.87	35.89	161.37	125.50	125.48	0.02	125.50	
RW-1	11/27/00	36.50	36.52	161.37	124.87	124.85	0.02	124.87	
RW-1	12/28/00	36.50	37.36	161.37	124.87	124.01	0.86	124.75	
RW-1	1/24/2001	NA	37.85	161.37	NA	123.52	NA	123.52	
RW-1	4/26/2001	NA	34.13	161.37	NA	127.24	NA	127.24	
RW-1	5/31/2001	35.82	35.82	161.37	125.55	125.55	0.00	125.55	
RW-1	6/28/2001	NA	35.40	161.37	NA	125.97	NA	125.97	
RW-1	07/24/01	35.22	35.23	161.37	126.15	126.14	0.01	126.15	
RW-1	08/31/01	36.16	36.18	161.37	125.21	125.19	0.02	125.21	
RW-1	09/28/01	36.51	36.52	161.37	124.86	124.85	0.01	124.86	
RW-1	10/30/01	36.80	36.81	161.37	124.57	124.56	0.01	124.57	
RW-1	11/27/01	NA	38.91	161.37	NA	122.46	NA	122.46	
RW-1	12/28/01	NA	39.40	161.37	NA	121.97	NA	121.97	
RW-1	01/30/02	39.95	39.96	161.37	121.42	121.41	0.01	121.42	
RW-1	02/26/02	NA	40.38	161.37	NA	120.99	NA	120.99	
RW-1	03/27/02	NA	40.40	161.37	NA	120.97	NA	120.97	
RW-1	04/26/02	NA	40.63	161.37	NA	120.74	NA	120.74	
RW-1	05/31/02	38.90	38.91	161.37	122.47	122.46	0.01	122.47	
RW-1	06/28/02	39.80	39.82	161.37	121.57	121.55	0.02	121.57	
RW-1	07/29/02	NA	40.62	161.37	NA	120.75	NA	120.75	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
RW-1	08/30/02	NA	41.20	161.37	NA	120.17	NA	120.17	sheen
RW-1	09/30/02	41.45	41.46	161.37	119.92	119.91	0.01	119.92	
RW-1	10/25/02	40.82	40.83	161.37	120.55	120.54	0.01	120.55	
RW-1	11/27/02	37.50	37.51	161.37	123.87	123.86	0.01	123.87	
RW-1	12/30/02	NA	35.87	161.37	NA	125.50	NA	125.50	
RW-1	01/31/03	NA	34.65	161.37	NA	126.72	NA	126.72	
RW-1	02/25/03	NA	35.33	161.37	NA	126.04	NA	126.04	
RW-1	03/17/03	NA	33.09	161.37	NA	128.28	NA	128.28	
RW-1	04/30/03	33.31	33.32	161.37	128.06	128.05	0.01	128.06	
RW-1	05/29/03	NA	33.35	161.37	NA	128.02	NA	128.02	
RW-1	06/27/03	NA	32.45	161.37	NA	128.92	NA	128.92	
RW-1	7/25/2003	33.31	33.32	161.37	128.06	128.05	0.01	128.06	
RW-1	8/26/2003	NA	32.95	161.37	NA	128.42	NA	128.42	
RW-1	9/29/2003	NA	32.90	161.37	NA	128.47	NA	128.47	
RW-1	10/31/2003	NA	33.20	161.37	NA	128.17	NA	128.17	
RW-1	11/25/2003	NA	32.59	161.37	NA	128.78	NA	128.78	
RW-1	12/30/2003	NA	32.07	161.37	NA	129.30	NA	129.30	
RW-1	2/4/2004	NA	32.60	161.37	NA	128.77	NA	128.77	
RW-1	2/26/2004	NA	32.66	161.37	NA	128.71	NA	128.71	
RW-1	3/31/2004	NA	32.98	161.37	NA	128.39	NA	128.39	
RW-1	4/27/2004	NA	32.79	161.37	NA	128.58	NA	128.58	
RW-1	5/27/2004	NA	32.97	161.37	NA	128.40	NA	128.40	
RW-1	6/28/2004	NA	33.08	161.37	NA	128.29	NA	128.29	
RW-1	7/27/2004	NA	33.40	161.37	NA	127.97	NA	127.97	
RW-1	12/1/2004	34.72	34.73	161.37	126.65	126.64	0.01	126.65	
RW-1	12/31/2004	NA	34.57	161.37	NA	126.80	NA	126.80	
RW-1	1/28/2005	NA	34.96	161.37	NA	126.41	NA	126.41	
RW-1	2/24/2005	NA	34.83	161.37	NA	126.54	NA	126.54	
RW-1	3/27/2005	NA	34.45	161.37	NA	126.92	NA	126.92	
RW-1	4/26/2005	NA	33.30	161.37	NA	128.07	NA	128.07	
RW-1	5/27/2005	NA	34.18	161.37	NA	127.19	NA	127.19	
RW-1	6/30/2005	NA	34.23	161.37	NA	127.14	NA	127.14	
RW-1	7/29/2005	NA	34.80	161.37	NA	126.57	NA	126.57	
RW-1	8/31/2005	NA	34.81	161.37	NA	126.56	NA	126.56	
RW-1	9/30/2005	NA	35.32	161.37	NA	126.05	NA	126.05	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
RW-1	10/31/2005	NA	35.88	161.37	NA	125.49	NA	125.49	
RW-1	11/30/2005	NA	35.15	161.37	NA	126.22	NA	126.22	
RW-1	12/28/2005	NA	35.31	161.37	NA	126.06	NA	126.06	
KEMRON Assumes Control of Site 1st Quarter 2006									
RW-1	1/26/2006	NA	35.15	161.37	NA	126.22	NA	126.22	
RW-1	2/23/2006	NA	35.17	161.37	NA	126.20	NA	126.20	
RW-1	3/31/2006	NA	35.10	161.37	NA	126.27	NA	126.27	
RW-1	4/28/2006	NA	35.12	161.37	NA	126.25	NA	126.25	
RW-1	5/25/2006	NA	35.01	161.37	NA	126.36	NA	126.36	
RW-1	6/30/2006	NA	35.92	161.37	NA	125.45	NA	125.45	
RW-1	7/26/2006	NA	35.89	161.37	NA	125.48	NA	125.48	
RW-1	8/31/2006	NA	36.00	161.37	NA	125.37	NA	125.37	
RW-1	9/29/2006	NA	34.47	161.37	NA	126.90	NA	126.90	
RW-1	10/31/2006	NA	33.91	161.37	NA	127.46	NA	127.46	
RW-1	11/30/2006	NA	33.10	161.37	NA	128.27	NA	128.27	
RW-1	12/28/2006	NA	34.81	161.37	NA	126.56	NA	126.56	
RW-1	1/25/2007	NA	34.60	161.37	NA	126.77	NA	126.77	
RW-1	2/22/2007	NA	34.95	161.37	NA	126.42	NA	126.42	
RW-1	4/27/2007	NA	34.32	161.37	NA	127.05	NA	127.05	
RW-1	5/31/2007	NA	35.92	161.37	NA	125.45	NA	125.45	
RW-1	6/28/2007	NA	35.13	161.37	NA	126.24	NA	126.24	
RW-1	7/27/2007	NA	35.07	161.37	NA	126.30	NA	126.30	
RW-1	8/31/2007	NA	35.53	161.37	NA	125.84	NA	125.84	
RW-1	9/28/2007	NA	37.83	161.37	NA	123.54	NA	123.54	
RW-1	10/31/2007	NA	37.60	161.37	NA	123.77	NA	123.77	
RW-1	11/29/2007	NA	37.89	161.37	NA	123.48	NA	123.48	
RW-1	12/27/2007	NA	37.87	161.37	NA	123.50	NA	123.50	
RW-1	1/31/2008	NA	36.73	161.37	NA	124.64	NA	124.64	
RW-1	2/28/2008	NA	37.20	161.37	NA	124.17	NA	124.17	
RW-1	3/27/2008	NA	35.21	161.37	NA	126.16	NA	126.16	
 									
RW-2	3/1/2000	29.81	29.84	157.88	128.07	128.04	0.03	128.07	
RW-2	4/26/2000	30.05	30.06	157.88	127.83	127.82	0.01	127.83	
RW-2	5/23/2000	NA	26.00	157.88	NA	131.88	NA	131.88	
RW-2	6/28/2000	NA	28.20	157.88	NA	129.68	NA	129.68	

TABLE 2**Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data****Building 8481****Fort George G. Meade**

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
RW-2	7/27/2000	NA	28.34	157.88	NA	129.54	NA	129.54	
RW-2	10/24/00	NA	31.68	157.88	NA	126.20	NA	126.20	
RW-2	11/27/00	NA	32.87	157.88	NA	125.01	NA	125.01	
RW-2	12/28/00	NA	34.15	157.88	NA	123.73	NA	123.73	
RW-2	1/24/2001	NA	33.95	157.88	NA	123.93	NA	123.93	
RW-2	4/26/2001	NA	31.67	157.88	NA	126.21	NA	126.21	
RW-2	5/31/2001	NA	31.85	157.88	NA	126.03	NA	126.03	
RW-2	6/28/2001	NA	31.77	157.88	NA	126.11	NA	126.11	
RW-2	07/24/01	NA	31.38	157.88	NA	126.50	NA	126.50	
RW-2	08/31/01	NA	32.14	157.88	NA	125.74	NA	125.74	
RW-2	09/28/01	NA	33.23	157.88	NA	124.65	NA	124.65	
RW-2	10/30/01	NA	34.61	157.88	NA	123.27	NA	123.27	
RW-2	11/27/01	NA	33.36	157.88	NA	124.52	NA	124.52	
RW-2	12/28/01	NA	35.90	157.88	NA	121.98	NA	121.98	
RW-2	01/30/02	NA	36.25	157.88	NA	121.63	NA	121.63	
RW-2	02/26/02	36.80	36.87	157.88	121.08	121.01	0.07	121.07	
RW-2	03/27/02	36.90	36.97	157.88	120.98	120.91	0.07	120.97	
RW-2	04/26/02	NA	36.39	157.88	NA	121.49	NA	121.49	
RW-2	05/31/02	NA	35.94	157.88	NA	121.94	NA	121.94	
RW-2	06/28/02	NA	36.27	157.88	NA	121.61	NA	121.61	
RW-2	07/29/02	NA	36.49	157.88	NA	121.39	NA	121.39	
RW-2	08/30/02	NA	37.25	157.88	NA	120.63	NA	120.63	
RW-2	09/30/02	NA	37.15	157.88	NA	120.73	NA	120.73	
RW-2	10/25/02	37.18	37.20	157.88	120.70	120.68	0.02	120.70	
RW-2	11/27/02	NA	34.95	157.88	NA	122.93	NA	122.93	
RW-2	12/30/02	NA	32.61	157.88	NA	125.27	NA	125.27	
RW-2	01/31/03	NA	31.16	157.88	NA	126.72	NA	126.72	
RW-2	02/25/03	NA	31.28	157.88	NA	126.60	NA	126.60	
RW-2	03/17/03	NA	29.58	157.88	NA	128.30	NA	128.30	
RW-2	04/30/03	NA	29.71	157.88	NA	128.17	NA	128.17	
RW-2	05/29/03	NA	29.73	157.88	NA	128.15	NA	128.15	
RW-2	06/27/03	NA	29.03	157.88	NA	128.85	NA	128.85	
RW-2	7/25/2003	NA	29.71	157.88	NA	128.17	NA	128.17	
RW-2	8/26/2003	NA	29.38	157.88	NA	128.50	NA	128.50	
RW-2	9/29/2003	NA	29.36	157.88	NA	128.52	NA	128.52	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
RW-2	10/31/2003	NA	29.69	157.88	NA	128.19	NA	128.19	
RW-2	11/25/2003	NA	29.06	157.88	NA	128.82	NA	128.82	
RW-2	12/30/2003	NA	28.51	157.88	NA	129.37	NA	129.37	
RW-2	2/4/2004	NA	29.02	157.88	NA	128.86	NA	128.86	
RW-2	2/26/2004	NA	29.07	157.88	NA	128.81	NA	128.81	
RW-2	3/31/2004	NA	29.40	157.88	NA	128.48	NA	128.48	
RW-2	4/27/2004	NA	29.21	157.88	NA	128.67	NA	128.67	
RW-2	5/27/2004	NA	29.38	157.88	NA	128.50	NA	128.50	
RW-2	6/28/2004	NA	29.60	157.88	NA	128.28	NA	128.28	
RW-2	7/27/2004	NA	29.81	157.88	NA	128.07	NA	128.07	
RW-2	12/1/2004	NA	31.94	157.88	NA	125.94	NA	125.94	
RW-2	12/31/2004	NA	30.79	157.88	NA	127.09	NA	127.09	
RW-2	1/28/2005	NA	30.65	157.88	NA	127.23	NA	127.23	
RW-2	2/24/2005	NA	30.88	157.88	NA	127.00	NA	127.00	
RW-2	3/27/2005	NA	30.95	157.88	NA	126.93	NA	126.93	
RW-2	4/26/2005	NA	29.69	157.88	NA	128.19	NA	128.19	
RW-2	5/27/2005	NA	30.37	157.88	NA	127.51	NA	127.51	
RW-2	6/30/2005	NA	30.42	157.88	NA	127.46	NA	127.46	
RW-2	7/29/2005	NA	30.78	157.88	NA	127.10	NA	127.10	
RW-2	8/31/2005	NA	30.81	157.88	NA	127.07	NA	127.07	
RW-2	9/30/2005	NA	31.33	157.88	NA	126.55	NA	126.55	
RW-2	10/31/2005	NA	31.98	157.88	NA	125.90	NA	125.90	
RW-2	11/30/2005	NA	31.29	157.88	NA	126.59	NA	126.59	
RW-2	12/28/2005	NA	31.32	157.88	NA	126.56	NA	126.56	
KEMRON Assumes Control of Site 1st Quarter 2006									
RW-2	1/26/2006	NA	31.29	157.88	NA	126.59	NA	126.59	
RW-2	2/23/2006	NA	31.31	157.88	NA	126.57	NA	126.57	
RW-2	3/31/2006	NA	31.12	157.88	NA	126.76	NA	126.76	
RW-2	4/28/2006	NA	31.33	157.88	NA	126.55	NA	126.55	
RW-2	5/25/2006	NA	31.11	157.88	NA	126.77	NA	126.77	
RW-2	6/30/2006	NA	33.24	157.88	NA	124.64	NA	124.64	
RW-2	7/26/2006	NA	33.15	157.88	NA	124.73	NA	124.73	
RW-2	8/31/2006	NA	33.50	157.88	NA	124.38	NA	124.38	
RW-2	9/29/2006	NA	32.98	157.88	NA	124.90	NA	124.90	
RW-2	10/31/2006	NA	29.54	157.88	NA	128.34	NA	128.34	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
RW-2	11/30/2006	NA	31.97	157.88	NA	125.91	NA	125.91	
RW-2	12/28/2006	NA	31.17	157.88	NA	126.71	NA	126.71	
RW-2	1/25/2007	NA	31.11	157.88	NA	126.77	NA	126.77	
RW-2	2/22/2007	NA	31.34	157.88	NA	126.54	NA	126.54	
RW-2	4/27/2007	NA	30.93	157.88	NA	126.95	NA	126.95	
RW-2	5/31/2007	NA	33.36	157.88	NA	124.52	NA	124.52	
RW-2	6/28/2007	NA	31.09	157.88	NA	126.79	NA	126.79	
RW-2	7/27/2007	NA	31.52	157.88	NA	126.36	NA	126.36	
RW-2	8/31/2007	NA	31.60	157.88	NA	126.28	NA	126.28	
RW-2	9/28/2007	NA	34.72	157.88	NA	123.16	NA	123.16	
RW-2	10/31/2007	NA	35.53	157.88	NA	122.35	NA	122.35	
RW-2	11/29/2007	NA	34.80	157.88	NA	123.08	NA	123.08	
RW-2	12/27/2007	NA	34.22	157.88	NA	123.66	NA	123.66	
RW-2	1/31/2008	NA	33.82	157.88	NA	124.06	NA	124.06	
RW-2	2/28/2008	NA	34.09	157.88	NA	123.79	NA	123.79	
RW-2	3/27/2008	NA	31.73	157.88	NA	126.15	NA	126.15	
RW-3	3/1/2000	NA	23.81	153.50	NA	129.69	NA	129.69	
RW-3	4/26/2000	NA	21.58	153.50	NA	131.92	NA	131.92	
RW-3	5/23/2000	NA	21.30	153.50	NA	132.20	NA	132.20	
RW-3	7/27/2000	NA	21.54	153.5	NA	131.96	NA	131.96	
RW-3	10/24/00	NA	27.94	153.50	NA	125.56	NA	125.56	
RW-3	11/27/00	NA	27.55	153.50	NA	125.95	NA	125.95	
RW-3	12/28/00	NA	28.96	153.50	NA	124.54	NA	124.54	
RW-3	1/24/2001	NA	28.74	153.50	NA	124.76	NA	124.76	
RW-3	1/24/2001	NA	28.74	153.50	NA	124.76	NA	124.76	
RW-3	4/26/2001	NA	26.67	153.50	NA	126.83	NA	126.83	
RW-3	5/31/2001	NA	27.60	153.50	NA	125.90	NA	125.90	
RW-3	6/28/2001	NA	27.61	153.50	NA	125.89	NA	125.89	
RW-3	07/24/01	NA	26.45	153.50	NA	127.05	NA	127.05	
RW-3	08/31/01	NA	27.18	153.50	NA	126.32	NA	126.32	
RW-3	09/28/01	NA	28.85	153.50	NA	124.65	NA	124.65	
RW-3	10/30/01	NA	29.69	153.50	NA	123.81	NA	123.81	
RW-3	11/27/01	NA	29.49	153.50	NA	124.01	NA	124.01	
RW-3	12/28/01	NA	30.75	153.50	NA	122.75	NA	122.75	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
RW-3	01/30/02	31.44	31.45	153.50	122.06	122.05	0.01	122.06	
RW-3	02/26/02	31.86	31.87	153.50	121.64	121.63	0.01	121.64	
RW-3	03/27/02	31.96	31.97	153.50	121.54	121.53	0.01	121.54	
RW-3	04/26/02	NA	31.51	153.50	NA	121.99	NA	121.99	
RW-3	05/31/02	30.70	30.71	153.50	122.80	122.79	0.01	122.80	
RW-3	06/28/02	31.05	31.06	153.50	122.45	122.44	0.01	122.45	
RW-3	07/29/02	NA	31.91	153.50	NA	121.59	NA	121.59	
RW-3	08/30/02	NA	32.50	153.50	NA	121.00	NA	121.00	sheen
RW-3	09/30/02	NA	32.91	153.50	NA	120.59	NA	120.59	
RW-3	10/25/02	NA	31.97	153.50	NA	121.53	NA	121.53	
RW-3	11/27/02	NA	27.24	153.50	NA	126.26	NA	126.26	
RW-3	12/30/02	NA	25.84	153.50	NA	127.66	NA	127.66	
RW-3	01/31/03	NA	28.60	153.50	NA	124.90	NA	124.90	
RW-3	02/25/03	NA	NA	153.50	NA	NA	NA	NA	covered with snow
RW-3	03/17/03	NA	24.39	153.50	NA	129.11	NA	129.11	
RW-3	04/30/03	NA	24.66	153.50	NA	128.84	NA	128.84	
RW-3	05/29/03	NA	24.64	153.50	NA	128.86	NA	128.86	
RW-3	06/27/03	NA	23.99	153.50	NA	129.51	NA	129.51	
RW-3	7/25/2003	NA	24.66	153.50	NA	128.84	NA	128.84	
RW-3	8/26/2003	NA	24.52	153.50	NA	128.98	NA	128.98	
RW-3	9/29/2003	NA	24.37	153.50	NA	129.13	NA	129.13	
RW-3	10/31/2003	NA	24.65	153.50	NA	128.85	NA	128.85	
RW-3	11/25/2003	NA	24.20	153.50	NA	129.30	NA	129.30	
RW-3	12/30/2003	NA	23.68	153.50	NA	129.82	NA	129.82	
RW-3	2/4/2004	NA	NA	153.50	NA	NA	NA	NA	covered with snow
RW-3	2/26/2004	NA	24.31	153.50	NA	129.19	NA	129.19	
RW-3	3/31/2004	NA	24.54	153.50	NA	128.96	NA	128.96	
RW-3	4/27/2004	NA	24.31	153.50	NA	129.19	NA	129.19	
RW-3	5/27/2004	NA	24.48	153.50	NA	129.02	NA	129.02	
RW-3	6/28/2004	NA	NA	153.50	NA	NA	NA	NA	No access
RW-3	7/27/2004	NA	NA	153.50	NA	NA	NA	NA	Vault lid broken, filled with water
RW-3	12/1/2004	NA	25.96	153.50	NA	127.54	NA	127.54	
RW-3	12/31/2004	NA	25.82	153.50	NA	127.68	NA	127.68	
RW-3	1/28/2005	NA	25.80	153.50	NA	127.70	NA	127.70	
RW-3	2/24/2005	NA	26.05	153.50	NA	127.45	NA	127.45	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
RW-3	3/27/2005	NA	26.19	153.50	NA	127.31	NA	127.31	
RW-3	4/26/2005	NA	24.88	153.50	NA	128.62	NA	128.62	
RW-3	5/27/2005	NA	25.56	153.50	NA	127.94	NA	127.94	
RW-3	6/30/2005	NA	25.55	153.50	NA	127.95	NA	127.95	
RW-3	7/29/2005	NA	25.87	153.50	NA	127.63	NA	127.63	
RW-3	8/31/2005	NA	25.83	153.50	NA	127.67	NA	127.67	
RW-3	9/30/2005	NA	25.87	153.50	NA	127.63	NA	127.63	
RW-3	10/31/2005	NA	25.97	153.50	NA	127.53	NA	127.53	
RW-3	11/30/2005	NA	26.31	153.50	NA	127.19	NA	127.19	
RW-3	12/28/2005	NA	26.28	153.50	NA	127.22	NA	127.22	
KEMRON Assumes Control of Site 1st Quarter 2006									
RW-3	1/26/2006	NA	NA	153.50	NA	NA	NA	NA	Flooded
RW-3	2/23/2006	NA	NA	153.50	NA	NA	NA	NA	Flooded
RW-3	3/31/2006	NA	NA	153.50	NA	NA	NA	NA	Flooded
RW-3	4/28/2006	NA	28.62	153.50	NA	124.88	NA	124.88	Flooded
RW-3	5/25/2006	NA	28.19	153.50	NA	125.31	NA	125.31	Flooded
RW-3	6/30/2006	NA	28.69	153.50	NA	124.81	NA	124.81	Flooded
RW-3	7/26/2006	NA	29.03	153.50	NA	124.47	NA	124.47	
RW-3	8/31/2006	NA	29.14	153.50	NA	124.36	NA	124.36	
RW-3	9/29/2006	NA	NA	153.50	NA	NA	NA	NA	
RW-3	10/31/2006	NA	NA	153.50	NA	NA	NA	NA	
RW-3	11/30/2006	NA	29.31	153.50	NA	124.19	NA	124.19	
RW-3	12/28/2006	NA	29.18	153.50	NA	124.32	NA	124.32	
RW-3	1/25/2007	NA	25.73	153.50	NA	127.77	NA	127.77	
RW-3	2/22/2007	NA	26.05	153.50	NA	127.45	NA	127.45	
RW-3	4/27/2007	NA	25.33	153.50	NA	128.17	NA	128.17	
RW-3	5/31/2007	NA	26.02	153.50	NA	127.48	NA	127.48	
RW-3	6/28/2007	NA	25.98	153.50	NA	127.52	NA	127.52	
RW-3	7/27/2007	NA	26.01	153.50	NA	127.49	NA	127.49	
RW-3	8/31/2007	NA	28.30	153.50	NA	125.20	NA	125.20	
RW-3	9/28/2007	NA	29.41	153.50	NA	124.09	NA	124.09	
RW-3	10/31/2007	NA	29.25	153.50	NA	124.25	NA	124.25	
RW-3	11/29/2007	NA	29.45	153.50	NA	124.05	NA	124.05	
RW-3	12/27/2007	NA	29.44	153.50	NA	124.06	NA	124.06	
RW-3	1/31/2008	NA	29.27	153.50	NA	124.23	NA	124.23	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
RW-3	2/28/2008	NA	28.92	153.50	NA	124.58	NA	124.58	
RW-3	3/27/2008	NA	25.77	153.50	NA	127.73	NA	127.73	
RW-4	3/1/2000	22.71	22.75	152.91	130.20	130.16	0.04	130.19	
RW-4	4/26/2000	NA	21.22	152.91	NA	131.69	NA	131.69	
RW-4	5/23/2000	NA	20.90	152.91	NA	132.01	NA	132.01	
RW-4	6/28/2000	NA	21.14	152.91	NA	131.77	NA	131.77	
RW-4	7/27/2000	NA	21.20	152.91	NA	131.71	NA	131.71	
RW-4	10/24/00	NA	NA	152.91	NA	NA	NA	NA	
RW-4	11/27/00	27.27	27.30	152.91	125.64	125.61	0.03	125.64	
RW-4	12/28/00	NA	28.64	152.91	NA	124.27	NA	124.27	
RW-4	1/24/2001	NA	28.93	152.91	NA	123.98	NA	123.98	
RW-4	1/24/2001	NA	28.93	152.91	NA	123.98	NA	123.98	
RW-4	5/31/2001	26.53	26.55	152.91	126.38	126.36	0.02	126.38	
RW-4	6/28/2001	26.54	26.56	152.91	126.37	126.35	0.02	126.37	
RW-4	07/24/01	26.26	26.32	152.91	126.65	126.59	0.06	126.64	
RW-4	08/31/01	26.70	26.76	152.91	126.21	126.15	0.06	126.20	
RW-4	09/28/01	27.70	27.74	152.91	125.21	125.17	0.04	125.20	
RW-4	10/30/01	29.11	29.15	152.91	123.80	123.76	0.04	123.79	
RW-4	11/27/01	29.90	29.95	152.91	123.01	122.96	0.05	123.00	
RW-4	12/28/01	30.55	30.60	152.91	122.36	122.31	0.05	122.35	
RW-4	01/30/02	31.07	31.16	152.91	121.84	121.75	0.09	121.83	
RW-4	02/26/02	31.53	31.61	152.91	121.38	121.30	0.08	121.37	
RW-4	03/27/02	31.63	31.71	152.91	121.28	121.20	0.08	121.27	
RW-4	04/26/02	31.47	32.49	152.91	121.44	120.42	1.02	121.30	
RW-4	05/31/02	30.02	32.38	152.91	122.89	120.53	2.36	122.56	
RW-4	06/28/02	30.40	32.71	152.91	122.51	120.20	2.31	122.19	
RW-4	07/29/02	30.84	33.22	152.91	122.07	119.69	2.38	121.74	
RW-4	08/30/02	31.11	33.57	152.91	121.80	119.34	2.46	121.46	
RW-4	09/30/02	31.41	33.66	152.91	121.50	119.25	2.25	121.19	
RW-4	10/25/02	30.84	31.31	152.91	122.07	121.60	0.47	122.00	
RW-4	11/27/02	26.21	26.62	152.91	126.70	126.29	0.41	126.64	
RW-4	12/30/02	NA	25.72	152.91	NA	127.19	NA	127.19	
RW-4	01/31/03	25.43	25.73	152.91	127.48	127.18	0.30	127.44	
RW-4	02/25/03	NA	NA	152.91	NA	NA	NA	NA	covered with snow

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
RW-4	03/17/03	25.70	25.85	152.91	127.21	127.06	0.15	127.19	
RW-4	04/30/03	25.15	25.35	152.91	127.76	127.56	0.20	127.73	
RW-4	05/29/03	24.91	24.95	152.91	128.00	127.96	0.04	127.99	
RW-4	06/27/03	23.89	23.91	152.91	129.02	129.00	0.02	129.02	
RW-4	7/25/2003	25.15	25.35	152.91	127.76	127.56	0.20	127.73	
RW-4	8/26/2003	24.50	24.67	152.91	128.41	128.24	0.17	128.39	
RW-4	9/29/2003	24.35	24.41	152.91	128.56	128.50	0.06	128.55	
RW-4	10/31/2003	24.50	24.55	152.91	128.41	128.36	0.05	128.40	
RW-4	11/25/2003	24.05	24.11	152.91	128.86	128.80	0.06	128.85	
RW-4	12/30/2003	23.57	23.68	152.91	129.34	129.23	0.11	129.32	
RW-4	2/4/2004	NA	NA	152.91	NA	NA	NA	NA	covered with snow
RW-4	2/26/2004	24.34	24.35	152.91	128.57	128.56	0.01	128.57	
RW-4	3/31/2004	29.49	29.60	152.91	123.42	123.31	0.11	123.40	
RW-4	4/27/2004	24.13	24.27	152.91	128.78	128.64	0.14	128.76	
RW-4	5/27/2004	NA	NA	152.91	NA	NA	NA	NA	No access
RW-4	6/28/2004	24.54	24.70	152.91	128.37	128.21	0.16	128.35	
RW-4	7/27/2004	24.85	25.01	152.91	128.06	127.90	0.16	128.04	
RW-4	12/1/2004	25.98	26.14	152.91	126.93	126.77	0.16	126.91	
RW-4	12/31/2004	25.88	25.93	152.91	127.03	126.98	0.05	127.02	
RW-4	1/28/2005	25.83	25.92	152.91	127.08	126.99	0.09	127.07	
RW-4	2/24/2005	26.06	26.20	152.91	126.85	126.71	0.14	126.83	
RW-4	3/27/2005	26.06	26.09	152.91	126.85	126.82	0.03	126.85	
RW-4	4/26/2005	24.80	24.90	152.91	128.11	128.01	0.10	128.10	
RW-4	5/27/2005	25.45	25.50	152.91	127.46	127.41	0.05	127.45	
RW-4	6/30/2005	25.57	25.68	152.91	127.34	127.23	0.11	127.32	
RW-4	7/29/2005	25.78	25.85	152.91	127.13	127.06	0.07	127.12	
RW-4	8/31/2005	24.70	24.78	152.91	128.21	128.13	0.08	128.20	
RW-4	9/30/2005	25.49	25.56	152.91	127.42	127.35	0.07	127.41	
RW-4	10/31/2005	25.96	26.03	152.91	126.95	126.88	0.07	126.94	
RW-4	11/30/2005	26.33	26.44	152.91	126.58	126.47	0.11	126.56	
RW-4	12/28/2005	26.29	26.32	152.91	126.62	126.59	0.03	126.62	
KEMRON Assumes Control of Site 1st Quarter 2006									
RW-4	1/26/2006	26.05	26.20	152.91	126.86	126.71	0.15	126.84	
RW-4	2/23/2006	26.11	26.23	152.91	126.80	126.68	0.12	126.78	
RW-4	3/31/2006	NA	27.00	152.91	NA	125.91	NA	125.91	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
RW-4	4/28/2006	28.34	28.50	152.91	124.57	124.41	0.16	124.55	
RW-4	5/25/2006	27.15	27.28	152.91	125.76	125.63	0.13	125.74	
RW-4	6/30/2006	28.11	28.27	152.91	124.80	124.64	0.16	124.78	
RW-4	7/26/2006	28.02	28.14	152.91	124.89	124.77	0.12	124.87	
RW-4	8/31/2006	28.32	28.48	152.91	124.59	124.43	0.16	124.57	
RW-4	9/29/2006	28.51	28.63	152.91	124.40	124.28	0.12	124.38	
RW-4	10/31/2006	27.93	28.05	152.91	124.98	124.86	0.12	124.96	
RW-4	11/30/2006	26.07	26.20	152.91	126.84	126.71	0.13	126.82	
RW-4	12/28/2006	28.64	28.74	152.91	124.27	124.17	0.10	124.26	
RW-4	1/25/2007	25.67	25.71	152.91	127.24	127.20	0.04	127.23	
RW-4	2/22/2007	NA	25.65	152.91	NA	127.26	NA	127.26	
RW-4	3/30/2007	NA	25.70	152.91	NA	127.21	NA	127.21	
RW-4	4/27/2007	NA	25.20	152.91	NA	127.71	NA	127.71	Sheen
RW-4	5/31/2007	NA	26.02	152.91	NA	126.89	NA	126.89	Sheen
RW-4	6/28/2007	25.86	25.88	152.91	127.05	127.03	0.02	127.05	
RW-4	7/27/2007	NA	25.92	152.91	NA	126.99	NA	126.99	
RW-4	8/31/2007	NA	27.28	152.91	NA	125.63	NA	125.63	Sheen
RW-4	9/28/2007	NA	29.05	152.91	NA	123.86	NA	123.86	Sheen
RW-4	10/31/2007	NA	28.09	152.91	NA	124.82	NA	124.82	
RW-4	11/29/2007	NA	29.12	152.91	NA	123.79	NA	123.79	
RW-4	12/27/2007	27.27	27.28	152.91	125.64	125.63	0.01	125.64	
RW-4	1/31/2008	NA	28.99	152.91	NA	123.92	NA	123.92	
RW-4	2/28/2008	NA	28.56	152.91	NA	124.35	NA	124.35	
RW-4	3/27/2008	26.04	26.05	152.91	126.87	126.86	0.01	126.87	
RW-5	10/24/00	NA	25.47	151.87	NA	126.40	NA	126.40	
RW-5	11/27/00	NA	25.62	151.87	NA	126.25	NA	126.25	
RW-5	12/28/00	NA	26.64	151.87	NA	125.23	NA	125.23	
RW-5	1/24/2001	NA	26.52	151.87	NA	125.35	NA	125.35	
RW-5	4/26/2001	NA	25.05	151.87	NA	126.82	NA	126.82	
RW-5	5/31/2001	NA	25.10	151.87	NA	126.77	NA	126.77	
RW-5	6/28/2001	NA	25.14	151.87	NA	126.73	NA	126.73	
RW-5	07/24/01	NA	25.41	151.87	NA	126.46	NA	126.46	
RW-5	08/31/01	NA	25.20	151.87	NA	126.67	NA	126.67	
RW-5	09/28/01	NA	26.11	151.87	NA	125.76	NA	125.76	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
RW-5	10/30/01	NA	26.73	151.87	NA	125.14	NA	125.14	
RW-5	11/27/01	NA	27.02	151.87	NA	124.85	NA	124.85	
RW-5	12/28/01	NA	27.53	151.87	NA	124.34	NA	124.34	
RW-5	01/30/02	NA	28.15	151.87	NA	123.72	NA	123.72	
RW-5	02/26/02	NA	28.51	151.87	NA	123.36	NA	123.36	
RW-5	03/27/02	NA	28.61	151.87	NA	123.26	NA	123.26	
RW-5	04/26/02	NA	28.86	151.87	NA	123.01	NA	123.01	
RW-5	05/31/02	NA	26.72	151.87	NA	125.15	NA	125.15	
RW-5	06/28/02	NA	26.94	151.87	NA	124.93	NA	124.93	
RW-5	07/29/02	NA	27.23	151.87	NA	124.64	NA	124.64	
RW-5	08/30/02	NA	27.67	151.87	NA	124.20	NA	124.20	
RW-5	09/30/02	NA	28.22	151.87	NA	123.65	NA	123.65	
RW-5	10/25/02	NA	27.61	151.87	NA	124.26	NA	124.26	
RW-5	11/27/02	NA	25.18	151.87	NA	126.69	NA	126.69	
RW-5	12/30/02	NA	25.07	151.87	NA	126.80	NA	126.80	
RW-5	01/31/03	NA	24.72	151.87	NA	127.15	NA	127.15	
RW-5	02/25/03	NA	NA	151.87	NA	NA	NA	NA	covered with snow
RW-5	03/17/03	NA	23.13	151.87	NA	128.74	NA	128.74	
RW-5	04/30/03	NA	23.72	151.87	NA	128.15	NA	128.15	
RW-5	05/29/03	NA	22.63	151.87	NA	129.24	NA	129.24	
RW-5	06/27/03	NA	22.44	151.87	NA	129.43	NA	129.43	
RW-5	7/25/2003	NA	23.72	151.87	NA	128.15	NA	128.15	
RW-5	8/26/2003	NA	23.53	151.87	NA	128.34	NA	128.34	
RW-5	9/29/2003	NA	23.08	151.87	NA	128.79	NA	128.79	
RW-5	10/31/2003	NA	22.71	151.87	NA	129.16	NA	129.16	
RW-5	11/25/2003	NA	22.96	151.87	NA	128.91	NA	128.91	
RW-5	12/30/2003	NA	22.48	151.87	NA	129.39	NA	129.39	
RW-5	2/4/2004	NA	NA	151.87	NA	NA	NA	NA	covered with snow
RW-5	2/26/2004	NA	23.44	151.87	NA	128.43	NA	128.43	
RW-5	3/31/2004	NA	23.41	151.87	NA	128.46	NA	128.46	
RW-5	4/27/2004	NA	23.28	151.87	NA	128.59	NA	128.59	
RW-5	5/27/2004	NA	23.50	151.87	NA	128.37	NA	128.37	
RW-5	6/28/2004	NA	23.71	151.87	NA	128.16	NA	128.16	
RW-5	7/27/2004	NA	24.00	151.87	NA	127.87	NA	127.87	
RW-5	12/1/2004	NA	25.07	151.87	NA	126.80	NA	126.80	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
RW-5	12/31/2004	NA	24.92	151.87	NA	126.95	NA	126.95	
RW-5	1/28/2005	NA	25.08	151.87	NA	126.79	NA	126.79	
RW-5	2/24/2005	NA	25.13	151.87	NA	126.74	NA	126.74	
RW-5	3/27/2005	NA	24.56	151.87	NA	127.31	NA	127.31	
RW-5	4/26/2005	NA	23.90	151.87	NA	127.97	NA	127.97	
RW-5	5/27/2005	NA	24.68	151.87	NA	127.19	NA	127.19	
RW-5	6/30/2005	NA	24.67	151.87	NA	127.20	NA	127.20	
RW-5	7/29/2005	NA	24.90	151.87	NA	126.97	NA	126.97	
RW-5	8/31/2005	NA	24.60	151.87	NA	127.27	NA	127.27	
RW-5	9/30/2005	NA	24.72	151.87	NA	127.15	NA	127.15	
RW-5	10/31/2005	NA	24.97	151.87	NA	126.90	NA	126.90	
RW-5	11/30/2005	NA	25.54	151.87	NA	126.33	NA	126.33	
RW-5	12/28/2005	NA	25.41	151.87	NA	126.46	NA	126.46	
KEMRON Assumes Control of Site 1st Quarter 2006									
RW-5	1/26/2006	NA	26.40	151.87	NA	125.47	NA	125.47	
RW-5	2/23/2006	NA	26.36	151.87	NA	125.51	NA	125.51	
RW-5	3/31/2006	NA	26.54	151.87	NA	125.33	NA	125.33	
RW-5	4/28/2006	NA	30.19	151.87	NA	121.68	NA	121.68	
RW-5	5/25/2006	NA	30.07	151.87	NA	121.80	NA	121.80	
RW-5	6/30/2006	NA	31.23	151.87	NA	120.64	NA	120.64	
RW-5	7/26/2006	NA	31.03	151.87	NA	120.84	NA	120.84	
RW-5	8/31/2006	NA	31.40	151.87	NA	120.47	NA	120.47	
RW-5	9/29/2006	NA	31.42	151.87	NA	120.45	NA	120.45	
RW-5	10/31/2006	NA	29.17	151.87	NA	122.70	NA	122.70	
RW-5	11/30/2006	NA	29.01	151.87	NA	122.86	NA	122.86	
RW-5	12/28/2006	NA	31.39	151.87	NA	120.48	NA	120.48	
RW-5	1/25/2007	NA	24.70	151.87	NA	127.17	NA	127.17	
RW-5	2/22/2007	NA	24.83	151.87	NA	127.04	NA	127.04	
RW-5	4/27/2007	NA	26.79	151.87	NA	125.08	NA	125.08	
RW-5	5/31/2007	NA	26.80	151.87	NA	125.07	NA	125.07	
RW-5	6/28/2007	NA	25.28	151.87	NA	126.59	NA	126.59	
RW-5	7/27/2007	NA	25.23	151.87	NA	126.64	NA	126.64	
RW-5	8/31/2007	NA	27.48	151.87	NA	124.39	NA	124.39	
RW-5	9/28/2007	NA	26.88	151.87	NA	124.99	NA	124.99	
RW-5	10/31/2007	NA	27.15	151.87	NA	124.72	NA	124.72	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
RW-5	11/29/2007	NA	26.97	151.87	NA	124.90	NA	124.90	
RW-5	12/27/2007	NA	27.15	151.87	NA	124.72	NA	124.72	
RW-5	1/31/2008	NA	26.96	151.87	NA	124.91	NA	124.91	
RW-5	2/28/2008	NA	26.90	151.87	NA	124.97	NA	124.97	
RW-5	3/27/2008	NA	25.85	151.87	NA	126.02	NA	126.02	
RW-6	10/24/00	NA	29.25	157.34	NA	128.09	NA	128.09	
RW-6	11/27/00	NA	30.02	157.34	NA	127.32	NA	127.32	
RW-6	12/28/00	NA	30.35	157.34	NA	126.99	NA	126.99	
RW-6	1/24/2001	NA	30.45	157.34	NA	126.89	NA	126.89	
RW-6	4/26/2001	NA	29.15	157.34	NA	128.19	NA	128.19	
RW-6	5/31/2001	NA	29.31	157.34	NA	128.03	NA	128.03	
RW-6	6/28/2001	NA	29.34	157.34	NA	128.00	NA	128.00	
RW-6	07/24/01	NA	27.79	157.34	NA	129.55	NA	129.55	
RW-6	08/31/01	NA	29.55	157.34	NA	127.79	NA	127.79	
RW-6	09/28/01	NA	30.17	157.34	NA	127.17	NA	127.17	
RW-6	10/30/2001	NA	30.75	157.34	NA	126.59	NA	126.59	
RW-6	11/27/2001	NA	31.36	157.34	NA	125.98	NA	125.98	
RW-6	12/28/2001	NA	31.87	157.34	NA	125.47	NA	125.47	
RW-6	1/30/2002	NA	32.58	157.34	NA	124.76	NA	124.76	
RW-6	2/26/2002	NA	33.31	157.34	NA	124.03	NA	124.03	
RW-6	3/27/2002	NA	33.51	157.34	NA	123.83	NA	123.83	
RW-6	4/26/2002	NA	33.46	157.34	NA	123.88	NA	123.88	
RW-6	5/31/2002	NA	31.76	157.34	NA	125.58	NA	125.58	
RW-6	6/28/2002	NA	31.96	157.34	NA	125.38	NA	125.38	
RW-6	7/29/2002	NA	32.30	157.34	NA	125.04	NA	125.04	
RW-6	8/30/2002	NA	33.18	157.34	NA	124.16	NA	124.16	
RW-6	9/30/2002	NA	33.71	157.34	NA	123.63	NA	123.63	
RW-6	10/25/2002	NA	32.31	157.34	NA	125.03	NA	125.03	
RW-6	11/27/2002	NA	29.89	157.34	NA	127.45	NA	127.45	
RW-6	12/30/2002	NA	30.03	157.34	NA	127.31	NA	127.31	
RW-6	1/31/2003	NA	28.92	157.34	NA	128.42	NA	128.42	
RW-6	2/25/2003	NA	NA	157.34	NA	NA	NA	NA	covered with snow
RW-6	3/17/2003	NA	27.11	157.34	NA	130.23	NA	130.23	
RW-6	4/30/2003	NA	27.35	157.34	NA	129.99	NA	129.99	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Water and Fuel Elevation Measurements								Comments
	Date	Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
RW-6	5/29/2003	NA	27.44	157.34	NA	129.90	NA	129.90	
RW-6	6/27/2003	NA	25.62	157.34	NA	131.72	NA	131.72	
RW-6	7/25/2003	NA	27.35	157.34	NA	129.99	NA	129.99	
RW-6	8/26/2003	NA	26.00	157.34	NA	131.34	NA	131.34	
RW-6	9/29/2003	NA	25.92	157.34	NA	131.42	NA	131.42	
RW-6	10/31/2003	NA	26.19	157.34	NA	131.15	NA	131.15	
RW-6	11/25/2003	NA	25.94	157.34	NA	131.40	NA	131.40	
RW-6	12/30/2003	NA	25.35	157.34	NA	131.99	NA	131.99	
RW-6	2/4/2004	NA	NA	157.34	NA	NA	NA	NA	covered with snow
RW-6	2/26/2004	NA	25.40	157.34	NA	131.94	NA	131.94	
RW-6	3/31/2004	NA	25.90	157.34	NA	131.44	NA	131.44	
RW-6	4/27/2004	NA	24.77	157.34	NA	132.57	NA	132.57	
RW-6	5/27/2004	NA	23.90	157.34	NA	133.44	NA	133.44	
RW-6	6/28/2004	NA	26.05	157.34	NA	131.29	NA	131.29	
RW-6	7/27/2004	NA	26.36	157.34	NA	130.98	NA	130.98	
RW-6	12/1/2004	27.67	27.68	157.34	129.67	129.66	0.01	129.67	
RW-6	12/31/2004	NA	27.57	157.34	NA	129.77	NA	129.77	
RW-6	1/28/2005	NA	27.68	157.34	NA	129.66	NA	129.66	
RW-6	2/24/2005	NA	27.93	157.34	NA	129.41	NA	129.41	
RW-6	3/27/2005	NA	27.86	157.34	NA	129.48	NA	129.48	
RW-6	4/26/2005	NA	26.66	157.34	NA	130.68	NA	130.68	
RW-6	5/27/2005	NA	27.12	157.34	NA	130.22	NA	130.22	
RW-6	6/30/2005	NA	27.26	157.34	NA	130.08	NA	130.08	
RW-6	7/29/2005	NA	27.61	157.34	NA	129.73	NA	129.73	
RW-6	8/31/2005	NA	24.98	157.34	NA	132.36	NA	132.36	
RW-6	9/30/2005	NA	25.31	157.34	NA	132.03	NA	132.03	
RW-6	10/31/2005	NA	25.68	157.34	NA	131.66	NA	131.66	
RW-6	11/30/2005	NA	28.14	157.34	NA	129.20	NA	129.20	
RW-6	12/28/2005	NA	28.27	157.34	NA	129.07	NA	129.07	
KEMRON Assumes Control of Site 1st Quarter 2006									
RW-6	1/26/2006	NA	30.07	157.34	NA	127.27	NA	127.27	
RW-6	2/23/2006	NA	30.09	157.34	NA	127.25	NA	127.25	
RW-6	3/31/2006	NA	30.05	157.34	NA	127.29	NA	127.29	
RW-6	4/28/2006	NA	29.04	157.34	NA	128.30	NA	128.30	
RW-6	5/25/2006	NA	28.91	157.34	NA	128.43	NA	128.43	

TABLE 2
Monitoring and Recovery Well Water Level and Fuel Oil Occurrence Data
Building 8481
Fort George G. Meade

Monitoring Well	Date	Water and Fuel Elevation Measurements							Comments
		Depth to Hydrocarbon (Feet)	Depth to Water (Feet)	Casing Rim Elevation (Feet MSL)	Hydrocarbon Surface Elevation (Feet MSL)	Water Surface Elevation (Feet MSL)	Hydrocarbon Thickness (Feet)	Potentiometric Surface Elevation (Feet MSL) (a)	
RW-6	6/30/2006	NA	30.01	157.34	NA	127.33	NA	127.33	
RW-6	7/26/2006	NA	30.11	157.34	NA	127.23	NA	127.23	
RW-6	8/31/2006	NA	30.64	157.34	NA	126.70	NA	126.70	
RW-6	9/29/2006	NA	29.51	157.34	NA	127.83	NA	127.83	
RW-6	10/31/2006	NA	28.35	157.34	NA	128.99	NA	128.99	
RW-6	11/30/2006	NA	27.28	157.34	NA	130.06	NA	130.06	
RW-6	12/28/2006	NA	27.28	157.34	NA	130.06	NA	130.06	
RW-6	1/25/2007	NA	27.47	157.34	NA	129.87	NA	129.87	
RW-6	2/22/2007	NA	27.80	157.34	NA	129.54	NA	129.54	
RW-6	3/30/2007	NA	27.67	157.34	NA	129.67	NA	129.67	
RW-6	4/27/2007	NA	27.03	157.34	NA	130.31	NA	130.31	
RW-6	5/31/2007	NA	27.76	157.34	NA	129.58	NA	129.58	
RW-6	6/28/2007	NA	27.86	157.34	NA	129.48	NA	129.48	
RW-6	7/27/2007	NA	28.45	157.34	NA	128.89	NA	128.89	
RW-6	8/31/2007	NA	29.11	157.34	NA	128.23	NA	128.23	
RW-6	9/28/2007	NA	29.82	157.34	NA	127.52	NA	127.52	
RW-6	10/31/2007	NA	30.02	157.34	NA	127.32	NA	127.32	
RW-6	11/29/2007	NA	32.09	157.34	NA	125.25	NA	125.25	
RW-6	12/27/2007	NA	29.90	157.34	NA	127.44	NA	127.44	
RW-6	1/31/2008	NA	29.85	157.34	NA	127.49	NA	127.49	
RW-6	2/28/2008	NA	28.80	157.34	NA	128.54	NA	128.54	
RW-6	3/27/2008	NA	28.36	157.34	NA	128.98	NA	128.98	


(a) Potentiometric surface elevations calculated from: ((Fuel oil thickness / 0.86) + water surface elevation). The values of 0.86 corresponds to the specific gravity of No. 2 fuel oil.

(b) Casing rim elevation is not available for MW-28


APPENDIX A

GROUNDWATER ELEVATION GRAPHS


MW-3




MW-8




MW-12




MW-13




MW-14




MW-15




MW-19




MW-20




MW-29




MW-30




MW-31




MW-32




MW-102




MW-104




MW-105




MW-110




MW-111




MW-121




MW-123




MW-124




MW-125




MW-126




MW-127




MW-200




MW-201




MW-301




MW-302




MW-303




MW-304




MW-305



MW-306



MW-307



APPENDIX B

MDE REPORT OF OBSERVATIONS

04/03/03

**Maryland Department of the Environment
Waste Management Administration
Oil Control Program
1800 Washington Boulevard, Suite 620
Baltimore MD 21230-1719**

(410) 537-3442

Case No. 92-0026-AA1

Facility I.D. No.

Date: 4-3-03

REPORT OF OBSERVATIONS

Facility Name: Ft. Meade Bldg. 8481 Boiler Plant

Remarks: Writer met with Mr. Joe DiGiovanni of Ft. Meade Environmental Office, Mr. Phil Raskin of URS and AA Environmental at the above referenced site. URS and AA are conducting EFR events on select wells. They are currently set up on well MW-12. Today's meeting was conducted to observe the EFR event and to discuss the status of the site and follow-up actions as per the draft email correspondence from URS dated January 22, 2003. The following activities as outlined in the draft letter were discussed:

CLOSURE ACTIVITIES

1. **Abandon Existing Recovery Wells:** URS proposed to abandon RW-1 through RW-6. The Administration will approve abandonment of recovery wells for the reasons outlined in the URS letter, however select wells will need to be replaced, or an investigation will need to be done in the areas of the recovery wells to determine if LPH is present.

Specifically:

- RW-1: since LPH was observed (0.39-ft on 9/30/02-Phil will verify this), Ft. Meade must investigate if LPH is present in the area of RW-1 (which might be combined with LPH delineation task discussed below) or re-install a well at this location.
- RW-2: Due to its proximity to MW-124, OCP approves abandonment.
- RW-3: OCP approves to abandonment
- RW-4: Has a replacement well 104, approval to abandon
- RW-5: Due to proximately to other wells, approval to abandon.
- RW-6: Approval to abandon.

2. **Abandon Existing Monitoring Well:** URS proposed to abandon damage well MW-15, which should actually read MW-13 according to Phil. This well will not be approved for abandonment and must be repaired. This well is a "0" point" well used in the delineation and monitoring of LPH occurrence and recovery, and must not be abandoned. If the well cannot be repaired, it must be replaced.

URS also proposed to abandon wells MW-30, MW-31, MW-32, and MW-123. OCP requires "0 point" wells, including up-gradient wells for long-term monitoring. As such, Wells MW-30, MW-32, and MW-123 cannot be abandoned, since they are periphery

wells that delineate the extent of the product plume and must be used for monitoring. Monitoring well MW-31, however, may be proposed for abandonment.

Phil will check and include wells MW-28, MW-9 and MW-1 on future maps and include the gauging data of MW-9 and MW-28.

3. **Termination of Natural Attenuation Parameters (NAP) Measurements.** OCP approves the proposal to eliminate NAP monitoring at this site. OCP would like Ft. Meade to concentrate their resources in product delineation and recovery.
4. **Termination of Dissolved Phase Plume Assessment.** OCP will waive the requirement to perform routine dissolved phase sampling. The Administration may require periodic sampling during post remedial monitoring, or if we deem it necessary to update the status of the dissolved petroleum levels at the site.

In addition, URS may submit a proposal to reduce frequency of gauging of selected monitoring wells from monthly to quarterly (i.e., periphery wells, once the total extent of LPH is delineated and the plume is under control).

ACCELERATED FUEL OIL RECOVERY

1. Accelerated Fuel Recovery Proximate to MW-127.

- **Residual Fuel Delineation Using Laser Induced Fluorescence (LIF) Technology-** URS proposal was discussed, and generally OCP approves of this technology to delineate the vertical and horizontal extent of free product. Locations should begin at areas of known LPH (i.e., at MW-127, so that if a response is not measured or is not at the depths of where we know there is contamination when compared with boring logs, then the data collected may be questionable. May also need to consider if the size of this rig will prohibit locations close to the building.

In addition to area of MW-127, the area of RW-1, and areas between MW-124, MW-120, MW-125 and MW-200 will need to be investigated, as well as downgradient of MW-200. Due to LPH at downgradient well MW-200, Ft. Meade does not have control of the plume in this area. It is crucial that a delineation investigation and recovery plan to gain control of the product plume is implemented. URS will need to investigate potential migration pathways such as underground utilities and stratigraphy to gain a better understanding of the migration of the plume.

- **Recoverable Fuel Oil Assessment-** Should also install screens at locations that are “-“ hits, in order to delineate the extent of LPH. Due to the depths of the temporary well points, may need to use larger diameter well points (2-inch diameter).
- **Expansion of the Existing Automatic Fuel Recovery System-** OCP likely to approve. We will need to consider other options if the data shows that the product is submerged, may need to suppress the water table at certain times of the year or after skimming is no longer a viable recovery option.

2. Enhanced Fluid Recovery (EFR)-

- *Wells Proposed for Abandonment*-URS proposed to perform EFR on monitoring wells that are proposed for abandonment.
- *Wells with measurable Fuel Oil*-OCP approves EFR, and URS should include well MW-200 for EFR.

With regards to the last text of the letter prepared by URS, I do not agree that “ a strong argument can currently be made that for most of the Building 8481 site free product has already been removed to the maximum extent practicable”. There was/is significant LPH at the area of MW-127 in which the extent and possible sources has not yet been defined. In addition, LPH has been detected in downgradient well MW-200, which shows that Ft. Meade does not have control over the plume. URS and Ft. Meade should refer to the Maryland Environmental Assessment Technology (MEAT) for Lust sites that can be found at the MDE website. It presents the seven risk factors that must be considered when evaluating a site for corrective action and closure.

OCP requires URS on behalf of Ft. Meade to submit a LPH delineation plan as well as a schedule of investigative activities and EFR events at selected monitoring wells.

While I was on-site, according to Phil, no lph was detected at MW-12 prior to EFR. After the EFR at this well, approx. 0.02 ft of lph was detected (well still recovering, it was difficult to measure exact thickness).

Ellen Jackson
Project Geologist

APPENDIX C

MDE CONDITIONAL APPROVAL OF THE SCM 01/16/2008



MARYLAND DEPARTMENT OF THE ENVIRONMENT
Oil Control Program, Suite 620, 1800 Washington Blvd., Baltimore MD 21230-1719
410-537-3442 • 410-537-3092 (fax) 1-800-633-6101

Martin O'Malley
Governor

Anthony G. Brown
Lieutenant Governor

Shari T. Wilson
Secretary

Robert M. Summers, Ph.D.
Deputy Secretary

January 16, 2008

Mr. Paul Fluck
Restoration Manager, Environmental Division
Directorate of Public Works
U.S. Army Garrison Fort George G. Meade
239 Chisholm Avenue
Ft. Meade MD 20755-5115

RE: WORK PLAN APPROVAL
Case No. 92-0226-AA1
Former Troop Boiler Plant
Building 8481, OU-2
Ft. Meade Facility
Facility I.D. No. 7089

Dear Mr. Fluck:

The Oil Control Program has reviewed the *Site Conceptual Model and Assessment Report - October 2007* and the *Third Quarterly 2007 Data Report - October 26, 2007* for the above-referenced facility in Anne Arundel County. A *Work Plan* to install booms in select wells containing product, proposal of monitoring frequency modification and groundwater sampling plan was included in the *Site Conceptual Model and Assessment Report*. The Department approves the *Work Plan* as proposed, contingent upon the following modifications.


1. All monitoring wells must be gauged monthly with the exception of MW-15, which will be gauged weekly, as proposed.
 - Monitoring wells MW-110, MW-121, MW-123, MW-125, MW-201 are approved for groundwater sampling.
 - Monitoring wells MW-126, MW-200, and MW-307 must be included in the sampling event. Please note, MW-200 replaces well MW-305 in the groundwater sampling plan.
 - All groundwater samples collected must be analyzed for Full suite VOC including fuel oxygenates and TPH DRO/GRO by 8015B.
2. *Quarterly Status Reports* must continue to be submitted to the Department. For future reference, these reports must include the following:

Mr. Paul Fluck
Case No. 92-0026-AA1
Page 2

- Figures must be scaled and presented in black and white maps depicting environmental features (i.e. former building, former underground storage tank and above ground storage tank (UST/AST) footprints, roadways, and monitoring well locations). For future reference do not use aerial photographs as base maps for Figures.
- A groundwater gradient flow map, dissolved petroleum concentration map showing benzene, total benzene, toluene, ethylbenzene, and xylene (BTEX) and methyl tertiary-butyl ether (MTBE) concentrations, and product thickness maps must be included in quarterly reports.
- A gauging table showing depth to product, depth to water, product thickness per well for the past two years should be printed and provided in the monitoring reports. Gauging data prior to the last two years may be submitted on compact disks.

Please notify Ms. Ellen Jackson, Case Manager at least 5 days prior to installation of the product booms, monthly gauging and groundwater sampling events at the facility. If you have any questions or comments, please contact Ms. Jackson at 410-537-3482, or email at ejackson@mde.state.md.us.

Sincerely,



Yolande J.C. Norman, Chief
Remediation and State Lead Division
Oil Control Program

EJ

cc: Mr. Brian Chew (Anne Arundel County Health Department)
Mr. Herbert M. Meade
Mr. Horacio Tablada

APPENDIX D

BIOSOK® INSTALLATION PICTURES

03/20/2008



TORQUE
1/4-16







APPENDIX E

**WELL LOGS
03/20/2008**

Monitoring Well Log MW15

Project: Fort Meade

Well Number: 15

Client: US Army

Casing Elev. TOC: 155.36 ft.

Site Location: OU-2

Depth to Bottom (Ft): 35

Kemron Project #: VA0032


Screened Interval (Ft): 10 - 35

KEMRON

ENVIRONMENTAL SERVICES

KEMRON Environmental Services, Inc.

8150 Leesburg Pike, Suite 1410
Vienna, VA 22182



Well Diameter: 4 inch

Permit #: NA

Monitoring Well Log MW15

Project: Fort Meade

Well Number: 15

Client: US Army

Casing Elev. TOC: 155.36 ft.

Site Location: OU-2

Depth to Bottom (Ft): 35

Kemron Project #: VA0032

Screened Interval (Ft): 10 - 35



ENVIRONMENTAL SERVICES

KEMRON Environmental Services, Inc.

8150 Leesburg Pike, Suite 1410
Vienna, VA 22182

Depth	Blows / 6"	Recovery	PID (ppm)	Lithologic Description	USCS	Well Construction Details
21						
22						
23						
24						
25						
26						
27						
28						
29						
30						
31						
32						
33						
34						
35				End of Borehole		
36						
37						
38						
39						
40						

Well Diameter: 4 inch

Permit #: NA

Monitoring Well Log MW-104

Project: Fort Meade

Well Number: 104

Client: US Army

Casing Elev. TOC: 157.88 ft.

Site Location: OU-2

Depth to Bottom (Ft): 40

Kemron Project #: VA0032


Screened Interval (Ft): 15 - 40

KEMRON

ENVIRONMENTAL SERVICES

KEMRON Environmental Services, Inc.

8150 Leesburg Pike, Suite 1410
Vienna, VA 22182



Well Diameter: 4 inch

Permit #: NA

Monitoring Well Log MW-104

Project: Fort Meade

Well Number: 104

Client: US Army

Casing Elev. TOC: 157.88 ft.

Site Location: OU-2

Depth to Bottom (Ft): 40

Kemron Project #: VA0032


Screened Interval (Ft): 15 - 40

KEMRON

ENVIRONMENTAL SERVICES

KEMRON Environmental Services, Inc.

8150 Leesburg Pike, Suite 1410
Vienna, VA 22182



Well Diameter: 4 inch

Permit #: NA

Sheet: 2 of 2

Monitoring Well Log MW111

Project: Fort Meade

Well Number: 111

Client: US Army

Casing Elev. TOC: 160.27 ft.

Site Location: OU-2

Depth to Bottom (Ft): 46.5

Kemron Project #: VA0032


Screened Interval (Ft): 17-42

kemron

ENVIRONMENTAL SERVICES

KEMRON Environmental Services, Inc.

8150 Leesburg Pike, Suite 1410
Vienna, VA 22182



Well Diameter: 4 inch

Permit #: NA

Monitoring Well Log MW11

Project: Fort Meade

Well Number: 111

Client: US Army

Casing Elev. TOC: 160.27 ft.

Site Location: OU-2

Depth to Bottom (Ft): 46.5

Kemron Project #: VA0032


Screened Interval (Ft): 17-42



ENVIRONMENTAL SERVICES

KEMRON Environmental Services, Inc.

8150 Leesburg Pike, Suite 1410
Vienna, VA 22182



Well Diameter: 4 inch

Permit #: NA

Monitoring Well Log MW11

Project: Fort Meade

Well Number: 111

Client: US Army

Casing Elev. TOC: 160.27 ft.

Site Location: OU-2

Depth to Bottom (Ft): 46.5

Kemron Project #: VA0032

Screened Interval (Ft): 17-42

KEMRON

ENVIRONMENTAL SERVICES

KEMRON Environmental Services, Inc.

8150 Leesburg Pike, Suite 1410
Vienna, VA 22182

Depth	Blows / 6"	Recovery	PID (ppm)	Lithologic Description	USCS	Well Construction Details
36						
37						
38						
39						
40						
41						
42						
43						
44						
45						
46						
47				End of Borehole		
48						
49						
50						
51						
52						
53						
54						
55						

Well Diameter: 4 inch

Permit #: NA

Monitoring Well Log MW124

Project: Fort Meade

Well Number: 111

Client: US Army

Casing Elev. TOC: 165.20 ft.

Site Location: OU-2

Depth to Bottom (Ft): 46.5

Kemron Project #: VA0032


Screened Interval (Ft): 20-45

KEMRON

ENVIRONMENTAL SERVICES

KEMRON Environmental Services, Inc.

8150 Leesburg Pike, Suite 1410
Vienna, VA 22182



Well Diameter: 4 inch

Permit #: NA

Monitoring Well Log MW124

Project: Fort Meade

Well Number: 111

Client: US Army

Casing Elev. TOC: 165.20 ft.

Site Location: OU-2

Depth to Bottom (Ft): 46.5

Kemron Project #: VA0032


Screened Interval (Ft): 20-45

KEMRON

ENVIRONMENTAL SERVICES

KEMRON Environmental Services, Inc.

8150 Leesburg Pike, Suite 1410
Vienna, VA 22182



Well Diameter: 4 inch

Permit #: NA

Monitoring Well Log MW124

Project: Fort Meade

Well Number: 111

Client: US Army

Casing Elev. TOC: 165.20 ft.

Site Location: OU-2

Depth to Bottom (Ft): 46.5

Kemron Project #: VA0032


Screened Interval (Ft): 20-45

KEMRON

ENVIRONMENTAL SERVICES

KEMRON Environmental Services, Inc.

8150 Leesburg Pike, Suite 1410
Vienna, VA 22182



Well Diameter: 4 inch

Permit #: NA